

## REFERENCES

### Book

- Boyed, M.R. (1997). The NCI in vitro anticancer drug discovery screen. Anticancer drug development guide; preclinical screening, clinical trials and approval. Humana Press: Totowa.
- Carter, S. & Livingston, R. (1982). Principle of cancer chemotherapy. New York: McGraw-Hill.
- Chaiwerawattana, A. (2007). Breast. In *Cancer in Thailand Vol. IV, 1998-2000*, Bangkok, National Cancer Institute.
- Cheng, Y., Xia, N. & Gilbert, M.G.. (1999). Piperaceae. In Z. Wu & P.H. Raven (Ed.) *Flora of China Vol.4* (pp. 110-129). Missouri Botanical Garden, St.Louis, Missouri,.
- Chuakul, W., Soonthornchareonnon, N. & Saralamp, P., (1999). *Plumbago indica* L. Plant Resources of South-East Asia No. 12(1): Medicinal and poisonous plants 1. Backhuys Publisher, Leiden, Netherlands.
- Deevisate, K., Ranglek, S., Chaiprasitkul, K. & Wachagnueng, K. (1994). Treditional Pharmacy Handbook. Thaiveterans publisher, Bangkok.
- Freshney, R.I. (1994). Culture of animal cells. A manual of basic technique. 3<sup>rd</sup> ed., New York: John Wiley and Sons, Inc.
- Jansen, P.C.M., (1999). *Piper sarmentosum* Roxb. ex Hunter. In: de Guzman, C.C. and Siemonsma, J.S. (Ed.). *Plant Resources of South-East Asia No. 13: Spices*. (pp.261). Backhuys Publisher, Leiden, The Netherlands,.
- Khuhaprema, T. & Srivatanakul, P. (2007). Liver and Bile Duct. In *Cancer in Thailand Vol. IV, 1998-2000*, Bangkok, National Cancer Institute.
- Martin, N. (2007). Lung. In *Cancer in Thailand Vol. IV, 1998-2000*, Bangkok, National Cancer Institute.
- Pichiensunthon, C. & Jeerawongs, V. (2004). Treditional Pharmacy Handbook Vol.5. Ammarin publisher, Bangkok.

- Saralamp, P., Chuakul, W., Tamsiririrukul, R. & Clayton, T. (1996). Medicinal Plant in Thailand Volume I. Department of Pharmaceutical Botany, Faculty of Pharmacy, Mahidol University, Thailand.
- Srivatanakul, P. (2007). Cervix Uteri. In *Cancer in Thailand Vol. IV, 1998-2000*, Bangkok, National Cancer Institute.
- Subcharoen, P. (1998). Anticancer: Thai traditional medicine as alternative self care for treated cancer patients. Bangkok: Thai Traditional Medicine Institute, Ministry of public Health.
- WHO. (1999). Rhizoma Zingiberis. In WHO monographs on selected medicinal plants. (Vol.1, pp. 277-287). Geneva, World Health Organization.

### Article

- Acharya, B.R., Bhattacharyya, B., & Chakrabarti, G. (2008). The Natural Naphthoquinone Plumbagin Exhibits Antiproliferative Activity and Disrupts the Microtubule Network through Tubulin Binding. *Biochemistry*, 47(30), 7838–7845.
- Ali, B.H., Gerald, B., Tanira, M.O. & Nemmar, A. (2008). Some phytochemical, pharmacological and toxicological properties of ginger (*Zingiber officinale* Roscoe): A review of recent research. *Food and Chemical Toxicology*, 46, 409–420.
- Araujo-Junior, J.X.D., Da-Cunha, E.V.L., Chaves, M.C.D.O. & Gray, A.I. (1996). Piperdardine, A Piperidine Alkaloid from *Piper tuberculatum*. *Phytochemistry*, 44(3): 559-561.
- Aziz, M.H., Dreckschmidt, N.E. & Verma, A.K. (2008). Plumbagin, a Medicinal Plant–Derived Naphthoquinone, Is a Novel Inhibitor of the Growth and Invasion of Hormone-Refractory Prostate Cancer. *Cancer Research*, 68, 9024-9032.
- Bhandari, U., Kanojia, R. & Pillai, K.K. (2005). Effect of ethanolic extract of *Zingiber officinale* on dyslipidaemia in diabetic rats. *Journal of Ethnopharmacology*, 97, 227–230.

- Bhandari, U., Sharma, J.N. & Zafar, R. (1998). The protective action of ethanolic ginger (*Zingiber officinale*) extract in cholesterol fed rabbits. *Journal of Ethnopharmacology*, 61, 167–171.
- Cragg, G.M., Newman, D.J. & Weiss, R.B. (1997). Natural products in drug discovery and development. *Journal of Natural Products*, 60, 52-60.
- Chaithong, U., Choochote, W., Kamsuk, K., Jitpakdi, A., Tippawangkosol, P., Chaiyasit, D., Champakaew, D., Tuetun, B., & Pitasawat, B. (2006). Larvicidal effect of pepper plants on *Aedes aegypti* (L.) (Diptera: Culicidae). *Journal of Vector Ecology*, 31(1), 138-144.
- Chanwitheesuk, A., Teerawutgulrag, A. & Rakariyatham, N. (2005). Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand. *Food Chemistry*, 92, 491–497.
- Chauvalthamrong, P., Auttavich, A., Raksaman, P. & Jantapen, P. 1996. Subchronic toxicity of Benjakul traditional medicine. *The Thai J. of Pharm. Sci.*, 20(1): 39-51.
- Chaveerach, A., Mookamul, P., Sudmoon, R. & Tanee, T. (2006). Ethnobotany of the genus *Piper* (Piperaceae) in Thailand. *Ethnobotany Research & Applications*, 4, 223-231.
- Devan, P., Ban, S., Suri, K.A., Satti, N.K. & Qazi, G.N. (2007). Immunomodulation exhibited by piperinic acid through suppression of proinflammatory cytokines. *International Immunopharmacology*, 7, 889–899.
- Devi, P.U., Solomon, F.E. & Sharada, A.C. (1994). *In vivo* tumor inhibitory and radiosensitizing effects of an Indian medicinal plant, *Plumbago rosea* on experimental mouse tumors. *Indian J. Exp. Biol.*, 32, 523-528.
- Dinda, B. & Chel, G. (1992). 6-Hydroxyplumbagin, a naphthoquinone from *Plumbago indica*. *Phytochemistry*, 31(10), 3652-3653.
- Dzoyem, J.P., Tangmouo, J.G., Lontsi, D., Etoa, F.X. & Lohoue, P.J. (2007). *In Vitro* antifungal activity of extract and plumbagin from the stem bark of *Diospyros crassiflora* Hiern (Ebenaceae). *Phytotherapy Research*, 21(7), 671 – 674.
- Garcia, M., Jemal, A., Ward, E.M., Center, M.M., Hao, Y., Siegel, R.L. & Thun, M.J. (2007). Global Cancer Facts & Figures 2007. *American Cancer Society*, Atlanta, GA.

- Houghton, P. (1995). The role of plants in traditional medicine and current therapy. *J. Altern. Complem. Med.*, 1(2), 131-143.
- Hsu, Y.L., Cho, C.Y., Kuo, P.L., Huang, Y.T. & Lin, C.C. (2006). Plumbagin (5-hydroxy-2-methyl-1,4-naphthoquinone) induces apoptosis and cell cycle arrest in A549 cells through p53 accumulation via c-Jun NH2-terminal kinase-mediated phosphorylation at serine 15 in vitro and in vivo. *J. Pharmacol. Exp. Ther.*, 318(2), 484-94.
- Ingkaninan, K., Temkitthawon, P., Chuenchom, K., Yuyaem, T. & Thongnoi, W. (2003). Screening for acetylcholinesterase inhibitory activity in plants used in Thai traditional rejuvenating and neurotonic remedies. *Journal of Ethnopharmacology*, 89, 261–264.
- Itharat, A., Ratanasuwan, P., Sukasame, N. & Saneumg, K. (2004). Cytotoxic study on prostate cancer of benjakul preparation. Research Report of Faculty of Pharmaceutical Science, Prince of Songkla University.
- Itharat, A., Singchangchai, P. & Ratanasuwan, P. (1998). Wisdom of Southern Thai traditional doctors. Research Report of Prince of Songkla University, Songkla, , 126.
- Ishiguro, K., Ando, T., Maeda, O., Ohmiya, N., Niwa, Y., Kadomatsu, K. & Goto, H. (2007). Ginger ingredients reduce viability of gastric cancer cells via distinct mechanisms. *Biochemical and Biophysical Research Communications*. 362, 218–223.
- Jolad, S.D., Lantz, R.C., Chen, G.J., Bates, R.B. & Timmermann, B.N. (2005). Commercially processed dry ginger (*Zingiber officinale*): Composition and effects on LPS-stimulated PGE2 production. *Phytochemistry*, 66, 1614–1635.
- Katiyar, S.K., Agarwal, R. & Mukhtar, H. (1996). Inhibition of tumor promotion in SENCAR mouse skin by ethanol extract of *Zingiber officinale* rhizome. *Cancer Res.*, 56(5), 1023-30.
- Kavimani, S., Ilango, R., Madheswaran, M., Jayakar, B., Gupta, M. & Majumdar, U.K. 1996. Antitumour activity of plumbagin against dalton's ascitic lymphoma. *Indian Journal of Pharmaceutical Sciences*, 58(5), 194-196.

- Keawpradub, N., Houghton, P.J., Eno-Amooguaye, E. & Burke, P.J. (1997). Activity of extracts and alkaloids of Thai *Alstonia* species against human lung cancer cell lines. *Planta Med.*, 63, 97-101
- Kim, E.C., Min, J. K., Kim, T.Y., Lee, S.J., Yang, H.O., Han, S., Kim, Y.M. & Kwon, Y.G. (2005). [6]-Gingerol, a pungent ingredient of ginger, inhibits angiogenesis *in vitro* and *in vivo*. *Biochem. Biophys. Res. Commun.*, 335(2): 300-308.
- Kim, J.S., Lee, S.I., Park, H.W., Yang, J.H., Shin, T.Y., Kim, Y.C., Baek, N., Kim, S.H., Choi, S.U., Kwon, B.M., Leem, K., Jung, M.Y. & Kim D.K. (2008). Cytotoxic Components from the Dried Rhizomes of *Zingiber officinale* Roscoe. *Arch Pharm Res.*, 31(4), 415-418.
- Koo, K.L.K., Ammit, A.J., Tran, V.H., Duke, C.C. & Roufogalis, Ba.D. (2001). Gingerols and Related Analogues Inhibit Arachidonic Acid-Induced Human Platelet Serotonin Release and Aggregation. *Thrombosis Research*, 103, 387–397.
- Koseywattana, I. (2002). Quality control of food supplement products and cosmetics from herbs. 4th National Seminar on Pharmaceutical Biotechnology. Chiang Mai, Thailand. September 3-5, 2002.
- Kumar, S., Singhal, V., Roshan, R., Sharma, A., Rembhotkar, G.W. & Ghosh, B. (2007). Piperine inhibits TNF- $\alpha$  induced adhesion of neutrophils to endothelial monolayer through suppression of NF- $\kappa$ B and I $\kappa$ B kinase activation. *European Journal of Pharmacology*, 575, 177–186.
- Kuo, P.C., Damu, A.G., Cherng, C.Y., Jeng, J.F., Teng, C.M., Lee, E.J. & Wu, T.S. 2005. Isolation of a Natural Antioxidant, Dehydrozingerone from *Zingiber officinale* and Synthesis of Its Analogues for Recognition of Effective Antioxidant and Antityrosinase Agents. *Arch. Pharm. Res.*, 28(5), 518-528.
- Kuo, P.L., Hsu, Y.L. & Cho, C.Y. (2006). Plumbagin induces G<sub>2</sub>-M arrest and autophagy by inhibiting the AKT/mammalian target of rapamycin pathway in breast cancer cells. *Molecular cancer therapeutics*, 5, 3209-3221.
- Lee, E. & Surh, Y.J. (1998). Induction of apoptosis in HL-60 cells by pungent vanilloids, [6]-gingerol and [6]-paradol. *Cancer Letters*, 134, 163-168.

- Lee, H.S., Seo, E.Y., Kang, N.E. & Kim, W.K. (2008b). [6]-Gingerol inhibits metastasis of MDA-MB-231 human breast cancer cells. *Journal of Nutritional Biochemistry*, 19, 313–319.
- Lee, S.W., Kim, Y.K., Kim, K., Lee, H.S., Choi, J.H., Lee, W.S., Jun, C.D., Park, J.H., Lee, J.M. & Rho, M.C. (2008a). Alkamides from the fruits of *Piper longum* and *Piper nigrum* displaying potent cell adhesion inhibition. *Bioorganic & Medicinal Chemistry Letters*, 18, 4544–4546.
- Lukasz, M., Maciej, S., Jacek, B. & Ewa, L. (2007). Induction of apoptosis by plumbagin through reactive oxygen species-mediated inhibition of topoisomerase II. *Toxicology and Applied Pharmacology*, 223(3), 267-76.
- Madhusudhan, P. & Vandana, K.L. (2001). Tetrahydropiperine, the first natural aryl pentanamide from *Piper longum*. *Biochemical Systematics and Ecology*, 29, 537–538.
- Manju, V. & Nalini, N. (2005). Chemopreventive efficacy of ginger, a naturally occurring anticarcinogen during the initiation, post-initiation stages of 1,2 dimethylhydrazine-induced colon cancer. *Clinica Chimica Acta*, 358, 60–67.
- Matsuda, H., Ninomiya, K., Morikawa, T., Yasuda, D., Yamaguchi, I. & Yoshikawa, M. (2008). Protective effects of amide constituents from the fruit of *Piper chaba* on D-galactosamine/TNF- $\alpha$ -induced cell death in mouse hepatocytes. *Bioorganic & Medicinal Chemistry Letters*, 18, 2038–2042.
- Murakami, A., Nakamura, Y., Ohigashi, H. & Koshimizu, K. (1997). Cancer chemopreventive potentials of edible Thai plants and some of their active constituents. *Mem. Sch. Biol. Oriented Sci. Technol. Kinki Univ.* 1, 1-23.
- National statistical office. (2006). Health Information Unit, Bureau of Health Policy and Strategy, (Public Health Statistics 2005-2006), Ministry of Public Health.
- Nahálka, J., Blanárik, P., Gemeiner, P., Matúšová, E. & Partlová, I. (1996). Production of plumbagin by cell suspension cultures of *Drosophyllum lusitanicum* Link. *Journal of Biotechnology*, 49, 153-161.
- Park, B.S., Sonb, D.J., Park, Y.H., Kim, T.W. & Lee, S. E. (2007). Antiplatelet effects of acidamides isolated from the fruits of *Piper longum* L. *Phytomedicine*, 14, 853–855.

- Parmar, V.S., Jain, S.C., Bisht, K.S., Jain, R., Taneja, P., Jha, A., Tyagi, O.D., Prasad, A.K., Wengel, J., Olsen, C.E. & Boll, P.M. (1997). Phytochemistry of THE Genus *Piper*. *Phytochemistry*, 46(4), 591-673.
- Peungvicha, P., Thirawarapan, S.S., Tamsiririrkkul, R., Watanabe, H., Prasain, J. K. & Kadota, S. 1998. Hypoglycemic effect of the water extract of *Piper sarmentosum* in rats. *Journal of Ethnopharmacology*, 60, 27–32.
- Pezzuto, J.M. (1997). Plant-derived anticancer agents. *Biochem. Pharmacol.*, 53, 121-133.
- Powolny, A. & Singh, S. (2008). Plumbagin-induced Apoptosis in Human Prostate Cancer Cells is Associated with Modulation of Cellular Redox Status and Generation of Reactive Oxygen Species. *Pharmaceutical Research*, 25(9): 2171-2180.
- Pullela, S.V., Tiwari, A.K., Vanka, U.S., Vummenthula, A., Tatipaka, H.B., Dasari K.R., Khanc, I.A. & Janaswamy, M.R. (2006). HPLC assisted chemobiological standardization of  $\alpha$ -glucosidase-I enzyme inhibitory constituents from *Piper longum* Linn-An Indian medicinal plant. *Journal of Ethnopharmacology*, 108, 445–449.
- Ridditid, W., Rattanaprom, W., Thaina, P., Chittrakarn, S. & Sunbhanich, M. (1998). Neuromuscular blocking activity of methanolic extract of *Piper sarmentosum* leaves in the rat phrenic nerve-hemidiaphragm preparation. *Journal of Ethnopharmacology*, 61, 135–142.
- Rukachaisirikul, T., Siriwattanakit, P., Sukcharoenphol, K., Wongvein, C., Ruttanaweang, P., Wongwattanavuch, P. & Suksamrarn, A. (2004). Chemical constituents and bioactivity of *Piper sarmentosum*. *Journal of Ethnopharmacology*, 93, 173–176.
- Selvendiran, K., Singh J.P.V. & Sakthisekaran, D. (2006). *In vivo* effect of piperine on serum and tissue glycoprotein levels in benzo(a)pyrene induced lung carcinogenesis in Swiss albino mice. *Pulmonary Pharmacology & Therapeutics*, 19, 107–111.

- Skehan, P., Storeng, R., Scudiero, D., Monks, A., Mc Mahon, J., Vistica, D., Warren, J.T., Bokesch, H., Kenney, S. & Boyd, M.R. (1990). New colorimetric cytotoxicity assay for anticancer-drug screening. *J Natl. Cancer Inst.*, 82, 1107-1112.
- Singh, N., Kumar, S., Singh, P., Raj, H.G., Prasad, A.K., Parmar, V.S. & Ghosh, B. (2008). *Piper longum* Linn. Extract inhibits TNF- $\alpha$ -induced expression of cell adhesion molecules by inhibiting NF- $\kappa$ B activation and microsomal lipid peroxidation. *Phytomedicine*, 15, 284–291.
- Srinivas, P., Gopinath, G., Banerji, A., Dinakar, A. & Srinivas, G. (2004). Plumbagin induces reactive oxygen species, which mediate apoptosis in human cervical cancer cells. *Molecular carcinogenesis*, 40, 201-211.
- Stanley, H.U.I. (2001). Health and Physical Activity in Hongkong: A Review. Hong Kong: *The Chinese University of Hongkong*, 1-36.
- Stoilova, I., Krastanov, A., Stoyanova, A., Denev, P. & Gargova, S. (2007). Antioxidant activity of a ginger extract (*Zingiber officinale*). *Food Chemistry*, 102, 764–770.
- Stöhr, J.R., Xiao, P.G. & Bauer, R. (1999). Isobutylamides and a New Methylbutylamide from *Piper sarmentosum*. *Planta Med.*, 65(2), 175-177.
- Suffness, M., Abbott, B., Statz, D.W., Wonilowicz, E. & Spjut, R. 1988. The utility of P388 leukemia compared to B16 melanoma and colon carcinoma 38 for in vivo screening of plant extracts. *Phytother. Res.*, 2, 89-97.
- Sunila, E.S. & Kuttan, G. (2004). Immunomodulatory and antitumor activity of *Piper longum* Linn. and piperine. *J. Ethnopharmacol.* 90(2-3): 339-46.
- Sunila, E.S. & Kuttan, G. (2006). Piper longum inhibits VEGF and proinflammatory cytokines and tumor-induced angiogenesis in C57BL/6 mice. *Int. Immunopharmacol.*, 6(5), 733-41.
- Surh, Y.J., Park, K.K., Chun, K.S., Lee, L.J., Lee, E. & Lee, S.S. (1999). Anti-tumor-promoting activities of selected pungent phenolic substances present in ginger. *J. Environ. Pathol. Toxicol. Oncol.*, 18(2), 131-139.

- Thasni, K.A., Rakesh, S., Rojini, G., Ratheeshkumar, T., Srinivas, G. & Priya, S. (2008). Estrogen-dependent cell signaling and apoptosis in BRCA1-blocked BG1 ovarian cancer cells in response to plumbagin and other chemotherapeutic agents. *Annals of Oncology*, *19*, 696–705.
- Tjendraputra, N.E., Ammit, A.J., Roufogalis, B.D., Tran, V.H. & Duke, C.C. (2003). Effective anti-platelet and COX-1 enzyme inhibitors from pungent constituents of ginger. *Thrombosis Research*, *111*, 259–265.
- Tripathi, S., Maier, K.G., Bruch, D., & Kittur, D.S. (2007). Effect of 6-Gingerol on Pro-Inflammatory Cytokine Production and Costimulatory Molecule Expression in Murine Peritoneal Macrophages. *Journal of Surgical Research*, *138*, 209–213.
- Tuntiwachwuttikul, P., Phansa, P., Pootaeng-On, Y. & Taylor, W.C. (2006). Chemical Constituents of the Roots of *Piper Sarmentosum*. *Chem. Pharm. Bull.*, *54*(2), 149-151.
- Ungphaiboon, S., Supavita, T., Singchangchai, P., Sungkarak, S., Rattanasuwan, P. & Itharat, A. (2005). Study on Antioxidant and Antimicrobial Activities of Turmeric Clear Liquid Soap for Wound Treatment of HIV Patients *Songklanakarinn J. Sci. Technol.*, *27*(2), 569-578.
- Wang, C.C., Chen, L.G., Lee, L.T. & Yang, L.L. (2003). Effects of 6-gingerol, an antioxidant from ginger, on inducing apoptosis in human leukemic HL-60 cells. *In Vivo*, *17*(6): 641-645.
- Wang, C.C.C., Chiang, Y.M., Sung, S., Hsu, Y.L., Chang, J.K., & Kuo, P.L. (2008). Plumbagin induces cell cycle arrest and apoptosis through reactive oxygen species/c-Jun N-terminal kinase pathways in human melanoma A375.S2 cells. *Cancer letters*, *259*, 82-98.
- Wang, Y.C. & Huang, T.L. (2005). High-performance liquid chromatography for quantification of plumbagin, an anti-*Helicobacter pylori* compound of *Plumbago zeylanica* L. *Journal of Chromatography A*, *1094*, 99–104.
- Wei, Q.Y., Ma, J.P., Cai, Y.J., Yang, L. & Liu, Z.L. (2005). Cytotoxic and apoptotic activities of diarylheptanoids and gingerol-related compounds from the rhizome of Chinese ginger. *Journal of Ethnopharmacology*, *102*, 177–184.

- Wu, S., Sun, C., Pei, S., Lu, Y. & Pan, Y. (2004). Preparative isolation and purification of amides from the fruits of *Piper longum* L. by upright counter-current chromatography and reversed-phase liquid chromatography. *Journal of Chromatography A*, 1040, 193–204.
- Xie, Y., Jiang, Z.H., Zhou, H., Cai, Xiong., Wong, Y.F., Liu, Z.Q., Bian, Z.X., Xub, H.X. & Liu, L. (2007). Evaluation of chemical stability of St. John's wort commercial extract and some preparations. *Journal of Pharmaceutical and Biomedical Analysis*, 43, 204–212.
- Zaidan, M.R., Noor, R.A., Badrul, A.R., Adlin, A., Norazah, A. & Zakiah, I. (2005). In vitro screening of five local medicinal plants for antibacterial activity using disc diffusion method. *Trop. Biomed.*, 22(2), 165-70.
- Zakaria, Z., Sreenivasan, S. & Mohamad, M. (2007). Antimicrobial Activity of *Piper ribesoides* Root Extract Against *Staphylococcus aureus*. *Journal of Applied Biological Sciences*, 1(3), 87-90.
- Zhang, H., Matsuda, H., Nakamura, S. & Yoshikawa, M. (2008). Effects of amide constituents from pepper on adipogenesis in 3T3-L1 cells. *Bioorganic & Medicinal Chemistry Letters*, 18, 3272–3277.
- Zhou, H.L., Deng Y.M. & Xie, Q.M. (2006). The modulatory effects of the volatile oil of ginger on the cellular immune response in vitro and in vivo in mice. *Journal of Ethnopharmacology*, 105, 301–305.

### **Electronic Media**

Statistical annex. 2002. The World Health Report. World Health Organization (WHO) (online). Available: [http://www.who.int/whr/2002/en/whr2002\\_annex2.pdf](http://www.who.int/whr/2002/en/whr2002_annex2.pdf). (2008, May 23)