

เอกสารอ้างอิง

1. Yao JDC, Moellering RCJ. Antibacterial agents. In: Murray PR, Baron EJ, Pfaller MA, Tenover FC, Tenover RH, eds. Manual of clinical microbiology. 7th ed. Washington DC: American Society of Microbiology 1999:1281-307.
2. Bradford PA. Extended-spectrum β -lactamases in the 21st century: characterization, epidemiology, and detection of this important resistance threat. Clin Microbiol Rev 2001; 14: 933-51.
3. Philippon A, Arlet G, Jacoby GA. Plasmid-determined AmpC-type β -lactamases. Antimicrob Agents Chemother 2002; 46: 1-11.
4. Nordmann P, Poirel L. Emerging carbapenemases in Gram-negative aerobes. Clin Microbiol Infect 2002; 8: 321-31.
5. Nordmann P, Cuzon G, Naas. The real threat of *Klebsiella pneumoniae* carbapenemase-producing bacteria. Lancet Infect Dis 2009; 9: 228-36.
6. Yigit H, Queenan AM, Anderson GJ, Domenech-Sanchez A, Biddle JW, Steward CD, et al. Novel carbapenem-hydrolyzing β -lactamases, KPC-1, from a carbapenem-resistant strain of *Klebsiella pneumoniae*. Antimicrob Agents and Chemother 2001; 45: 1151-61.
7. Yong D, Toleman MA, Giske CG, Cho HS, Sundman K, Lee K, et al. Characterization of new metallo- β -lactamases gene, *bla*_{NDM-1}, and a novel erythromycin esterase gene carried on a unique genetic structure in *Klebsiella pneumoniae* sequence type 14 from India. Antimicrob Agents Chemother 2009; 53: 5046-54.
8. Pillai DR, McGreer A, Low DE. New Delhi metallo- β -lactamases-1 *Enterobacteriaceae*: emerging resistance. Can Med Assoc J 2011; 183: 59-64.
9. Kumarasamy KK, Toleman MA, Walsh TR, Bagaria J, Butt F, Balakrishnan R, et al. Emergence of a new antibiotic resistance mechanism in India, Pakistan, and the UK: a molecular, biological, and epidemiological study. Lancet Infect Dis 2010; 10: 597-602.
10. Poirel L, Heritier C, Tolun V, Nordmann P. Emergence of oxacillinase-mediated resistance to imipenem in *Klebsiella pneumoniae*. Antimicrob Agents Chemother 2004; 48: 15-22.
11. Carrer A, Poirel L, Yilmaz M, Akan OA, Feriha C, Gaelle C, et al. Spread of OXA-48-encoding plasmid in Turkey and beyond. Antimicrob Agents Chemother 2010; 54: 1369-73.
12. Songsri J. Detection of carbapenem-hydrolyzing β -lactamases produced by carbapenem-resistant Gram-negative bacilli from Srinagarind Hospital [Master Thesis in Medical Science]. Khon Kaen: The Graduate School, Khon Kaen University; 2005. [in English].
13. Sawita Sopasri. Molecular characterization of metallo- β -lactamase-producing *Pseudomonas aeruginosa* isolates from Srinagarind Hospital. [Master Thesis in Medical Science]. Khon Kaen: The Graduate School, Khon Kaen University. 2009. [in English].
14. Nordmann P, Mariotte S, Naas T, Labia R, Nicolas MH. Biochemical properties of a carbapenem-hydrolysing β -lactamase from *Enterobacter cloacae* and cloning of the gene into *Escherichia coli*. Antimicrob Agents Chemother 1993; 37: 939-46.

15. Rasmussen BA, Bush K, Keeney D, Yang Y, Hare R, O'Gara C, et al. Characterization of IMI-1 β -lactamase, a class A carbapenem-hydrolysing enzyme from *Enterobacter cloacae*. Antimicrob Agents Chemother 1996; 40: 2080-6.
16. Naas T, Vandell L, Sougakoff W, Livermore DM, Nordmann P. Cloning and sequence analysis of the gene for a carbapenem-hydrolysing Class A β -lactamase, Sme-1, from *Serratia marcescens* S26. Antimicrob Agents Chemother 1994; 38: 1262-70.
17. Queenan AM, Torres-Viera C, Gold HS, Carmeli Y, Eliopoulos GM, Moellering RC Jr, et al. SME-type carbapenem-hydrolysing Class A β -lactamases from geographically diverse *Serratia marcescens* strains. Antimicrob Agents Chemother 2000; 44: 3035-9.
18. Doi Y, Potoski BA, Adams-Haduch JM, Sidjabat HE, Pasculle AW, Paterson DL. Simple disk-based method for detection of *Klebsiella pneumoniae* carbapenemase-type β -lactamase by use of a boronic acid compound. J Clin Microbiol 2008; 46: 4083-6.
19. Pasteran F, Mendez T, Guerriero L, Rapoport M, Corso A. Sensitive screening tests for suspected class A carbapenemase production in species of Enterobacteriaceae. J Clin Microbiol 2009; 47: 1631-9.
20. Walther-Rasmussen J, Høiby N. OXA-type carbapenemases. J Antimicrob Chemother 2006; 57: 373-83.
21. Bonnet R, Marchandin H, Chanal C, Sirot D, Labia R, De Champs C, Jumas-Bilak E, Sirot J. Chromosome-encoded class D β -lactamase OXA-23 in *Proteus mirabilis*. Antimicrob Agents Chemother 2002; 46: 2004-6.
22. Clinical and Laboratory Standards Institute/NCCLS. Performance standards for antimicrobial susceptibility test: Twentieth informational supplement CLSI/NCCLS document M100-S20. USA: Clinical and Laboratory Standards Institute; 2010.
23. Clinical and Laboratory Standards Institute/NCCLS. Performance standards for antimicrobial susceptibility test: Twentieth-first informational supplement CLSI/NCCLS document M100-S21. USA: Clinical and Laboratory Standards Institute; 2011.
24. Pasteran F, Mendez T, Guerriero L, Rapoport M, Corso A. Sensitive screening tests for suspected class A carbapenemase production in species of *Enterobacteriaceae*. J Clin Microbiol 2009; 47: 1631-9.
25. Franklin C, Liolios L, Peleg AY. Phenotypic detection of carbapenem-susceptible metallo- β -lactamase-producing Gram-negative bacilli in the clinical laboratory. J Clin Microbiol 2006; 44: 3139-44.
26. Ellington MJ, Kistler J, Livermore DM, Woodford N. Multiplex PCR for rapid detection of genes encoding acquired metallo- β -lactamases. J Antimicrob Chemother 2007; 59: 321-2.
27. Poirel L, Walsh TR, Cuvillier V, Nordmann P. Multiplex PCR for detection of acquired carbapenemase genes. Diagn Microbiol Infect Dis 2011 (in press).
28. Naas T, Poirel L, Karim A, Nordmann P. Molecular characterization of *In50* a class 1 integron encoding the gene for extended-spectrum β -lactamase VEB-1 in *Pseudomonas aeruginosa*. FEMS Microbiol Lett 1999; 176: 411-419.

29. Versalovic J, Koeuth JR. Distribution of repetitive DNA sequences in eubacteria and application of fingerprint of bacterial genomes. *Nucleic Acids Res* 1991; 19: 6823-31.
30. Rodriguez-Barradas MC, Hamill RJ, Houston ED, Georghiou PR, Clarridge JE, Regnery RL, et al. Genomic fingerprinting of *Bartonella* species by repetitive element PCR for distinguishing species and isolates. *J Clin Microbiol* 1995; 33: 1089-93.
31. Samuelsen Ø, Toleman MA, Sundsfjord A, Rydberg J, Leegaard TM, Walder M, et al. Molecular epidemiology of metallo- β -lactamase-producing *Pseudomonas aeruginosa* isolates from Norway and Sweden shows import of international clones and local clonal expansion. *Antimicrob Agents Chemother* 2010; 54:346-352.
32. Ho PL, Lo WU, Yeung MK, Lin CH, Chow KH, Ang I, et al. Complete sequencing of pNDM-HK encoding NDM-1 carbapenemase from a multidrug-resistant *Escherichia coli* strain isolated in Hong Kong. *PLoS One* 2011; 6: e17989.
33. Solé M, Pitart C, Roca I et al. First description of an *Escherichia coli* strain producing NDM-1 carbapenemase in Spain. *Antimicrob Agents Chemother* 2011; 55: 4402-4.
34. Castanheira M, Deshpande LM, Mathai D, Bell JM, Jones RN, Mendes RE. Early dissemination of NDM-1- and OXA-181-producing *Enterobacteriaceae* in Indian hospitals: report from the SENTRY Antimicrobial Surveillance Program, 2006-2007. *Antimicrob Agents Chemother* 2011; 55: 1274-8.
35. Perry JD, Naqvi SH, Mirza IA, Alizai SA, Hussain A, Ghirardi S, et al. Prevalence of faecal carriage of *Enterobacteriaceae* with NDM-1 carbapenemase at military hospitals in Pakistan, and evaluation of two chromogenic media. *J Antimicrob Chemother* 2011; 66: 2288-94.
36. Carvalhaes CG, Picão RC, Nicoletti AG, Xavier DE, Gales C. Cloverleaf test (modified Hodge test) for detecting carbapenemase production in *Klebsiella pneumoniae*: be aware of false positive results. *J Antimicrob Chemother* 2010; 65: 249-51.
37. Endimiani A, Perez F, Bajaksouzian S, Windau AR, Good CE, Choudhary Y, et al. Evaluation of update interpretative criteria for categorizing *Klebsiella pneumoniae* with reduced carbapenem susceptibility. *J Clin Microbiol* 2010; 48: 4417-25.
38. Tsakris A, Poulou A, Pournaras S, Voulgari E, Vrioni G, Themeli-Digalaki K, et al. A simple phenotypic method for the differentiation of metallo- β -lactamases and class A KPC carbapenemases in *Enterobacteriaceae* clinical isolates. *J Antimicrob Chemother* 2010; 65: 1664-71.
39. Evans BA, Hamouda A, Towner KJ, Amyes SG. Novel genetic context of multiple *bla*_{OXA-58} genes in *Acinetobacter genospecies* 3. *J Antimicrob Chemother* 2010; 65: 1586-8.
40. Poirel L, Lagrutta E, Taylor, Pham J, Nordmann P. Emergence of metallo- β -lactamase NDM-1-producing multidrug-resistant *Escherichia coli* in Australia. *Antimicrob Agents Chemother* 2010; 54: 4914-6.
41. Poirel L, Schrenzel J, Cherkaoui A, Bernabeu S, Renzi G, Nordmann P. Molecular analysis of NDM-1-producing enterobacterial isolates from Geneva, Switzerland. *J Antimicrob Chemother* 2011; 66: 1730-33.

42. Pfeifer Y, Witte W, Holfelder M, Busch J, Nordmann P, Poirel L. NDM-1-producing *Escherichia coli* in Germany. *Antimicrob Agents Chemother* 2011; 55: 1318–9.
43. Livermore D, Warner M, Mushtaq S, Doumith M, Zhang J, Woodford N. What remains against carbapenem-resistant *Enterobacteriaceae*? Evaluation of chloramphenicol, ciprofloxacin, colistin, fosfomycin, minocycline, nitrofurantoin, temocillin and tigecycline. *Int J Antimicrob Agents* 2011; 37: 415-9.
44. Arpin C, Noury P, Boraud D, Coulangue L, Manetti A, André C, et al. NDM-1-Producing *Klebsiella pneumoniae* Resistant to colistin in a French community patient without history of foreign travel. *Antimicrob Agents Chemother* 2012; 56: 3432-4.
45. Espedido BA, Partridge SR, Iredell JR. *bla*_{IMP-4} in different genetic contexts in *Enterobacteriaceae* isolates from Australia. *Antimicrob Agents Chemother* 2008; 52: 2984-7.
46. Chen LR, Zhou HW, Cai JC, Zhang R, Chen GX. Detection of plasmid-mediated IMP-1 metallo- β -lactamase and quinolone resistance determinants in an ertapenem-resistant *Enterobacter cloacae* isolate. *J Zhejiang Univ Sci B* 2009; 10: 348-54.