

รายการอ้างอิง (References)

- กัลยา วานิชย์ บัญชา. (2549). การใช้ SPSS for Window ในการวิเคราะห์ข้อมูล (พิมพ์ครั้งที่ 8).
กรุงเทพฯ: บริษัท ธรรมสาร จำกัด. โทร.0-2221-2570
- คำนวน อึ้งชูศักดิ์. (2546). สถานการณ์และแนวโน้มของโรคติดต่อไวรัสเดงกีในประเทศไทย.
ใน ชีษณุ พันธุ์เจริญ, วันลา กุลวิจิต, ธีระพงษ์ ตันทวีเชียร, อุษา ทิสยากร (บรรณาธิการ).
ไข้เลือดออก, หน้า12. พิมพ์ครั้งที่ 1. กรุงเทพมหานคร: เพนตากอน แอดเวอร์ไทซิง
- จรรยา ภัทรอาชาชัย.(2551).ชีวสถิติสำหรับการวิจัยทางการแพทย์.จังหวัดปทุมธานี:โรงพิมพ์
มหาวิทยาลัยธรรมศาสตร์ ศูนย์รังสิต
- จิระศักดิ์ เจริญพันธ์, เฉลิมพล ตันสกุล. (2549).พฤติกรรมสุขภาพ (พิมพ์ครั้งที่ 5).โรงพิมพ์คลัง
น่านวิทยาโทร.043-328589-91
- จิตติ จันทรแสง, อรุณากร จันทรแสง, อุษาวดี ถาวรระ, และประครอง พันธุ์อุไร. (2536).การแพร่
กระจายของยุงลายในชนบทช่วง พ.ศ2532-2534.วารสารกรม วิทยาศาสตร์การ แพทย์
, 35(2), 85-101
- จิตติ จันทรแสง, สุพล เป้าศรีวงษ์, อุษาวดี ถาวรระ, และอรุณากร จันทรแสง. (2542). การ
สำรวจยุงลายในบ้านที่มีผู้ป่วยโรคไข้เลือดออกในเขตภาคตะวันออกเฉียงเหนือ.
วารสารวิชาการสาธารณสุข, 18(7), 53-63
- ชาญชัย คุ่มพงษ์. (2546). การควบคุมยุงลายและลูกน้ำ.ใน ชีษณุ พันธุ์เจริญ, วันลา กุลวิจิต, ธี
ระพงษ์ ตันทวีเชียร, อุษา ทิสยากร (บรรณาธิการ). ไข้เลือดออก, หน้า 215 -223.
พิมพ์ครั้งที่ 1. กรุงเทพมหานคร: เพนตากอน แอดเวอร์ไทซิง
- ชูศรี วงศ์รัตนะ. (2550). เทคนิคการใช้สถิติเพื่อการวิจัย (พิมพ์ครั้งที่10).บางกรวย นนทบุรี:
บริษัท ไทเนรมิตกิจ อินเตอโพรแกรสซิฟ จำกัด 26/56 หมู่ 1 ซอยสังข์ลิ้ม
- ธวัชชัย วรพงศธร.(2540). หลักการวิจัยทางสาธารณสุขศาสตร์.พิมพ์ครั้งที่ 1.
กรุงเทพมหานคร: สำนักพิมพ์แห่งจุฬาลงกรณ์ มหาวิทยาลัย
- ธีรพัฒน์ สุทธิประภา. (2547).ผลของการจัดกิจกรรมสุขศึกษา ร่วมกับการให้แรงสนับสนุนทาง
สังคมต่อความรู้ พฤติกรรมการป้องกันและควบคุมโรคไข้เลือดออกหลังการจัด
กิจกรรมสุขศึกษาในหมู่บ้านปกติ หมู่บ้านเสี่ยงปานกลาง และหมู่บ้านเสี่ยงสูงใน
จังหวัดกาฬสินธุ์.ปริญญาามหาบัณฑิต, มหาวิทยาลัยมหาสารคาม, คณะ
สาธารณสุขศาสตร์, สาขาวิชาพฤติกรรมศาสตร์และส่งเสริมสุขภาพ

นาริรัตน์ ทวีฉลาด. (2547). ผลของการจัดโปรแกรมสุขศึกษา ร่วมกับการให้แรงสนับสนุนทางสังคมต่อการรับรู้และพฤติกรรมการป้องกันไข้เลือดออกของแกนนำสุขภาพประจำครอบครัว อำเภอปรางสาท จังหวัดสุรินทร์. ปรินญามหาบัณฑิต, มหาวิทยาลัยมหาสารคาม, คณะสาธารณสุขศาสตร์, สาขาวิชาพฤติกรรมศาสตร์และส่งเสริมสุขภาพ

นิพนธ์ ไตรวิวัฒน์, วนิดา กীরติกรณสุภัก, ดิเรก นวนสกุล. (2542). ประสิทธิผลของสุขศึกษาต่อการเปลี่ยนแปลงพฤติกรรมการป้องกันไข้เลือดออกในจังหวัดอุทัยธานี. วารสารวิชาการสาธารณสุข, 8(4), 508-516

บุญยง เกี่ยวการค้า. (2534). แนวคิดหลักของสุขศึกษา, เอกสารสอนชุดวิชาสุขศึกษาหน่วย 8-15 มหาวิทยาลัยสุโขทัยธรรมาธิราช (พิมพ์ครั้งที่ 9), สำนักพิมพ์มหาวิทยาลัยสุโขทัยธรรมาธิราช

วันเพ็ญ รัตนกมลกันต์. (2547). ผลการจัดกิจกรรมสร้างเสริมสุขภาพแบบมีส่วนร่วมที่มีต่อภาวะสุขภาพ ความรู้เกี่ยวกับพฤติกรรมสุขภาพ และพฤติกรรมการสร้างเสริมสุขภาพของผู้สูงอายุ. วิทยานิพนธ์ปรินญามหาบัณฑิต, มหาวิทยาลัยราชภัฏเชียงใหม่, คณะศิลปศาสตร์, สาขาวิชาวิจัยและพัฒนาท้องถิ่น

ลำยวน ไชกัฒนาญกิจ. (2547). การประเมิน ความรู้ ทักษะ และ การปฏิบัติ ในการป้องกันและ ควบคุมไข้เลือดออกในชุมชน อำเภอพระประแดง จังหวัดสมุทรปราการ. วิทยานิพนธ์ปรินญา มหาบัณฑิต, มหาวิทยาลัยจุฬาลงกรณ์, คณะแพทยศาสตร์, สาขาเวชศาสตร์ชุมชน

สีกา แสงธราทิพย์. (2545). การป้องกันและควบคุมโรคไข้เลือดออก. ในโรคไข้เลือดออก ฉบับประเถียรณก (น.35-55). สำนักงานควบคุมโรคไข้เลือดออก (บรรณาริการ). พิมพ์ครั้งที่ 2, แก้ไขเพิ่มเติม. ม.ป.พ

สุภาพร องค์สุริยานนท์. (2551). การพัฒนาพฤติกรรมการดูแลตนเองของผู้ป่วยโรคไตเรื้อรังโรงพยาบาลเจ้าพระยายมราช จังหวัดสุพรรณ. วารสารสาธารณสุขและการพัฒนาบุรี, 6(1), 33-38

สุจิตรา นิมนานิตย์. (2545). สาเหตุ พาหะและการติดต่อของโรคไข้เลือดออก. ในโรคไข้เลือดออก ฉบับประเถียรณก (น.7-9). สำนักงานควบคุมโรคไข้เลือดออก (บรรณาริการ). พิมพ์ครั้งที่ 2, แก้ไขเพิ่มเติม (ม.ป.พ)

สุจิตรา นิมมานนิตย์. (2545).รูปแบบการติดเชื้อและปัจจัยเสี่ยง อาการและอาการแสดง การดูแลรักษาโรคไข้เลือดออก.ในโรคไข้เลือดออก ฉบับประเกียรณก (น.10-13).สำนักงานควบคุมโรคไข้เลือดออก (บรรณาธิการ).พิมพ์ครั้งที่ 2, แก้ไขเพิ่มเติม.ม.ป.พ

สุทธิพงษ์ นาคมูล. (2545).การรับรู้และการมีส่วนร่วมในการป้องกันและควบคุมไข้เลือดออก.วิทยานิพนธ์ปริญญาามหาบัณฑิต, มหาวิทยาลัยเชียงใหม่, คณะสาธารณสุขศาสตร์, สาขาวิชาสาธารณสุขศาสตร์

สุวิทย์ พัฒน์มะณี. (2537).การศึกษาเปรียบเทียบพฤติกรรมสุขภาพเกี่ยวกับการป้องกันและควบคุมไข้เลือดออกของมารดาที่ได้รับและไม่ได้รับโปรแกรมสุขศึกษาในเขตอำเภอกระนวน จังหวัดขอนแก่น.วิทยานิพนธ์ปริญญาามหาบัณฑิต, มหาวิทยาลัยศรีนครินทรวิโรฒ ประสานมิตร, คณะสาธารณสุขศาสตร์, สาขาวิชาเอกสุขศึกษา

สุวิภา โกสุมวัชรารมณ, กฤตยา แสงวงเจริญ, ดารุณี จงอุดมการณ์, และมาริสสา ไกรฤกษ์. (2536).การศึกษาความรู้ ความคิดเห็น และการปฏิบัติในการป้องกันและควบคุมไข้เลือดออกในหมู่บ้าน จังหวัดขอนแก่น.รายงานวิจัย, คณะพยาบาลศาสตร์, มหาวิทยาลัยขอนแก่น

สุรีย์ จันทรมล. (2527). วิธีการทางสุขศึกษา (พิมพ์ครั้งที่ 2).กรุงเทพฯ: โรงพิมพ์เจริญวิทยาการพิมพ์ 322/1-2 ตลาดพูนถม บางลำพู

ลำราญ สิริภคมงคล. (2546). ปัจจัยที่มีผลต่อพฤติกรรมการควบคุมโรคไข้เลือดออก.วิทยานิพนธ์ปริญญาามหาบัณฑิต, มหาวิทยาลัยเกษตรศาสตร์, คณะวิทยาศาสตร์, สาขาวิชาเอกสุขศึกษา

ไมตรี ธนาวัดนะ. (2547). ประสิทธิภาพของโปรแกรมสุขศึกษาในการปรับเปลี่ยนพฤติกรรมในการป้องกันและควบคุมไข้เลือดออกของแกนนำ ชุมชน อำเภอศรีประจันต์ จังหวัดสุพรรณบุรี.ปริญญาามหาบัณฑิต, มหาวิทยาลัยเกษตรศาสตร์, คณะวิทยาศาสตร์, สาขาวิชาเอกสุขศึกษา

อุดม รอดสา. (2547). ประสิทธิภาพของโปรแกรมสุขศึกษาเพื่อปรับเปลี่ยนพฤติกรรมนักรการภารโรง เพื่อนป้องกันโรคไข้เลือดออกในโรงเรียน เขตเทศบาลเมืองฉะเชิงเทรา. ปริญญาามหาบัณฑิต, มหาวิทยาลัยเกษตรศาสตร์, คณะวิทยาศาสตร์, สาขาวิชาเอกสุขศึกษา

อัญชนา วงศ์ภทรดี วทม.กฤษฎา สุขสิงห์ สม.สายใจ และอริยะภูกันต์ สบ.(2545).การพัฒนาความเข้มแข็งของ อบต.และชุมชน ดำการป้องกันและควบคุมไข้เลือดออก

- จังหวัดบุรีรัมย์.วารสารป้องกันและควบคุมโรคที่ 5 นครราชสีมา,9(1). Retrieved April 21, 2552 from <http://dpc5.ddc.moph.go.th/News/paper/03.html>.
- องอาจ เจริญสุข พ่อมคณะ. (2529-2530). การเฝ้าระวังพาหะโรคไข้เลือดออก ตามฤดูกาลใน ชนบท.เอกสารอัดสำเนา.กองระบาดวิทยา, สำนักปลัดกระทรวง, กระทรวงสาธารณสุข
- Bang et al. (1981). Larvae Density Index. Cited by Ecology field sampling Method, second edition, by Chapman and Hall Staff, M. W. Service (nd), (n.p) Retrieved May 23, 2009 from: google.com
- Bounlay Phommasack. (1998). A comprehensive approach for controlling the spreading of dengue fever/dengue hemorrhagic fever in Vientiane, Lao.PDR.Unpublished doctoral dissertation, National Institute of Hygiene and Epidemiology of Vietnamese socialist republic
- Becker, M.H. (1974). The Health Belief Model and Personal Health Behavior. *Health Education Monographs*. 2 (4). Cited by HBM, retrieved May 21, 2009 from: http://chcr.umich.edu/how_we_do_it/health_theories/healththeories2/chcr_document_view
- Byrd et al. (2004). Percieved barriers. Cited by Health Belief Model. Theory Essence Sentence. Personal beliefs influence health behavior, Retrieved May 17, 2009 from:<http://www.jbpub.com/samples/0763743836/Chapter%204.pdf>
- Chanthavong Somphong. (2003). Participatory Forest management, Research Study in Savannakhet Province, *Lao country report: Topography of Savannakhet Province* citing Department of planning, (2002). 44-54 Retrieved March26, 2009, from: http://enviroscope.iges.or.jp/modules/envirolib/Upload/380/attach/05_chap04.pdf
- Chusak Prasittisuk, A.G. Andjaparidze and Vijay Kumar. (1998).Current Status of Dengue /Dengue Haemorrhagic Fever in WHO South-East Asia Region, *Dengue Bulletin Volume 22*, and Retrieved May 17, 2009 from: http://www.searo.who.int/EN/Section10/Section332/Section520_2414.htm
- CD risk assesement: DF, DHFand DSS in Indonesia, Frebruary 2005 Retrieved May 17, 2009 from: http://www.who.int/diseasecontrol_emergencies/guidelines/Dengue_ind_risk%20assess.pdf

- De Wit et al. (2005). Perceived Susceptibility, cited by Health Belief Model. Theory Essence Sentence. Personal beliefs influence health behavior, Retrieved May 17, 2009 from: <http://www.jbpub.com/samples/0763743836/Chapter%204.pdf>
- El Nour, N. M. (1992). Effect of student's teaching about weaning on rural mother's knowledge, attitude and practice (KAP). *New Egypt J Med*, 6(4), 935-939.
- Epidemiological and Analytical Center, LaoPDR. (1998-2007). Report of Dengue Hemorrhagic Fever Situation (copy)
- Espinoza-Gomez, F., Hernandez-Suarez, C. M., & Coll-Cardenas, R. (2002). Educational campaign versus Malathion spraying for the control of *Aedes aegypti* in Colima, Mexico. *J Epidemiol Community Health*, 56(2), 148-152.
- Graham. (2002). Perceived Benefits, Cited by Health Belief Model. Theory Essence Sentence. Personal beliefs influence health behavior (nd), Retrieved May 17, 2009 from: <http://www.jbpub.com/samples/0763743836/Chapter%204.pdf>
- Khanom, K., & Salahuddin, A. K. (1983). A study on impact of an educational programme on immunization behaviour of parents. *Bangladesh Med Res Counc Bull*, 9(1), 18-24.
- Klepp, K. I., Ndeki, S. S., Seha, A. M., Hannan, P., Lyimo, B. A., Msuya, M. H., et al. (1994). AIDS education for primary school children in Tanzania: an evaluation study. *AIDS*, 8(8), 1157-1162.
- LAO.PDR. (2006). National policy on prevention and control of dengue fever/ dengue hemorrhagic fever (n.p.)
- Limtragool, P., Stoeckel, J., Charoenchai, A., & Panichacheewakul, P. (1992). Immunization: full coverage the aim. *World Health Forum*, 13(1), 15-19.
- Malaria Station, LaoPDR. (1998-2007). Report of Dengue Hemorrhagic Fever situation (copy)
- Malee Geounupakul, Piyarat Butraporn, Peter Kunstadter, Somjai Leemingsawat, & Aranut Pracheun. (2007). an empowerment program to enhance women's ability to prevent and control malaria in community Chiangmai province, Thailand. *Southeast Asian Journal Tropical Medicine Public Health*, 38(3), 546-559

- Marshall H.Becker, Lois A.Maiman, Jonh P.Kirsch, Don P. Haefner, Robert H.Drachman (1977). Health Belief Model and prediction of Dietary complian, *Journal of health and social behavior*, 18(4), 348 -366
- Mullencs et al. (2003). Perceived Severity, Cited by Health Belief Model. Theory Essence Sentence. Personal beliefs influence health behavior (nd), Retrieved May 17, 2009 from: <http://www.jbpub.com/samples/0763743836/Chapter%204.pdf>
- National Statistical Department. (2000-2005).Topography of Laos. Citing Meteorology and Hydrology Department, Ministry of Agriculture, 2005
- National Statistical Department. (2005). Report of Lao population and housing census. pp.173-176.
- Rosenstock, I. (1974). Historical Origins of the Health Belief Model. *Health Education Monographs*, 2 (4). Cited by Health Belief Model, Retrieved May 21, and 2009 from: http://www.cw.utwente.nl/theorieenoverzicht/Theory%20clusters/Health%20Communication/Health_Belief_Model.doc/
- Salazar-Lindo, E., Chea-Woo, E., Kohatsu, J., & Miranda, P. R. (1991). Evaluation of clinical management training programme for diarrhoea. *J Diarrhoeal Dis Res*, 9(3), 227-234.
- Saleh MA, al-Ghamdi YS, al-Yahia OA, Shaqran TM, Mosa AR.(1999).The impact of health education program on knowledge about AIDS and HIV transmission in students of secondary school in Buraidah city Saudiarabia: an exploratory study.*Eastern Mediterranean Health Journal*,5(5),1068-1075
- Sam, K. G., Andrade, H. H., Pradhan, L., Pradhan, A., Sones, S. J., Rao, P. G., et al. (2008). Effectiveness of an educational program to promote pesticide safety among pesticide handlers of South India. *Int Arch Occup Environ Health*, 81(6), 787-795.
- Sanchez L et al. (2005). Intersectoral coordination in *Aedes aegypti* control, a pilot project in Havana City, Cuba.*Tropical Medicine and International Health* 10(1), 82-91

- Savannakhet provincine's Epidemiology Unit and Champhone Public Health Office. (2002-2007).Report of Dengue Hemorrhagic Fever Situation (copy)
- Songporn Chuntharapat, Wattana Sripotchanart, Julianna Phongthanasarn. (1999). Effects of health belief model instruction on breast self-examination compliance in perimenopausal women. *Songklanakarind Journal of Nursing*, 20(2), 123-138.
- SM Hazavehei, MH Taghdisi, & M Saidi. (2007).Application of Health Belief Model for osteoporosis among middle school girl students, Garmsa, Iran. *Education for health*, 20(1), 1-11
- Tran Tan Tram et al. (2003).The impact of health education on mother's Knowledge, Attitude and Practice of Dengue Hemorrhagic Fever.*Degue Bulletin*, volum27, 174-180
- Vu Sinh nam, Ron Marchand, Tran Van Tien, &Nguyen Van Bin.(1997).Dengue Vector Control in VietNam, Using Mesocyclops through Community Participation.*Dengue Bulletin Volume 21*, Retrieved March 26,2009 from http://www.searo.who.int/en/Section10/Section332/Section519_2392.htm