ชื่อเรื่องวิทยานิพนธ์

ความชุกของอุบัติเหตุและพฤติกรรมเสี่ยงของคนงานในโรงงาน อุตสาหกรรมแปรรูปไม้ยางพารา

ผู้เขียน

นางสาวนั้นทณัฐ คชนาค

ปริญญา

พยาบาลศาสตรมหาบัณฑิต (การพยาบาลอาชีวอนามัย)

คณะกรรมการที่ปรึกษาวิทยานิพนธ์

รองศาสตราจารย์ คร. ชวพรพรรณ จันทร์ประสิทธิ์ ประธานกรรมการ ผู้ช่วยศาสตราจารย์รุจิภาส ภู่สว่าง กรรมการ

บทคัดย่อ

อุบัติเหตุจากการทำงานในโรงงานอุตสาหกรรมนับเป็นปัญหาด้านสาธารณสุขที่สำคัญ และมีผลกระทบต่อสุขภาพของคนทำงาน โดยพฤติกรรมเสี่ยงในการทำงานเป็นปัจจัยหนึ่งที่ เกี่ยวข้องต่อการเกิดอุบัติเหตุจากการทำงาน การวิจัยเชิงพรรณนาครั้งนี้มีวัตถุประสงค์เพื่อศึกษา อัตราความชุกของอุบัติเหตุจากการทำงานของคนงานในโรงงานอุตสาหกรรมแปรรูปไม้ขางพารา และพฤติกรรมเสี่ยงต่อการเกิดอุบัติเหตุจากการทำงานของคนงานในโรงงานอุตสาหกรรมแปรรูปไม้ขางพารา อ. พุนพิน จ. สุราษฎร์ธานี กลุ่มตัวอย่างในการวิจัยเป็นคนงานที่ปฏิบัติงานในแผนค ผลิตโรงงานอุตสาหกรรมแปรรูปไม้ขางพารา อ. พุนพิน จ. สุราษฎร์ธานี ซึ่งปฏิบัติในงานเลื่อยไม้ ซอยไม้ ใส่ไม้ งานอัตน้ำยา อบไม้และงานซ่อมบำรุง ทำการรวบรวมข้อมูลเป็นแบบสอบถาม ที่ผู้วิจัยสร้างขึ้นจากการทบทวนวรรณกรรม ประกอบด้วย 3 ส่วน คือ ข้อมูลส่วนบุคคล อุบัติเหตุ จากการทำงาน และพฤติกรรมเสี่ยงต่อการเกิดอุบัติเหตุจากการทำงาน แบบสอบถามดังกล่าว ได้ผ่านการตรวจสอบความตรงตามเนื้อหาโดยผู้ทรงกุณวุฒิจำนวน 5 ท่าน ก่าดัชนีความตรงตาม เนื้อหาได้เก่ากับ .93 และทดสอบความเชื่อมั่นได้ค่าสัมประสิทธิ์อัลฟาของครอนบาก (Cronbach's alpha coefficient) ของแบบสอบถามในส่วนพฤติกรรมเสี่ยงต่อการเกิดอุบัติเหตุจากการทำงานโดยรวมและ

แต่ละงานได้ก่าสัมประสิทธิ์อัลฟาของครอนบาคในระดับที่ยอมรับได้ (0.74-0.82) วิเคราะห์ข้อมูลโดย ใช้สถิติเชิงพรรณนา

ผลการวิจัยพบอัตราความชุกของอุบัติเหตุจากการทำงานของคนงานในแผนกผลิต โรงงานแปรรูปไม้ขางพาราร้อยละ 40.64 เมื่อพิจารณาการเกิดอุบัติเหตุจากการทำงานในแต่ละงาน พบว่า อุบัติเหตุจากการทำงานในงานเลื่อยไม้ ซอยไม้ ใสไม้ มีอัตราสูงสุด คือ ร้อยละ 44.44 ในขณะที่งานอัดน้ำยา อบไม้ พบอุบัติเหตุจากการทำงานร้อยละ 28.97 ส่วนงานพ่อมบำรุงพบร้อยละ 26.59 เมื่อพิจารณาเวลาการปฏิบัติงานที่เกิดอุบัติเหตุจะพบว่า เกิดอุบัติเหตุในเวลาปฏิบัติงานกะบ่าย ในสัดส่วนที่สูง คือ ร้อยละ 62.87 กิจกรรมขณะเกิดอุบัติเหตุพบว่าร้อยละ 44.44 เป็นการเกิด อุบัติเหตุขณะกำลังใช้เครื่องจักร ส่วนอัตราความชุกของเหตุการณ์เกือบจะเกิดอุบัติเหตุ (near miss) พบร้อยละ 7.90 สำหรับพฤติกรรมเสี่ยงต่อการเกิดอุบัติเหตุจากการทำงานพบว่า กนงานร้อยละ 15.81 มีพฤติกรรมเสี่ยงโดยรวมในระดับสูงและอีกร้อยละ 67.25 ของคนงานมีพฤติกรรมเสี่ยงโดยรวมในระดับสูงและอีกบ้านกลาง เมื่อพิจารณาพฤติกรรมเสี่ยงในงาน 3 งาน คือ งานเลื่อยไม้ ซอยไม้ ใสไม้ งานอัดน้ำยา อบไม้และงานซ่อมบำรุงพบว่า กนงานในแต่ละงานประมาณร้อยละ 14-20 มีพฤติกรรมเสี่ยงในระดับสูงและอีกประมาณร้อยละ 62-73 ของกลุ่มคนงานมีพฤติกรรมเสี่ยงในการทำงานหรือวิธีการทำงาน ที่ปลอดภัยก่อนเจ้าทำงาน

ผลการวิจัยชี้ให้เห็นว่า พยาบาลอาชีวอนามัยและสิ่งแวดล้อมควรตระหนักในความ สำคัญของการวางแผนป้องกันอุบัติเหตุจากการทำงาน โปรแกรมความปลอดภัยที่มีประสิทธิภาพ จึงมีความสำคัญในการเสริมสร้างความตระหนักในสุขภาพและความปลอดภัยในการทำงาน โดยเฉพาะการลดพฤติกรรมเสี่ยงจากการทำงาน การเผยแพร่ข้อมูลข่าวสารในการป้องกันอุบัติเหตุ อย่างต่อเนื่องจึงมีความจำเป็น ทั้งนี้เพื่อให้เกิดความปลอดภัยในการทำงาน

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright © by Chiang Mai University All rights reserved

Thesis Title Prevalence of Accident and Risk Behaviors Among Workers in

Rubber Wood Industry

Author Miss Nunthanut Chochanak

Master of Nursing Science (Occupational Health Nursing)

Thesis Advisory Committee

Associate Professor Dr. Chawapornpan Chanprasit Chairperson

Assistant Professor Rujipas Poosawang Member

ABSTRACT

Occupational accidents is a significant public health concern and consequently affects the health status of workers. Risk behaviors are accepted to be one factor related to accidents in the workplace. The main purpose of this cross-sectional descriptive study was to examine the prevalence of accidents as well as risk behaviors among workers working in a rubber wood industry at Punpin district, Surathanee province. The study samples, working in a production line, comprised three main jobs: sawn mill, klin drying, and maintenance. Data collection were conducted during November to December, 2004. The research instruments was a questionnaire, developed by the researcher based on literature review. The questionnaire consist of three parts: demographic data, occupational accident, and risk behaviors of accident. The questionnaire was reviewed by the panel of experts, with a content validity index of .93. The reliability of the questionnaired was tested using Cronbach's alpha coefficients, and its values of either overall or each production line was at an acceptable level (0.74-0.82). Data were analyzed by descriptive statistics.

The main results of the study revealed that, the prevalence rate of occupational accidents was 40.64 percent. The highest rate of such accidents was occurred in the sawn mill which was (44.44 %). The accident rates of other two lines, klin drying and maintenance, were 28.97 and 26.59 percent respectively. In addition, the accidents was highly occurred in the evening shift (62.87 %) and while working with a machine (44.44%). Nevertheless, the prevalence rate for a near miss in this study was found only 7.90 percent. Concerning risk behaviors, it was found that, overall such behaviors of workers was at a high level (15.81 %), while that of 67.25 percent of workers was at a moderate level. With regard to risk behaviors among workers of each production line, it was revealed that around 14-20 percent of these workers had risk behaviors at a high level, while that of 62-73 percent of workers was at a moderate level. It was also observed that all of these workers received a safety training course before starting a new assignment.

The results of this study, hence, indicate that occupational and environmental health nurse should recognized the significance of prevention plan for occupational accident. An effective safety program is therefore important to increase the workers awareness of safety and health, in particular to reduce risk behaviors in the workplace. Information dissemination concerning accident prevention at the worksite is thus a priority to ensure safety in the workplace.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright © by Chiang Mai University All rights reserved