TABLE OF CONTENTS

Cont	tents		Page
ACK	NOV	VLEDGEMENT	iii
ABS	TRA	CT (S)	iv
LIST	r of	TABLES	хi
LIST	OF	FIGURES	xii
ABB	REV	IATIONS	xiii
CHA	PTE	R	
I.	IN'	TRODUCTION	1
II.	Lľ	TERATURE REVIEWS	6
	A.	History and taxonomy	6
	В.	General morphology and characteristics	77
	C.	Virulence factors	10
		1. Growth at 37 °C	10
		2. Capsule	11
		3. Melanin synthesis	11
		4. Mannitol production	13
	D.	Ecology and epidemiology	13
		1. Distribution of C. neoformans var. neoformans in nature	13
		2. Distribution of C. neoformans var. gattii in nature	14
		3. Epidemiology of C. neoformans	15
	E.	Clinical manifestation	17
	F.	Laboratory diagnosis	19
		1. Direct microscopic examination	19
		2. Growth characteristics and culture methods	21
		3. Serology	24
		4. Molecular identification	25
	G.	Molecular biology	26

Contents			Page	
		H. Treatment	••	32
III.	C	BJECTIVES		34
IV.	N	IATERIALS A	ND METHODS	35
	1.	. To study gene	etic diversity and epidemiology of clinical and	
		environmenta	l isolates of C. neoformans in Chiang Mai,	
		clinical isolate	es from Khon Kaen and Japan by RAPD analysis	
		with three arb	itrary primers (R28, OPH-02 and OPH-20)	35
			A. C. neoformans isolates	35
			B. DNA extraction	40
			C. RAPD analysis	40
	2.	To study source	ces of cryptococcosis from patients' homes in	
		Chiang Mai		41
			A. Patients and dwellings sampling	41
			B. Domiciliary visits	41
			C. Environmental materials sampling	41
			D. Material processing	41
			E. Identification	43
			F. Serovariety typing	43
			G. Molecular typing by RAPD analysis	45
			H. Biosafety consideration	45
v.	RF	ESULTS		46
	1.	To study genet	ic diversity and epidemiology of clinical and	JULIN
			isolates of C. neoformans in Chiang Mai,	ivorcit
			s from Khon Kaen and Japan by RAPD analysis	
			trary primers (R28, OPH-02 and OPH-20)	46
			ysis of C. neoformans	46
			pility of RAPD profiles	59
	2.	To study source	es of cryptococcosis from patients' homes in	
		Chiang Mai		60

Contents		Page
	A. Sources of cryptococcosis in the domestic environment	. –
	or nearby the homes of cryptococcosis patients	60
	B. Serovariety typing	60
	C. RAPD analysis of C. neoformans	66
VI.	DISCUSSION	74
VII.	SUMMARY	74
VIII.	REFERENCES	81
IX.	APPENDIX	100
Χ.	CURRICULUM VITAE	105
	STAT UNIVERSIT	

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF TABLES

Table		
1.	List of isolates of <i>C. neoformans</i> in the study.	Page 35
2.	Biological characteristics of C. neoformans.	44
3.	Agglutination reaction between antiserum with C. neoformans serotypes.	45
4.	RAPD profile of C. neoformans isolates.	53
5.	RAPD profile of 112 isolates of C. neoformans generated with three	
	arbitrary primers	58
6.	Isolation of C. neoformans from avian dropping from patients' homes	
	from various locations in Chiang Mai.	62
7.	C. neoformans in avian dropping collected from fifty-two dwellings in	
	Chiang Mai.	63
8.	RAPD profile of clinical and environmental isolates.	70

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF FIGURES

Fi	gure	Page
1.	Pathway for melanin synthesis by C. neoformans.	12
2.	Worldwide distribution of host Eucalypts for C. neoformans var. gattii.	16
3.	C. neoformans infection.	17
4.	A. India ink preparation showing capsules of C. neoformans.	
	B. Mucicarmine stain of lung tissue.	20
5.	A. On Sabouraud's dextrose agar colonies are cream colored, smooth,	
	Mucoid yeast-like in appearance. B. Bird seed agar plate showing	
	Brown colonies of C. neoformans and white colonies of Candida albicans.	
	C. CGB agar turns blue for C. neoformans var. gattii.	23
6.	A. Picture of pigeon. B. Picture of dove. C. Picture of chicken.	
	D. Specimens of avian droppings were collected in clean plastic bags.	42
7-8		
	with primer R28 and OPH-02.	47
9-1	2. RAPD profiles of five isolates of C. neoformans, patterns generated	
	with primer OPH-20.	49
13.	Reproducibility of RAPD profiles of the isolate Pg1.	59
14.	The map of studied Amphoes in Chiang Mai.	61
15.	RAPD profiles of five isolates of C. neoformans, patterns generated with	
	primer R28 and OPH-02.	67
16.	RAPD profiles of five isolates of C. neoformans, patterns generated with	
	primer OPH-20.	68
17.	RAPD profiles of environmental isolate of <i>C. neoformans</i> (Pge 12/2).	69
18-	19. Schematic representation of the three distinct RAPD profiles of	
	C. neoformans isolates generated with R28 and OPH-02, respectively.	71
20.	Schematic representation of the six distinct RAPD profiles of	
	C. neoformans isolates generated with OPH-20.	73

ABBREVIATIONS

% percentage

AIDS Acquired immunodeficiency syndrome

bp base pair

CGB Canavanine-glycine-bromthymol blue

cm centimeter

DNA deoxyribonucleic acid

dNTP deoxyribonucleotide triphosphate
EDTA ethylenediaminetetraacetic acid

gravity coefficient

gm

HCl hydrocholic acid

HIV Human Immunodeficiency Virus

pounds

kb kilobase kDa kilodalton

L liter

LOA Littman's Oxgall agar

mg milligram

MgCl₂ magnesium chloride

min minute milliliter

mm millimeter

mM millimolar

MW molecular weight

N normality

NaOH Sodium hydroxide

ng nanogram nm nanometer OD Degree Celcius
OD optical density
PBS phosphate buffer saline
PCR polymerase chain reaction

RAPD Random Amplified Polymorphic

DNA

rpm revolution per minute

SDA Sabouraud dextrose agar

SDS sodium dodecyl sulfate

sec second

TAE Tris-acetate buffer

Taq Thermus aquaticus

TE Tris-HCl/EDTA buffer

Unit

UV ultraviolet light w/v weight by volume

 $\begin{array}{ccc} \mu g & microgram \\ \mu l & microliter \\ \mu M & micromolar \end{array}$

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved