

List of tables

Tables	Page
1.1 Lists some common surfactants used to form micelles along with their critical micellar concentration (CMC) and aggregation number (AN) where available.....	6
1.2 Contrasting requirements of IPC and MS.....	15
1.3 Positive and negative features of most common interfaces used for IPC-MS combination.....	19
1.4 Structures, molecular weight (MW) and pK_a of parabens.....	22
1.5 Perchlorate and its various oxidation states.....	24
2.1 Review of analytical methods of parabens.....	27
2.2 Review of parabens determination in cosmetics by LC techniques.....	35
2.3 Review of parabens determination in cosmetics by MLC techniques....	38
2.4 Review of analytical methods of perchlorate in environmental samples.....	46
2.5 Review of the analysis of direct form and ion-pairing formation of perchlorate.....	47
3.1 Instrumentation of MLC-UV.....	50
3.2 Instruments of the preparation of standard solutions and samples.....	50
3.3 List of chemicals and suppliers.....	51
3.4 The initial vertexes of this method.....	57
3.5 Instrumentation of LC-MS/MS.....	60
3.6 Instruments of the preparation of standard solutions and samples.....	61
3.7 List of chemicals and suppliers.....	62
3.8 LC/MS conditions.....	69
3.9 The study of ion-pairing formation in LC system.....	70
3.10 LC-MS/MS conditions.....	71
3.11 LC-MS/MS conditions.....	73
3.12 The study of the tolerant limits of sulphate and phosphate.....	77

List of tables (Conts.)

Tables	Page
4.1 The optimal conditions of this method.....	84
4.2 Retention time (t_R), resolution factor (R_S) and calibration equations	85
4.3 Parabens contents found in commercial cosmetics (sample number 1-10) and Thai community cosmetics (sample number 11-64).....	89
4.4 The suitable ion-pairing reagent studied for perchlorate analysis.....	95
4.5 The study of ion-pairing formation in LC system.....	100
4.6 Linearity ranges of system 2-(a) and 3-(a).....	102
4.7 The optimal conditions of LC-MS/MS method.....	111
4.8 Monoisotopic mass, average mass and regulatory limits of anions in water samples.....	116
4.9 Mass of perchlorate, isotopic sulphate and isotopic phosphate	117
A1 List of cosmetic samples and suppliers.....	141
A2 The pictures of cosmetic samples.....	147
A3 List of environmental samples and sources.....	154
A4 The pictures of environmental samples.....	155
C1 Retention time and peak area of 20 $\mu\text{mol L}^{-1}$ parabens when used 0.075 mol L^{-1} SDS and 0.025 mol L^{-1} CTAB as mobile phase at flow rate of 0.75 mL min^{-1}	160
C2 Retention time and capacity factor of parabens at various concentrations of SDS in the range of 0.025-0.150 mol L^{-1}	160
C3 The reciprocal value of capacity factors of parabens and concentration of micelle in mobile phase.....	161
C4 Calculation of simplex optimization.....	162
C5 Variable size simplex optimization.....	164
C6 Peak area of parabens at various concentrations in the range of 1-100 $\mu\text{mol L}^{-1}$	165
C7 Repeatability of standard parabens at concentration of 10 $\mu\text{mol L}^{-1}$	165
C8 Reproducibility of parabens in sample number 6, 50 and 60 ($n=7$).....	166

List of tables (Conts.)

Tables	Page
C9 Recovery study of parabens in placebo.....	167
C10 Recovery study of parabens in sample number 6, 17, 50 and 60.....	168
C11 Peak area ratio of perchlorate and internal standard at various injection volumes.....	169
C12 Calibration equations of perchlorate at various injection volumes.....	169
C13 Retention time and peak area ratio of perchlorate and IS at various %methanol.....	170
C14 Retention time and peak area ratio of perchlorate and IS at various %acetic acid.....	170
C15 Calibration equations of perchlorate at various %acetic acid.....	170
C16 Retention time and peak area ratio of perchlorate and IS at various concentrations of ion-pairing reagent in mobile phase.....	171
C17 Calibration equations of perchlorate at various concentrations of ion-pairing reagent in mobile phase.....	171
C18 Peak area ratio of perchlorate and IS between Full and SIM mode.....	172
C19 Calibration equations of perchlorate between Full and SIM mode.....	172
C20 Peak area of parent and daughter ions of perchlorate at various collision energies.....	173
C21 Peak area ratio of perchlorate and IS at various concentrations.....	174
C22 Peak area ratio of perchlorate and internal standard at concentration of 4-50 $\mu\text{g L}^{-1}$	175
C23 Repeatability of perchlorate in real samples (Soil-1 and Water-1).....	175
C24 Reproducibility of perchlorate in real samples (Soil-1 and Water-1)...	176
C25 Recovery study of perchlorate in real samples.....	176
C26 Effect of phosphate on perchlorate detection.....	177
C27 Effect of sulphate on perchlorate detection.....	178
C28 Tolerant limit of sulphate with SPE treatment.....	178
C29 Peak area of perchlorate obtained from solid phase extraction (dry and wet elution).....	179