

List of figures

Figures	Page
1.1 Schematic diagram of a high performance liquid chromatograph.....	2
1.2 Micelle formation and the open circles represent polar head groups which may be anionic, cationic, nonionic or switterionic.....	3
1.3 Detection of critical micellar concentration (CMC) by the electrical conductance method.....	4
1.4 Structure of sodium dodecyl sulfate.....	5
1.5 Structure of cetyltrimethylammonium bromide.....	7
1.6 Equilibria between bulk solvent, micelle and surfactant-modified stationary phase (Solute environment in a chromatographic system using octadecyl-bonded and mobile phases containing (a) the anionic SDS and (b) the cationic CTAB).....	8
1.7 Three-phase equilibria in micellar liquid chromatography.....	9
1.8 Comprehensive retention mechanism of IPC.....	14
1.9 Schematic diagram of liquid chromatography/mass spectrometry....	17
1.10 Schematic of the electrospray ionization process.....	20
1.11 Schematic diagram of an ion-trap mass analyzer.....	21
1.12 The structure of the perchlorate ion.....	24
1.13 Inhibition of the NIS by perchlorate.....	15
2.1 Schematic diagram of IC/CD method.....	40
2.2 Dionex barium, silver and hydrogen OnGuard cartridges in series....	42
2.3 Ion-pairing extraction method.....	43
2.4 Post column ion-pairing complexation.....	44
3.1 A simplex defined by three different trial conditions for two control variables.....	56
4.1 UV spectrum of methyl paraben.....	79
4.2 Chromatograms of 20 $\mu\text{mol L}^{-1}$ parabens when used (a) 0.075 mol L^{-1} SDS and (b) 0.025 mol L^{-1} CTAB as mobile phase at flow rate of 0.75 mL min^{-1} and UV detection at 254 nm.....	80

List of figures (Conts.)

Figures	Page
4.3 Relation of $1/k$ and $[M]$	82
4.4 Response vs. vertex number for variable-size simplex self-test results..	83
4.5 Chromatogram of the standard parabens mixture at concentration of $40 \mu\text{mol L}^{-1}$	84
4.6 Calibration curves of (a) methyl paraben, (b) ethyl paraben, (c) propyl paraben and (d) butyl paraben at concentration in the range of $1\text{-}100 \mu\text{mol L}^{-1}$	85
4.7 Chromatogram of methyl paraben, ethyl paraben, propyl paraben and butyl paraben at concentration $0.040, 0.050, 0.075$ and $0.100 \mu\text{mol L}^{-1}$, respectively.....	87
4.8 Chromatogram of some samples (a) sample no.3, (b) sample no.6, (c) sample no.17, (d) sample no.31, (e) sample no.33 (no parabens), (f) sample no.33 added standard parabens at 40 mg L^{-1} , (g) sample no.50 and (h) sample no.51.....	88
4.9 Parabens contents in commercial cosmetics.....	92
4.10 Parabens contents in Thai community cosmetics.....	93
4.11 Parabens contents in Thai community cosmetics.....	94
4.12 Mass spectrums of (a) CTAB and (b) CTAB mixed with ClO_4^-	96
4.13 Mass spectrums of (a) DTAB and (b) DTAB mixed with ClO_4^-	96
4.14 Mass spectrums of (a) DHAA and (b) DHAA mixed with ClO_4^-	97
4.15 MS spectrums of (a) HMB, (b) HMB formed with ClO_4^- and MS/MS spectrum of (c) HMB formed with ClO_4^-	98
4.16 MS spectrum of (a) and (c) HMB formed with $\text{Cl}^{18}\text{O}_4^-$ and MS/MS spectrum of (b) HMB formed with $\text{Cl}^{18}\text{O}_4^-$	99
4.17 LC/MS chromatograms of ion-pairing formation in LC system.....	101
4.18 LC/MS chromatograms of ion-pairing formation in LC system 2-(a) (left) and 3-(a) (right).....	102
4.19 Calibration curves of perchlorate at various injection volumes.....	103

List of figures (Conts.)

Figures	Page
4.20 LC-MS/MS chromatograms of perchlorate at injection volume 100 μ L	103
4.21 Retention time of ClO_4^- , Cl^- , SO_4^{2-} and PO_4^{3-} at various MeOH contents.....	105
4.22 Peak area ratios of ClO_4^- , Cl^- , SO_4^{2-} and PO_4^{3-} at various MeOH contents.....	105
4.23 LC-MS chromatograms of (a) ClO_4^- , (b) Cl^- , (c) SO_4^{2-} and (d) PO_4^{3-} at 10 %v/v methanol.....	106
4.24 Calibration curves of perchlorate at various acetic acid contents.....	107
4.25 Peak area ratios of perchlorate at various concentrations of ion-pairing reagent in mobile phase.....	108
4.26 Calibration curves of perchlorate at various concentrations of ion-pairing reagent in mobile phase.....	108
4.27 Calibration curves of perchlorate between Full and SIM mode.....	109
4.28 Ion abundance curve obtained by plotting initial parent ion and fragment daughter ion abundances (expressed as the peak area) as a function of the collision energy.....	109
4.29 MS/MS spectrum of HMB formed with ClO_4^- (m/z 301) obtained at 30.0 % collision energy.....	110
4.30 Linearity range study.....	112
4.31 Linearity range.....	112
4.32 Working range.....	113
4.33 (a) Chromatogram and (b) MS/MS spectrum of perchlorate at concentration of 2 $\mu\text{g L}^{-1}$	115
4.34 Interferences study.....	116
4.35 MS spectrums of ion-pair formation of (a) ClO_4^- , (b) SO_4^{2-} and (c) PO_4^{3-}	118
4.36 Tolerant limit of phosphate.....	118
4.37 Tolerant limit of sulphate.....	119

List of figures (Conts.)

Figures	Page
4.38 Tolerant limit of sulphate using SPE.....	119
4.39 Dry elution of the cartridges.....	120
4.40 Wet elution of the cartridges.....	121
4.41 Water samples (Water-1 to Water-6).....	121
4.42 Soil samples (Soil-1 to Soil-10).....	122
B1 High performance liquid chromatograph (HP 1090A, Agilent Technologies, USA).....	157
B2 Guard column Zorbax SB-C18, 1.25 cm length, 4.6 mm i.d. and 5 μ m (Agilent Technologies, USA).....	157
B3 High performance liquid chromatograph (SpectraSYSTEM, Thermo Finnigan, USA).....	158
B4 Column Zorbax SB-C18, 5.0 cm length, 4.6 mm i.d. and 5 μ m (Agilent Technologies, USA).....	158
B5 Ion-trap mass spectrometer (LCQ Advantage, Thermo Finnigan, USA).....	159