

REFERENCES



REFERENCES

- [1] Nambiar Selvaraj, Zachaiah Bobby and Magadi Gopalakrishna Sridhar. (2008). Increased Glycation of Hemoglobin in Chronic Renal Failure Patients and Its Potential Role of Oxidative Stress. **Archives of Medical Research**, 39(3), 277-284.
- [2] Ali Taghizadeh Afshari, Alireza Shirpoor, Amirabbas Farshid, Ramin Saadatian, Yousef Rasmi, Ehsan Saboory, et al. (2007). The effect of ginger on diabetic nephropathy, plasma antioxidant capacity and lipid peroxidation in rats. **Food Chemistry**, 101(1), 148-153.
- [3] Karl Nath and Suzanne Norby. (2000). Reactive oxygen species and acute renal failure. **The American Journal of Medicine**, 109 (8), 665-678.
- [4] Marian Valko, Dieter Leibfritz, Jan Moncol, Mark Cronin, Mian Mazur and Joshua Telser. (2007). Free radicals and antioxidants in normal physiological functions and human disease. **The International Journal of Biochemistry & Cell Biology**, 39(1), 44-84.
- [5] Khelifa Arab and Jean Paul Steghens. (2004). Plasma lipid hydroperoxides measurement by an automated xylenol orange method. **Analytical Biochemistry**, 325(1), 158-163.
- [6] Eva So Dergren, Jaffar Nourooz Zadeh, Lars Berglund and Bengt Vessby. (1998). Re-evaluation of the ferrous oxidation in xylenol orange assay for the measurement of plasma lipid hydroperoxides. **Journal of Biochemical and Biophysical Methods**, 37(3), 137-146.
- [7] Etsuo Niki, Yasukazu Yoshida, Yoshiro Saito and Noriko Noguchi. (2005). Lipid peroxidation: Mechanisms, inhibition, and biological effects. **Biochemical and Biophysical Research Communications**, 338(1), 668-676.
- [8] Sahebarao Mahadik and Sukdeb Mukherjee. (1996). Free radical pathology and antioxidant defense in schizophrenia. **Schizophrenia Research**, 19(1), 1-17.
- [9] Ronala Prior and Guohua Cao. (1999). In vivo total antioxidant capacity: comparison of different analytical methods1. **Free Radical Biology and Medicine**, 27(11-12), 1173-1181.

- [10] Ann Senisi Scott and Elizabeth Fong. (2004). **Body structures & functions** (10th ed.). Canada: Delmar Learning, a division of Thomson Learning.
- [11] C. Tassi, F. Mancuso, L. Feligioin, M. Marangi and E. Capodicasa. (2004). Expression modes of urinary N-acetyl-[beta]--glucosaminidase in patients with chronic renal insufficiency. **Clinica Chimica Acta**, 346(2), 129-133.
- [12] Jiro Moriguchi, Yoshiro Inoue, Sigetosi Kamiyama, Masaru Horiguchi, Katsuyuki Murata, Sonoko Sakuragi, et al. (2009). N-Acetyl-[beta]-d-glucosaminidase (NAG) as the most sensitive marker of tubular dysfunction for monitoring residents in non-polluted areas. **Toxicology Letters**, 190(1), 1-8.
- [13] Romano Nosadini. (2003). Blood glucose in relation to blood pressure control as risk factors in the progression of renal damage in type 2 diabetes. **International Congress Series**, 1253, 295-299.
- [14] Marit Dahl Solbu, Trond G. Jenssen, Bjorn O. Eriksen and Ingrid Toft. (2009). Changes in insulin sensitivity, renal function, and markers of endothelial dysfunction in hypertension-the impact of microalbuminuria. **Metabolism**, 58(3), 408-415.
- [15] Katherine R. Tuttle. (2010) **Complications and Management of Chronic Kidney Disease: Diabetes, in Chronic Kidney Disease, Dialysis, and Transplantation** (3rd ed.). Philadelphia: W.B. Saunders.
- [16] N. Selvaraj, Zachariah Bobby, Ashok Kumar Das, R. Ramesh and Bidhan Chandra Koner (2002). An evaluation of level of oxidative stress and protein glycation in nondiabetic undialyzed chronic renal failure patients. **Clinica Chimica Acta**, 324(1-2), 45-50.
- [17] Jay Lakkis and Matthew R. Weir. (2005). **Diabetes Mellitus and the Cardiovascular Metabolic Syndrome: Reducing Cardiovascular and Renal Events, in Hypertension** (2nd ed.). Philadelphia: W.B. Saunders.
- [18] Radhakrishna Baliga, Norishi Ueda, Patrick D. Walker and Sudhir V. Shah. (1997). Oxidant mechanisms in toxic acute renal failure. **American Journal of Kidney Diseases**, 29(3), 465-477.

- [19] Gijs Welten, Olal Schouten, Michel Chonchol, Sanne E. Hoeks, Harm H. Feringa, Jeroen J. Bax, et al. (2007). Temporary Worsening of Renal Function After Aortic Surgery Is Associated With Higher Long-Term Mortality. **American Journal of Kidney Diseases**, 50(2), 219-228.
- [20] A. Sharma, M. Minz and S. Singh. (2008). Incidence of Glucose Metabolic Abnormalities in Indian Living Renal Allograft Recipients on Tacrolimus-Based Triple Drug Immunosuppression. **Transplantation Proceedings**, 40(7), 2414-2415.
- [21] Richard Bucala and Helen Vlassara. (1995). Advanced glycosylation end products in diabetic renal and vascular disease. **American Journal of Kidney Diseases**, 26(6), 875-888.
- [22] Jasper W.L. Hartog, Andries J. Smit, Willem J. van Son, Gerjan Navis, Reinold O.B. Gans, Eruce H.R. Wolffenbuttel and Paul E. de Jong. (2004). Advanced glycation end products in kidney transplant patients: a putative role in the development of chronic renal transplant dysfunction. **American Journal of Kidney Diseases**, 43(6), 966-975.
- [23] August Heidland, Katarina Sebekova and R. Agarwal. (2001). Advanced glycation end products and the progressive course of renal disease. **American Journal of Kidney Diseases**, 38(4), S100-S106.
- [24] Darbur Rajagopalarao Suresh, Chickballapur Rayappa, Wilma Delphine Silivia and Rajni agarwals (2008). Biochemical Markers of Oxidative Stress in Predialytic Chronic Renal Failure Patients. **Hong Kong Journal of Nephrology**, 10(2), 69-73.
- [25] Robert Carola, John P. Harley and Charles R. Noback (1992). **Human anatomy and physiology**. United States of America: McGraw-Hill.
- [26] Frederic H. Martini and Michael J. Timmons. (1997) **Human anatomy** (2nd ed.). United States of America: Prentice Hall.
- [27] Gerard J. Tortora. (1999). **Principle of human anatomy** (8th ed.). United States of America: Addisoon Wesley Education Publishers.
- [28] John M. Kissane. (1990). **Anderson's Pathology** (9th ed.). United States of America: The C.V. Mosby Company.

- [29] Pieter Evenepoel. (2004). Acute toxic renal failure. **Best Practice & Research Clinical Anaesthesiology**, 18(1), 37-52.
- [30] National Institutes of Health, Nation Institute of Diabetes and Digestive And Kidney Disease. (2010). Atlas of End- Stage Renal Disease in the United States. **American Journal of Kidney Diseases**, 55(1), S169- S173.
- [31] Vandana Menon and Mark J. Sarnak. (2005). The epidemiology of chronic kidney disease stages 1 to 4 and cardiovascular disease: A high-risk combination. **American Journal of Kidney Diseases**, 45(1), 223-232.
- [32] Siu Wai Choi, Iris F.F. Benzie, Shuk Woon Ma, J.J. Strain and Bernadette M. Hannigan. (2008). Acute hyperglycemia and oxidative stress: Direct cause and effect? **Free Radical Biology and Medicine**, 44(7),1217-1231.
- [33] Michael G. Costigan, Rana Rustom, J. Michael Bone and Alan Shenkin. (1996). Origin and significance of urinary N-acetyl-[beta], D-glucosaminidase (NAG) in renal patients with proteinuria. **Clinica Chimica Acta**, 255(2), 133-144.
- [34] Ljuba M. Mandic, Jelena M. Acimovic and Vesna B. Jovanovic. (2005). The possibility of determining N-acetyl-[beta]-d-glucosaminidase isoenzymes under alkaline conditions. **Clinical Biochemistry**, 38(4), 384-389.
- [35] Craig A. Gay and Janusz M. Gebicki. (2003). Measurement of protein and lipid hydroperoxides in biological systems by the ferric-xylenol orange method. **Analytical Biochemistry**, 315(1), 29-35.
- [36] Peter M. Abuja and Riccardo Albertini. (2001). Methods for monitoring oxidative stress, lipid peroxidation and oxidation resistance of lipoproteins. **Clinica Chimica Acta**, 306(1-2), 1-17.
- [37] Victiria Linares, Virginia Alonso, Maria L. Albina, Montserrat Belles, Juan J. sirvent, Lose L. Domingo and Domenec J. Sanchez. (2009). Lipid peroxidation and antioxidant status in kidney and liver of rats treated with sulfasalazine. **Toxicology**, 256(3), 152-156.
- [38] Alex Sevanian and Fulvio Ursini. (2000). Lipid peroxidation in membranes and low-density lipoproteins: similarities and differences. **Free Radical Biology and Medicine**, 29(3-4), 306-311.

- [39] Craig Gay, James Collins and Janusz M. Gebicki. (1999). Hydroperoxide Assay with the Ferric-Xylenol Orange Complex. **Analytical Biochemistry**, 273(2), 149-155.
- [40] Lawrence J. Marnett. (1999). Lipid peroxidation- DNA damage by malondialdehyde. **Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis**, 424(1-2), 83-95.
- [41] Hermann Esterbauer and Kevin Cheeseman. (1990). Determination of aldehydic lipid peroxidation products: Malonaldehyde and 4-hydroxynonenal, in *Methods in Enzymology*, **Academic Press**, 186(1), 407-421.
- [42] David R. Janero. (1990). Malondialdehyde and thiobarbituric acid-reactivity as diagnostic indices of lipid peroxidation and peroxidative tissue injury. **Free Radical Biology and Medicine**, 9(6), 515-540.
- [43] H.H. Draper, E.J. Squires, H. Mahmoodi, J.Wu, S. Agarwal and M. Hadley. (1993). A comparative evaluation of thiobarbituric acid methods for the determination of malondialdehyde in biological materials. **Free Radical Biology and Medicine**, 15(4), 353-363.
- [44] Adriane C. da Silva, Joao B.T. Rocha, Andre L.B. Morsch, Rafael F. Zanin, Rosilene Kaizer, Paula Acosta Maldonado, et al. (1999). Oxidative stress and [delta]-ALA-D activity in chronic renal failure patients. **Biomedicine & Pharmacotherapy**, 61(2-3), 180-185.
- [45] Surapong Tangvarasittichai, Poonsub P., Orathai Tangvarasittichai and Sirigulsatien V. (2009). Serum levels of malondialdehyde in type 2 diabetes mellitus Thai subjects. **Siriraj Medical Journal**, 61, 20-23.
- [46] Bradley J. Willcow, J. David Curb and Beatriz L. Rodriguez. (2008). Antioxidants in Cardiovascular Health and Disease: Key Lessons from Epidemiologic Studies. **The American Journal of Cardiology**, 101(10A), S75-S86.
- [47] Christine Percy, Betty Pat, Philip Poronnik and Glenda Gobe. (2005). Role of oxidative stress in age-associated chronic kidney pathologies. **Advances in Chronic Kidney Disease**, 12(1), 78-83.

- [48] Catherine Rice-Evans and Roy Burdon. (1993). Free radical-lipid interactions and their pathological consequences. **Progress in Lipid Research**, 32(1), 71-110.
- [49] Hiroshi Yoshida and Reiko Kisugi. (1999). Mechanisms of LDL oxidation. **Clinica Chimica Acta**, 411(23-24), 1875-1882.
- [50] Jonas Nordberg and Elias S. J. Arner. (2001). Reactive oxygen species, antioxidants, and the mammalian thioredoxin system. **Free Radical Biology and Medicine**, 31(11), 1287-1312.
- [51] Narchonai Elango, Shila Samuel and panneerselvam Chinnakkannu. (2006). Enzymatic and non-enzymatic antioxidant status in stage (III) human oral squamous cell carcinoma and treated with radical radio therapy: Influence of selenium supplementation. **Clinica Chimica Acta**, 373(1-2), 92-98.
- [52] Jose M. Mate, Cristina Perez Gomez and Ignacio Nunez de Castro. (1999). Antioxidant enzymes and human diseases. **Clinical Biochemistry**, 32(8), 595-603.
- [53] Hadi Kharrazi, Asad Vaisi Raygani, Zohreh Rahimi, Haidar Tavalani, Mahdi Aminian and Tayebbeh Pourmotabbed. (2008). Association between enzymatic and non-enzymatic antioxidant defense mechanism with apolipoprotein E genotypes in Alzheimer disease. **Clinical Biochemistry**, 41(12), 932-936.
- [54] Yngo J. Garcia, Antonio J. Rodriguez Malaver and Nancy Penaloza. (2005). Lipid peroxidation measurement by thiobarbituric acid assay in rat cerebellar slices. **Journal of Neuroscience Methods**, 144(1), 127-135.
- [55] Lilian Lund Amado, Marcia Longaray Garcia, Patricia Baptista Ramos, Ricardo Franco Freitas, Bruna Zafalon, Josencler Luis Ribas Ferreira, et al. (2009). A method to measure total antioxidant capacity against peroxyl radicals in aquatic organisms: Application to evaluate microcystins toxicity. **Science of the total Environment**, 407(6), 2115-2123.
- [56] Amitava Dasgupta, Deepak Malhotra, Howard Levy, Daniel Marcadis Walter Blackwell and David Johnston. (1996). Decreased total antioxidant capacity but normal lipid hydroperoxide concentrations in sera of critically ill patients. **Life Sciences**, 60(4-5), 335-340.

- [57] William F. Keane. (1999). Lipids and progressive renal disease: The cardio-renal link. **American Journal of Kidney Diseases**, 34(2), 13-17.
- [58] Mai Ots, Ulle Pechter and Agu Tamm (2000). Characteristics of progressive renal disease. **Clinica Chimica Acta**, 297(1-2), 29-41.
- [59] Sabine H.A. Diepeveen, Gertie H.W.E. Verhoven, Job van der Palen, Bert L.D. Dikkeschei, Berry L.J. van Tits, Geert Kolaters Joop J.G. Offerman, et al. (2005). The effect of the initiation of renal replacement therapy on lipid profile and oxidative stress during the first 6 months of treatment. **Clinica Chimica Acta**, 361(1-2), 112-118.
- [60] Chung Jung Chiu and Allen Taylor. (2011). Dietary hyperglycemia, glycemic index and metabolic retinal diseases. **Progress in Retinal and Eye Research**. 30(1), 18-53.
- [61] Huang Chang Ouan, Dong Bi Rong, He Ping, Lu Zhen Chan and Peng Xiao Dong. (2008). Insulin Resistance, Renal Injury, Renal 1-[alpha] Hydroxylase, and Bone Homeostasis in Aged Obese Rats. **Archives of Medical Research**, 39(4), 380-387.
- [62] Seema Basi and Julia B. Lewis. (2006). Microalbuminuria as a Target to Improve Cardiovascular and Renal Outcomes. **American Journal of Kidney Diseases**, 47(6), 927-946.
- [63] Duk Hee Kang and Takahiko Nakagawa. (2005). Uric acid and chronic renal disease: Possible implication of hyperuricemia on progression of renal disease. **Seminars in Nephrology**, 25(1), 43-49.
- [64] Vanderlei Folmer, Julio C.M. Soares and J.B.T. Rocha. (2002). Oxidative stress in mice is dependent on the free glucose content of the diet. **The International Journal of Biochemistry & Cell Biology**, 34(10), 1279-1285.
- [65] C.E. Mogensen. (2007). Microalbuminuria, renal disease, metabolic syndrome and risks in diabetes. **Clinical Research and Reviews**, 1(2), 127-133.
- [66] Kuo Liong Chien, Hsiu Ching Hsub, Yuan Teh Lee and Ming Fong Chen. (2008). Renal function and metabolic syndrome components on cardiovascular and all-cause mortality. **Atherosclerosis**, 197(2), 860-867.

- [67] Mani K. Bhatnagar, Sarika Arora, Vinyas Singh and Jayashree Bhattacharjee. (2011) Assessment of insulin resistance using surrogate markers in patients of metabolic syndrome. **Clinical Research and Reviews**, 5(1), 29-32.
- [68] Kan Kajimoto, Katsumi Miyauchi, Takatoshi Kasai, Naotake Yanagisawa, Taira Yamamoto, Keita Kikuchi, et al. (2009). Metabolic syndrome is an independent risk factor for stroke and acute renal failure after coronary artery bypass grafting. **The Journal of Thoracic and Cardiovascular Surgery**, 137(3). 658-663.
- [69] Cevahir Erdogan, Yesim Unlucerci, Aydm Turkmen, Alev Kuru, Omer Cetin and Selda Bekpmar. (2002). The evaluation of oxidative stress in patients with chronic renal failure. **Clinica Chimica Acta**, 322(1-2), 157-161.
- [70] Krystyna Pawlak, Dariusz Pawlak and Michal Mysliwiec. (2007). Impaired renal function and duration of dialysis therapy are associated with oxidative stress and proatherogenic cytokine levels in patients with end-stage renal disease. **Clinical Biochemistry**, 40(1-2), 81-85.
- [71] Joanna Stepniewska, Barbara Dolegowska, Kazimierz Ciechanowski, Ewa Kwiatkowska, Barbara Millo and Dariusz Chlubek. (2006). Erythrocyte Antioxidant Defense System in Patients with Chronic Renal Failure According to the Hemodialysis Conditions. **Archives of Medical Research**, 37(3), 353-359.
- [72] Mohamed A. Haidara, Dimitri P. Mikhilidis, Moshira A. Rateb, Zeinab A. Ahmed, Hanaa, Yassin, Ibrahim M. Ibrahim and Laila A. Rashed. (2001). Evaluation of the effect of oxidative stress and vitamin E supplementation on renal function in rats with streptozotocin-induced Type 1 diabetes. **Journal of Diabetes and its Complications**, 23(2), 130-136.
- [73] Catherine Rice-Evans and Nicholas J. Miller. (1994). Total antioxidant status in plasma and body fluids, in Methods in Enzymology. **Academic Press**, 234(1), 279-293.
- [74] Simon Y.L. Ching, Jon Hall, Kevin Croft, John Beilby, Enrico Rossi and Emilio Ghisalberti. (2006). Antioxidant inhibition of oxygen radicals for measurement of total antioxidant capacity in biological samples. **Analytical Biochemistry**, 353(2), 257-265.

- [75] Bronistaw A. Zachara, Urszula Trafikowska, Andrzej Adamiwicz, Edmund Nartowicz and Jacek Manitiusz. (2001). Selenium, glutathione peroxidases, and some other antioxidant parameters in blood of patients with chronic renal failure. **Journal of Trace Elements in Medicine and Biology**, 15(2-3), 161-166.
- [76] Birgit Mayer, Sabine Zitta, Joachim Greilberger, Herwig Holzer, Gilbert Reibnegger, Albin Hermetter and Karl Oett. (2003). Effect of hemodialysis on the antioxidative properties of serum. **Molecular Basis of Disease**, 1638(3), 267-272.
- [77] Arvind Venkat, Kristina R. Kaufmann and K.K. Venkat. (2006). Care of the end-stage renal disease patient on dialysis in the ED. **The American Journal of Emergency Medicine**, 24(7), 847-858.
- [78] Jan Skrha and Jirina Hilgertova. (1999). Relationship of serum N-acetyl-[beta]-glucosaminidase activity to oxidative stress in diabetes mellitus. **Clinica Chimica Acta**, 282(1-2), 167-174.

BIOGRAPHY



BIOGRAPHY

Name-Surname Suwipar debukkhum

Date of Birth May 6, 1977

Address 21 Moo 8 Muang district,
Uttaradit, Thailand 53000

Work Pace Chemistry Section, Clinical pathology department,
Uttaradit Hospital

Position Medical Technologist (MT)

Work Experiences

1999 Clinical Pathology Department, Uttaradit Hospital,
Uttaradit, Thailand

Education Background

1999 B.Sc. (Medical Technology), Mahidol University,
Bongkok, Thailand

