

REFERENCES

REFERENCES

- [1] Reppy, M. A., and Bradford, A. P. (2007). Biosensing with polydiacetylene materials: structure, optical properties and applications. **Chemical Communication**, (42), 4317-4338.
- [2] Wu, S., Niu, L., Shen, J., Zhang, Q. and Bubeck, C. (2009). Aggregation-induced reversible thermochromism of novel azo chromophore-functionalized polydiacetylene cylindrical micelles. **Macromolecules**, 42(1), 362-267.
- [3] Schott, M. (2006). The colors of polydiacetylene: a commentary. **The Journal of Physical Chemistry B**, 110(32), 15864-15868.
- [4] Phollookin, C., Wacharasindhu, S., Ajavakom, A., Tumcharern, G., Ampornpun, S., Eaidkong, T. and Sukwattanasinitt, M. (2010). Tuning down of color transition temperature of thermochromically reversible bisdiynamide polydiacetylene. **Macromolecules**, 43(18), 7540-7548.
- [5] Ahn, D. J., Lee, S. and Kim, J.-M. (2009). Rational design of conjugated polymer supramolecules with tunable colorimetric responses. **Advanced Functional Materials**, 19(10), 1483-1496.
- [6] Su, Y.-L., Li, J.-R. and Jiang, L. (2004). Chromatic immunoassay based on polydiacetylene vesicles. **Colloids and Surfaces B: Biointerfaces**, 38(1-2), 29-33.
- [7] Okada, S., Peng, S., Spevak, W. and Charych, D. (1998). Color and chromism of polydiacetylene vesicle. **Accounts of Chemical Research**, 31(5), 229-239.
- [8] Seo, D. and Kim, J. (2010). Effect of the molecular size of analytes on polydiacetylene chromism. **Advanced Functional Materials**, 20(9), 1397-1403.
- [9] Potisatityuenyong, A., Rojanathanes, R., Tumcharern, G. and Sukwattanasinitt, M. (2008). Electronic absorption spectroscopy probed side-chain movement in chromic transition of polydiacetylene vesicles. **Langmuir**, 24(9), 4461-4463.
- [10] Antunes, F. E., Marques, E. F., Miguel, M. G. And Lindman, B. (2009). Polymer-vesicle association. **Advances in Colloid and Interface Science**, 147-148, 18-35.

- [11] Ahn, D. J., Chae, E. -H., Lee, G. S., Shim, H. -Y., Chang, T. -E., Ahn, K. -D., and Kim, J.-M. (2003). Colorimetric reversible of polydiacetylene supramolecules having enhanced hydrogen-bonding under thermal and pH stimuli. **Journal of the American Chemical Society**, 125(30), 8976-8977.
- [12] Kim, J. -M., Lee, J. -S., Choi, H., Sohn, D. and Ahn, D. J. (2005). Rational design and in-situ FTIR analyses of colorimetrically reversible polydiacetylene supramolecules. **Macromolecules**, 38(22), 9366-9376.
- [13] Park, H., Lee, J.-S., Choi, H., Ahn, D. J. and Kim, J. -M. (2007). Rational design of supramolecular conjugated polymers displaying unusual colorimetric stability upon thermal stress. **Advanced Functional Materials**, 17(17), 3447-3455.
- [14] Singh, A., Thompson, R. B. and Schnur, J. M. (1986). Reversible thermochromism in photopolymerized phosphatidylcholine vesicle. **Journal of the American Chemical Society**, 108(10), 2785-2787.
- [15] Yuan, Z., Lee, C.-W. and Lee, S.-H. (2006). Reversible thermochromism in self-layered hydrogen-bonded polydiacetylene assembly. **Polymer**, 47(9), 2970-2975.
- [16] Yuan, Z., Lee, C. -W. and Lee, S. -H. (2005). Reversible ionochromism of self-layered polydiacetylene functionalized with hydrazide bind. **Polymer**, 46(11), 3564-3566.
- [17] Kim, J. -M., Lee, Y. B., Chae, S. K. and Ahn, D. J. (2006). Patterned color and fluorescent images with polydiacetylene supramolecules embedded in poly(vinyl alcohol) films. **Advanced Functional Materials**, 16(16), 2103-2109.
- [18] Gu, Y. Cao, W., Zhu, L. Chen, D. and Jiang, M. (2008). Polymer mortar assisted self-assembly of nanocrystalline polydiacetylene bricks showing reversible thermochromism. **Macromolecules**, 41(7), 2299-2303.
- [19] Wu, S., Shi, F., Zhang, Q. and Bubeck, C. (2009). Stable hydrogen-bonded complexes of poly(4-vinylpyridine) and polydiacetylene for Photolithography and sensing. **Macromolecules**, 42(12), 4110-4117.

- [20] Li, X., Matthews, S. and Kohli, P. (2008). Fluorescence resonance energy transfer in polydiacetylene liposomes. **Journal of Physical Chemistry B**, 112(42), 13263-13272.
- [21] Ma, G. and Cheng, Q. (2005). A nanoscale vesicular polydiacetylene sensor for organic amines by fluorescence recovery. **Talanta**, 67(3), 514-519.
- [22] Wacharasindhu, S., Montha, S., Boonyiseng, J., Potisatityuenyong, A., Phollookin, C., Tumcharern, G. and Sukwattanasinitt, M. (2010). Tuning of thermochromic properties of polydiacetylene toward universal temperature sensing materials through amido hydrogen bonding. **Macromolecules**, 43(2), 716-724.

BIOGRAPHY



BIOGRAPHY

Name – Surname

Chanita Khanantong

Date of Birth

June 5, 1987

Address

169 Moo 3, Tombon Bantok, Amphur Muang,
Petchabun, Thailand. 67000

Education Background

2008

B.S. (Chemistry)

Naresuan University, Phitsanulok, Thailand

