

REFERENCES

REFERENCES

- [1] Stone, R. (2012). **Introduction to internal combustion engines** (4th ed.). U.S.A: SAE International and Macmillan Press.
- [2] Makartchouk, A. (2002). **Diesel engine engineering thermodynamics, dynamics, design, and control**. Switzerland: Marcel Dekker AG.
- [3] Chai D Lai, M. and Dingle, P.J. (2005). **Diesel common rail and advanced fuel injection systems**. U.S.A: SAE International.
- [4] Kumaran, D., Rajendran, M., Jeeva, P.A. and Karthikeyan, S. (2013). Formulation of novel bio based tri fuel for I.C. Engines. **International Journal of ChemTech Research**, 5(4), 1797-1801.
- [5] Leelanoi, P., Suksangpanomrung, A. and Asadamongkon, P. (October 17-19, 2007). **The performance study of a diesel engine using Buthanol base Diesohol fuel**. Chonburi: Department of Mechanical Engineering, Faculty of Engineering, Srinakharinvirot University and Department of Engineering, Chulajomklao Loyal Military Academy Jointed Graduate Program.
- [6] Das, D.K., Dash, S.P. and Ghosal, M.K. (2011). Performance study of a diesel engine by using producer gas from selected agricultural residues on dual-fuel mode of diesel-cum-producer gas. **World Renewable Energy Congress**, 13(006), 3541-3548.
- [7] Wannatong, K., Siengsanorh, S. and Akarapanyavit, N. (March 28, 2011 –April 1, 2011). **DF-PCCI: Concept development of new diesel dual fuel technology for diesel common-rail light duty pickup truck**. Challenger, Impact, Maung Thong Thani, Bangkok, Thailand: The 7th International Conference on Automotive Engineering (ICAE-7).
- [8] Mahalingam, S., Kumar, P.S.M. and Pranesh, R.V. (July 2013). **Experimental study of performance and emission characteristics of a bio dual fuel blends in diesel engine for variation of injection pressures**. London, U.K.: The World Congress on Engineering (WCE).
- [9] Cozzarini, C. and Lenz, H.P. (1999). **Emissions and air quality**. U.S.A: SAE International.

- [10] Lim, H. (2002). **Study of exhaust emissions from idling heavy-duty diesel trucks and commercially available idle-reducing devices**. Washington, D.C.: U.S. Environmental Protection Agency.
- [11] NRC (National Research Council). (2011). **Assessment of fuel economy technologies for light-duty vehicles**. Washington, D.C.: The National Academic Press.
- [12] Leelanoi, P., Suksangpanomrung, A. and Asadamongkon, P. (October 2007). **The performance study of a diesel engine using Buthanol base Diesohol fuel**. Chonburi: Department of Mechanical Engineering, Faculty of Engineering, Srinakharinvirot University and Department of Engineering, Chulajomkiao Loyal Military Academy Jointed Graduate Program.
- [13] Das, D.K., Dash, S.P. and Ghosal, M.K. (2011). Performance study of a diesel engine by using producer gas from selected agricultural residues on dual-fuel mode of diesel-cum-producer gas. **World Renewable Energy Congress**, 13(006), 3541-3548.
- [14] Lata, D.B. and Misra, A. (2012). Experimental investigations on the performance of a dual fuel diesel engine with Hydrogen and LPG as secondary fuels. **In International Conference on Future Electrical Power and Energy Systems**. Department of Mechanical Engineering, Birta Institute of Technology, Mesra, Ranchi, India: India.
- [15] Fontaras, G., Martini, G., Manfredi, U., Marotta, A., Krasenbrink, A., Maffioletti, F., et al. (2012). Assessment of on-road emissions of four EURO V diesel and CNG waste collection trucks for supporting air-quality improvement initiatives in the city of Milan. **Science of the Total Environment**, 426, 65-72.
- [16] Verhelst, S. and Wallner, T. (2009). Hydrogen-fueled internal combustion engines. **Progress in Energy and Combustion Science**, 35, 490-527.
- [17] Amrouche, F., Benzaoui, A., Erickson, P., Mahmah, B., Herouadi, F. and Belhamel, M. (2010). Toward hydrogen enriched natural gas "HCNG" fuel on the Algerian road. **International Journal of Hydrogen Energy**, 36, 4094-4102.

- [18] Morrison, G.M., Kumar R., Chugh, S., Puri, S.K., Tuli, D.K. and Malhotra, R.K. (2011). Hydrogen transportation in Delhi? Investigating the hydrogen-compressed natural gas (HCNG) option. **International Journal of Hydrogen Energy**, 37, 644-654.
- [19] Nanthagopal, K., Subbarao, R., Elango, T., Baskar P. and Annamalai, K. (2011). Hydrogen Enriched compressed natural gas – a futuristic fuel for internal combustion engines. **Thermal Science**, 15(4), 1145-1154.
- [20] Patil, K.R., Khanwalkar, P.M., Thipse, S.S., Kavathekar, K.P. and Rairikar, S.D. (2010). Development of HCNG blended fuel engine with control of NOx emissions. **International Journal of Computer Information Systems and Industrial Management Application**, 2, 087-095.
- [21] Suryawanshi, J.G. and Nitnaware, P.T. (2011). An investigation on S.I engine using hydrogen and CNG blends. **International Journal of Research and Reviews in Applied Sciences**, 7(3), 295-303.
- [22] Lata, D.B., Misra, A. and Medhekar, S. (2012). Effect of hydrogen and LPG addition on the efficiency and emissions of a dual fuel diesel engine. **International Journal of Hydrogen Energy**, 37, 6084-6096.
- [23] Acharya, S.K. and Jens, S.P. (2013). Performance and emission analysis of a CI engine in dual mode with LPG and Karanja oil methyl ester. **ISRN Renewable Energy**, 2(13), 1-7.
- [24] Poonia, M.P., Bhardwaj, A., Jethoo, A.S. and Pandel, U. (2011). Experimental investigations on engine performance and exhaust emissions in an LPG diesel dual fuel engine. **International Journal of Environmental Science and Development**, 2(6), 418-422.
- [25] Saleh, H.E. (2008). Effect of variation in LPG composition on emissions and performance in a dual fuel diesel engine. **Fuel**, 87, 3031-3039.
- [26] Egusquiza, J.C., Braga, S.L. and Braga, C.V.M. (2009). Performance and gaseous emissions characteristics of a natural gas and diesel dual fuel turbocharged and aftercooled engine. **Journal of the Brazilian Society of Mechanical Sciences and Engineering**, 31(2), 1-8.

- [27] Liu, J., Yang, F., Wang, H., Ouyang, M. and Hao, S. (2013). Effects of pilot fuel quantity on the emissions characteristics of a CNG and diesel dual fuel engine with optimized pilot injection timing. **Applied Energy**, 110, 201-206.
- [28] Ryu, K. (2013). Effects of pilot injection timing on the combustion and emissions characteristics in a diesel engine using biodiesel-CNG dual fuel. **Applied Energy**, 111, 721-730.
- [29] Ryu, K. (2013). Effects of pilot injection pressure on the combustion and emissions characteristics in a diesel engine using biodiesel-CNG dual fuel. **Energy Conversion and Management**, 76, 506-516.
- [30] Paul, A., Bose, P.K., Panua, R.S. and Banerjee, R. (2013). An experimental investigation of performance-emission trade off of a CI engine fueled by diesel-compressed natural gas (CNG) combination and diesel-ethanol blends with CNG enrichment. **Energy**, 55, 787-802.
- [31] Carlucci, A.P., Laforgia, D., Saracino, R. and Toto, G. (2011). Combustion and emissions control in diesel-methane dual fuel engines: the effects of methane supply method combined with variable in-cylinder charge bulk motion. **Energy Conversion and Management**, 52, 3004-3017.
- [32] Ehsan, M. and Bhuiyan, S. (2009). Dual fuel performance of a small diesel engine for applications with less frequent load variations. **International Journal of Mechanical and Mechatronics Engineering**, 9(10), 19-28.
- [33] Papagiannakis, R.G., Rakopoulos, C.D., Hountalas, D.T. and Rakopoulos, D.C. (2010). Emission characteristics of high speed, dual fuel, compression ignition engine operating in a wide range of natural gas and diesel fuel proportions. **Fuel**, 89, 1397-1406.
- [34] Venkatesan, M. (2011). Performance and emission characteristics of Jatropa biodiesel in dual fuel mode with CNG in a single cylinder four stroke diesel engine. **International Journal of Applied Engineering Research**, 1(4), 813-823.
- [35] Wannatong, K., Akarapanyavit, N., Siengsanorh, S. and Chanchaona, S. (2007). Combustion and knock characteristics of natural gas diesel dual fuel engine. **Society of Automotive Engineers of Japan**, 2007(1), 1-6.

- [36] Debnath, B.K., Saha, U. K. and Sahoo, N. (2012). Effect of hydrogen-diesel quantity variation on brake thermal efficiency of a dual fuelled diesel engine. **Journal of Power Technologies**, 92(1), 55-67.
- [37] Bose, P.K. and Maji, D. (2009). An experimental investigation on engine performance and emissions of a single cylinder diesel engine using hydrogen as inducted fuel and diesel as injected fuel with exhaust gas recirculation. **International Journal of Hydrogen Energy**, 34, 4847-4854.
- [38] Boretti, A. (2011). Advantages of the direct injection of both diesel and hydrogen in dual fuel H₂ICE. **International Journal of Hydrogen Energy**, 36, 9312-9317.
- [39] Kose, H. and Ciniviz, M. (2013). An experimental investigation of effect on diesel engine performance and exhaust emissions of addition at dual fuel mode of hydrogen. **Fuel Processing Technology**, 114, 26-34.
- [40] Zhunqing, H. and Xin, Z. (2012). Experimental study on performance and emissions of engine fueled with lower heat value gas and hydrogen mixtures. **International Journal of Hydrogen Energy**, 37, 1080-1083.
- [41] Chaisermtawan, P., Jarungthammachote, S., Chuepeng, S. and Kiatiwat, T. (2012). Gaseous emissions and combustion efficiency analysis of hydrogen-diesel dual fuel engine under fuel-lean condition. **American Journal of Applied Sciences**, 9(11), 1813-1817.
- [42] Santoso, W.B., Bakar, R.A. and Nur, A. (2013). Combustion characteristics of diesel-hydrogen dual fuel engine at low load. **Energy Procedia**, 32, 3-10.
- [43] Saravanan, N., Nagarajan, G., Sanjay, G., Dhanasekaran, C. and Kalaiselvan, K.M. (2008). Combustion analysis on a DI diesel engine with hydrogen in dual fuel mode. **Fuel**, 87, 3591-3599.
- [44] Szwaja, S. and Grab-Rogalinski, K. (2009). Hydrogen combustion in a compression ignition diesel engine. **International Journal of Hydrogen Energy**, 34, 4413-4421.
- [45] SinghYadav, V., Soni, S.L. and Sharma, D. (2012). Performance and emission studies of direct injection C.I. engine in dual fuel mode (hydrogen-diesel) with EGR. **International Journal of Hydrogen Energy**, 37, 3807-3817.

- [46] Escalante Soberanis, M.A. and Fernandez, A.M. (2010). A review on the technical adaptations for internal combustion engines to operate with gas and hydrogen mixtures. **International Journal of Hydrogen Energy**, 35, 12134-12140.
- [47] Christodoulou, F. and Megaritis, A. (2013). Experimental investigation of the effects of separate hydrogen and nitrogen addition on the emissions and combustion of a diesel engine. **International Journal of Hydrogen Energy**, 2013, 1-15.
- [48] Arat, H.T., Aydin, K., Baltacioglu, E., Yasar, E., Baltacioglu, M.K., Conker, C., et al. (2013). A review of hydrogen-enriched compressed natural gas (HCNG) – fuel in diesel engines. **The Journal of Macro Trends in Energy and Sustainability**, 1(1), 115-122.
- [49] Lata, D.B. and Misra, A. (2010). Theoretical and experimental investigations on the performance of dual fuel diesel engine with hydrogen and LPG as secondary fuels. **International Journal of Hydrogen Energy**, 35, 11918-11931.
- [50] Ma, F., Wang, M., Jiang, L., Chen, R., Deng, J., Naeve, N., et al. (2010). Performance and emission characteristics of a turbocharged CNG engine fueled by hydrogen-enriched compressed natural gas with high hydrogen ratio. **International Journal of Hydrogen Energy**, 35, 6438-6447.
- [51] Ma, F., Wang, Y., Ding, S. and Jiang, L. (2009). Twenty percent hydrogen-enriched natural gas transient performance research. **International Journal of Hydrogen Energy**, 34, 6523-6531.
- [52] Ma, F. and Wang, Y. (2008). Study on the extension of lean operation limit through hydrogen enrichment in a natural gas spark-ignition engine. **International Journal of Hydrogen Energy**, 33, 1416-1424.
- [53] Ma, F., Wang, Y., Liu, H., Li, Y., Wang, J. and Ding, S. (2008). Effects of hydrogen addition on cycle-by-cycle variations in a lean burn natural gas spark-ignition engine. **International Journal of Hydrogen Energy**, 33, 823-831.

- [54] Mohammed, S.E., Baharom, M.B., Aziz and A.R.A., Firmansyah. (2011). The effects of fuel-injection timing at medium injection pressure on the engine characteristics and emissions of a CNG-DI engine fueled by a small amount of hydrogen in CNG. **International Journal of Hydrogen Energy**, 36, 11997-12006.
- [55] Mohammed, S.E., Baharom, M.B. and Aziz, A.R.A. (2011). Analysis of engine characteristics and emissions fueled by in-situ mixing of small amount of hydrogen in CNG. **International Journal of Hydrogen Energy**, 36, 4029-4037.
- [56] Ceper, B.A., Akansu, S.O. and Kahraman, N. (2009). Investigation of cylinder pressure for H₂/CH₄ mixtures at different loads. **International Journal of Hydrogen Energy**, 34, 4855-4861.
- [57] Ma, F., Wang, Y., Liu, H., Li, Y., Wang, J. and Zhao, S. (2007). Experimental study on thermal efficiency and emission characteristics of a lean burn hydrogen enriched natural gas engine. **International Journal of Hydrogen Energy**, 32, 5067-5075.
- [58] Ortenzi, F., Chiesa, M., Scarcelli, R. and Pedè, G. (2008). Experimental tests of blends of hydrogen and natural gas in light-duty vehicles. **International Journal of Hydrogen Energy**, 33, 3225-3229.
- [59] Huang, Z., Liu, B., Zeng, K., Huang, Y., Jiang, D., Wang, X., et al. (2007). Combustion characteristics and heat release analysis of a spark-ignited engine fueled with natural gas and hydrogen blends. **Energy and Fuels**, 21, 2594-2599.
- [60] Park, C., Kim, C., Choi, Y. and Lee, J. (2013). Operating strategy for exhaust gas reduction and performance improvement in a heavy-duty hydrogen-natural gas blend engine. **Energy**, 50, 262-269.

BIOGRAPHY

BIOGRAPHY

Name –Surname Kasidet Pichayapat
Date of Birth September 26, 1975
Address 199/106 K.Hall Property Village, Tumbon
Ta Pho, Ampher Maung, Phisanulok 65000

Work Experiences

2008 Straight Nine Co., Ltd., Sriracha, Thailand
2006 Tyco Unistrut (Thailand), Rayong, Thailand
2003 Foster Wheeler Co., Ltd., Leam Chabung, Thailand
2001 Siemens Limited (Thailand), Pattaya, Thailand
1999 United Nation, New York, U.S.A
1998 The Gardner Group, Sydney, Australia
1994 Taher Incorporation, Wisconsin, U.S.A

Education Background

1999 M.A. (International Studies), University of Sydney,
Australia
1997 B.A (Political Sciences), Beloit College, U.S.A.

Publication

Pichayapat, K., Sukchai, S., Thongsan, S. and Pongtornkulpanich, A.
(2014). Emission characteristics of using HCNG in the internal
combustion engine with minimum pilot diesel injection for
greater fuel economy. **International Journal of Hydrogen
Energy**, 39, 12182-12186.

BIOGRAPHY

Name –Surname Kasidet Pichayapat
Date of Birth September 26, 1975
Address 199/106 K.Hall Property Village, Tumbon
Ta Pho, Ampher Maung, Phisanulok 65000

Work Experiences

2008 Straight Nine Co., Ltd., Sriracha, Thailand
2006 Tyco Unistrut (Thailand), Rayong, Thailand
2003 Foster Wheeler Co., Ltd., Leam Chabung, Thailand
2001 Siemens Limited (Thailand), Pattaya, Thailand
1999 United Nation, New York, U.S.A
1998 The Gardner Group, Sydney, Australia
1994 Taher Incorporation, Wisconsin, U.S.A

Education Background

1999 M.A. (International Studies), University of Sydney,
Australia
1997 B.A (Political Sciences), Beloit College, U.S.A.

Publication

Pichayapat, K., Sukchai, S., Thongsan, S. and Pongtornkulpanich, A.
(2014). Emission characteristics of using HCNG in the internal
combustion engine with minimum pilot diesel injection for
greater fuel economy. **International Journal of Hydrogen
Energy**, 39, 12182-12186.