

## REFERENCES

## REFERENCES

- [1] Elzoghby, A .O, Samy, W. M. and Elgindy, N. A. (2012). Protein-based nanocarriers as promising drug and gene delivery systems. **Journal of Controlled Release**, 161, 38–49.
- [2] Ochekepe, N. A., Olorunfemi, P. O. and Ngwuluka, N. C. (2009). Nanotechnology and drug delivery part 1: background and applications. **Tropical Journal of Pharmaceutical Research**, 8(3), 265-274.
- [3] Peer, O., Karp, J. M., Hong, S., Farokhzad, O. C., Margalit, R. and Langer, R (2007). Nanocarriers as an emerging platform for cancer therapy. **Nature Nanotechnology**, 2, 751-760.
- [4] Zhang, Y. (2002). Applications of natural silk protein sericin in biomaterials. **Biotechnology Advances**, 20, 91-100.
- [5] Mandal, B. B. and Kundu, S. C. (2009) Self-assembled silk sericin/poloxamer nanoparticles as nanocarriers of hydrophobic and hydrophilic drugs for targeted delivery. **Nanotechnology**, 20, 1-14.
- [6] Cho, K. Y., Moon, J. Y., Lee Y. W., Lee, K. G., Yeo, J. H., Kweon, H. Y., et al. (2003). Preparation of self-assembled silk sericin nanoparticles. **International Journal of Biological Macromolecules**, 32, 36–42.
- [7] Oh, H., Lee, J. Y., Kim, A., Ki, C. S., Kim, J. W., Park, Y. H., et al. (2007). Preparation of silk sericin beads using LiCl/DMSO solvent and their potential as a drug carrier for oral administration. **Fibers and Polymers**, 8(5), 470-476.
- [8] Navarrete-Solís, J., Castanedo-Cázares J. P., Torres-A´lvarez, B., Oros-Ovalle, C., Fuentes-Ahumada, C., Javier Gonz´alez, F., DavidMart´inez-Ram´irez, J. and Moncada B. (2011). A Double-blind, randomized clinical trial of niacinamide 4% versus hydroquinone 4% in the treatment of melasma. **Dermatology Research and Practice**, 2011, 1-5.
- [9] Bissett, D. L., Oblong, J. E. and Berge, C. A. (2005).Niacinamide: A B vitamin that improves aging facial skin appearance. **Dermatologic Surgery**, 31, 860-865.

- [10] Draelos, Z., Matsubara, K. and Smiles, K. (2006). The effect of 2% niacinamide on facial sebum production. **Journal of Cosmetic and Laser Therapy**, 8, 96–101.
- [11] Deng, L., Zhang, H., Zhu, L., Yang, M., Min, S., Lin, R., et al. (2011). Synthesis and characterization of silk sericin / acrylic acid / acrylamide superabsorbent polymer. **Journal of Fiber Bioengineering & Informatics**, 4(4), 321-328.
- [12] Padamwar, M. N. and Pawar, A. P. (2004). Silk sericin and its applications: a review. **Journal of Scientific & Industrial Research**, 63, 323-329.
- [13] Mondal, M. and Kumar, S. N. (2007). The silk proteins, sericin and fibroin in silkworm, *Bombyx mori* Linn., - a review. **Journal of Environmental Sciences**, 5(2), 63-76.
- [14] Kodama, K. (1926). The preparation and physico-chemical properties of sericin. **Biochemical Journal**, 20(6), 1208-1222.
- [15] Wu, J. H., Wang, Z. and Xu, S. Y. (2007). Preparation and characterization of sericin powder extracted. **Food Chemistry**, 103, 1255-1262.
- [16] Kim Se Jin. (2007). **Gas permeation through water-swollen sericin / PVA membranes**, Thesis M.S., University of Waterloo, Canada.
- [17] Padamwar, M. N., Pawar, A. P., Daithankar, A. V. and Mahadik, K. R. (2005). Silk sericin as a moisturizer: an *in vivo* study, **Journal of Cosmetic Dermatology**, 4, 250-257.
- [18] Dash, R., Acharya, C., Bindu, P. C. and Kundu, S. C. (2007). Antioxidant potential of silk protein sericin against hydrogen peroxide-induced oxidative stress in skin fibroblasts. **BMB Reports**, 41(3), 236-241.
- [19] Kato, N., Sato, S., Yamanaka, A., Yamada, H., Fuwa, N., and Nomura, M. (1998). Silk protein, Sericin, inhibits lipid peroxidation and tyrosinase activity. **Japan Society for Bioscience, Biotechnology and Biochemistry**, 62(1), 145-147.
- [20] Meesilpa, P., Pannengpet, P., Werasopon, W., Pannengpet, C., Narkprasert, D., Sudatis, B., Pewlong, W., Bunjob, M., Boochoa, P., Serakanna, P. and Pinnil, P. (2008). Silk soap comprising sericin protein. Retrieved April 25, 2014, from <https://www.patexia.com/us-patents/07314851/claims>.

- [21] Pereda, V., Carmen, D. M., Antonio P. M. and Campos, D. G. (2009). **Sericin cationic nanoparticles for application in products for hair and dyed hair.** Retrieved April 25, 2014, from <http://www.specialchem4cosmetics.com/patents-applications/patent.aspx?id=1646445>.
- [22] Hideyuki, Y., Fukui, F., Keiko, Y., Kagawa, O. and Keiji, N. (2006). **Nail composition containing sericin.** Retrieved April 25, 2014, from <http://www.google.com/patents/EP1632214A1?cl=en>.
- [23] Li, Y., Ji, D., Chen, S. and Hu, G. (2008) Genetics and cell Biology Protective Effects of Sericin Protein on Alcohol-mediated Liver Damage in Mice. **Alcohol & Alcoholism**, 43(3), 246-253.
- [24] Zhaorigetu, S., Yanaka, N., Sasaki, M., Watanabe, H. and Kato, N. (2003). Inhibitory effects of silk protein, sericin on UVB-induced acute damage and tumor promotion by reducing oxidative stress in the skin of hairless mouse. **Journal of Photochemistry and Photobiology B: Biology**, 73, 11-17.
- [25] Nishida, A., Yamada, M., Kanazawa, T., Takashima, Y., Ouchi, K. and Okada, H. (2010). Use of silk protein, sericin, as a sustained-release material in the form of a gel, sponge and film. **Chemical & Pharmaceutical Bulletin**, 58(11), 1480-1486.
- [26] Soong, H. K. and Kenyon, K.R. (1984). Adverse reactions to virgin silk sutures in cataract surgery. **Ophthalmology**, 91(5), 479-83.
- [27] Zaoming, W., Codina, R., Fernández-Caldas, E. and Lockey, R.F. (1996). Partial characterization of the silk allergens in mulberry silk extract. **Journal of Investigational Allergology Clinical Immunology**, 6(4), 237-241.
- [28] European Food Safety Authority. (2012). Scientific Opinion on the safety and efficacy of niacin (nicotinamide) as feed additive for all animal species based on a dossier submitted by Agrinutrition BV. **EFSA Journal**, 10(6), 2731, 1-18.
- [29] Barai, N. D., Supp A. P., Kasting, G. B. and Visscher, M. O. (2007). Improvement of epidermal barrier properties in cultured skin substitutes after grafting onto athymic mice. **Skin Pharmacol Physiol**, 20, 21-28.

- [30] Anilreddy, B. (2010). In vitro characteration and evaluation of transdermal drug delivery system for metoprolol tartarate. **Asian Journal of Pharmaceutical Research and Health Care**, 2(4), 325-329.
- [31] Groeber, F., Holeiter, M., Hampel, M., Hinderer, S. and Schenke-Layland, K.(2011). Skin tissue engineering - In vivo and in vitro applications. **Advanced Drug Delivery Reviews**, 128, 352-366.
- [32] Venus, M., Waterman, J. and McNab, I. (2010). Basic physiology of the skin. **Surgery**, 28(10), 469-472.
- [33] Powell, J. (2006). Skin physiology. **Woman's Health Medicine**, 3(3), 130-133.
- [34] Prow, T. W., Grice, J. E., Lin, L. L., Faye, R., Butler, M., Becker, W. et al. (2011). Nanoparticles and microparticles for skin drug delivery. **Advanced Drug Delivery Reviews**, 63(6), 470-491.
- [35] Proksch, E., Brandner, J. M. and Jensen, J. (2011). The skin: an indispensable barrier. The skin: an indispensable barrier. **Experimental Dermatology**, 17, 1063–1072.
- [36] Pegoraro, C., MacNeil, S.,and Battaglia, G. (2012). Transdermal drug delivery: from micro to nano. **Nanoscale**, 4, 1881-1894.
- [37] Pathan, I. B. and Setty, C. M. (2009). Chemical penetration enhancers for transdermal drug delivery systems. **Tropical Journal of Pharmaceutical Research**, 8 (2), 173-179.
- [38] Bolzinger, M-A, Briançon S., Pelletier J. and Chevalier Y. (2012). Penetration of drugs through skin, a complex rate-controlling membrane. **Current Opinion in Colloid & Interface Science**, 17, 156-165.
- [39] Dayan, N. (2005). Pathways for skin penetration. **Cosmetics & Toiletries**, 120(6), 67- 76.
- [40] Morrow, D. I. J., McCarron, P. A., Woolfson , A. D. and Donnelly, A. D. (2007). Innovative strategies for enhancing topical and transdermal drug delivery. **The Open Drug Delivery Journal**, 1, 36-59.
- [41] Knorr, F., Lademann, J., Patzelt, A., Sterry, W., Blume-Peytavi, U. and Vogt, A. (2009). Follicular transport route – Research progress and future perspectives. **European Journal of Pharmaceutics and Biopharmaceutics**, 71, 173- 180.

- [42] Lademann, J., Richter, H., Schanzer, S., Knorr, F., Meinke, F., Sterry, W., et al. (2011). Penetration and storage of particles in human skin: Perspectives and safety aspects. **European Journal of Pharmaceutics and Biopharmaceutics**, 77, 465–468.
- [43] Draelos, Z.D. (2000). Novel topical therapies in cosmetic dermatology. **Current Problems in Dermatology**, 12, 5, 235-239.

## **BIOGRAPHY**

## **BIOGRAPHY**

**Name –Surname**

Thapana Orachun

**Date of Birth**

August 22, 1986

**Address**

109/7 group 11 koluck district Amphur Muang,  
Prachuap khiri khan Province 77000

**Education Background**

2008

B.Sc. (Chemistry) Kasetsart University, Bangkok,  
Thailand