

REFERENCES

REFERENCES

- [1] SHAO, K. (2009). Renewable Energy progress overview in China. **Proceedings of 6th International Forum on Solar & Wind Energy** (p. 9). Lanzhou, China: Gansu Natural Energy Research Institute (GNERI)
- [2] BP Energy Outlook 2030. (2012). **London, page 9-11**. Retrieved June 5, 2013, from http://www.bp.com/content/dam/bp/pdf/statistical-review/BP_World_Energy_Outlook_booklet_2013.pdf
- [3] **EPIA, Global Market Outlook for Photovoltaics until 2014**. (May 2010). Retrieved June 5, 2013, from <http://www.epia.org>
- [4] Huld, T., Gottschalg, R., Beyer, H. G. and Topič, M. (2010). Mapping the performance of PV modules, effects of module type and data averaging. **Solar Energy**, 84(2), 324-338.
- [5] Lam, K. H., Close, J. and Durisch, W. (2004). Modeling and degradation study on a copper indium diselenide module. **Solar Energy**, 77, 121-127.
- [6] Vázquez, M. and Rey-Stolle, I. (2008). Photovoltaic module reliability model based on field degradation studies. **Progress in Photovoltaics: Research and Applications**, 16(5), 419-433.
- [7] Luis, C. and Santiago, S. (2002). **Modelling Photovoltaic Systems using PSpice**. Chichester, West Sussex, England: John Wiley & Sons.
- [8] Martin, A. G., Keith, E., Yoshihiro, H., Wilhelm, W. and Ewan, D. D. (2012). Solar cell efficiency tables (version 39). **Progress in Photovoltaics: Research and Applications**, 20, 12-20.
- [9] Muñoz-García, M. A., Marin, O., Alonso-García, M. C. and Chenlo, F. (2012). Characterization of thin film PV modules under standard test conditions: Results of indoor and outdoor measurements and the effects of sunlight exposure. **Solar Energy**, 86(10), 3049-3056.
- [10] Kaplanis, S. and Kaplani, E. (2011). Energy performance and degradation over 20 years performance of BP c-Si PV modules. **Simulation Modelling Practice and Theory**, 19(4), 1201-1211.

- [11] Machida, K., Yamazaki, T. and Hirasawa, T. (1997). Secular degradation of crystalline photovoltaic modules. **Solar Energy Materials and Solar Cells**, 47(1-4), 149-153.
- [12] Chamberlin, C. E., Rocheleau, M. A., Marshall, M. W., Reis, A. M., Coleman, N. T. and Lehman, P. A. (2011). Comparison of PV module performance before and after 11 and 20 years of field exposure. In **37th IEEE Photovoltaic Conference (PVSC)** (pp. 101-105). Seattle WA: Humboldt State University.
- [13] Dechthummarong, C., Thongpron, J., Thepa, S., Chenvidhya, D., Jivacate, C. and Kirtikara, K. (2011). Performance assessment of PV modules after long field exposure in north eastern of Thailand. In **8th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology** (pp. 156-158). Khon Kaen, Thailand: IEEE.
- [14] Sakamoto, S. and Oshiro, T. (2003). Field test results on the stability of crystalline silicon photovoltaic modules manufactured in the 1990s. **Proceedings of 3rd World Conference on Photovoltaic Energy Conversion**, 2, 1888-1891.
- [15] De Lia, F., Castello, S. and Abenante, L. (2003). Efficiency degradation of c-silicon photovoltaic Modules after 22-year continuous field exposure. **Proceedings of 3rd World Conference on Photovoltaic Energy Conversion**, 2, 2105-2108.
- [16] Dunlop, E. D. (2003). Lifetime performance of crystalline silicon PV modules. **Proceedings of 3rd World Conference on Photovoltaic Energy Conversion**, 3, 2927-2930.
- [17] Bishop, J. and Ossenbrink, H. (1995). Five years of module qualification testing. In **Proceedings of 13th EU PVSEC**. France: n.p.
- [18] Quintana, M. A., King, D. L., McMahon, T. J. and Osterwald, C. R. (2002). Commonly observed degradation in field-aged photovoltaic modules. In **Proceedings of 29th IEEE PVSC** (pp. 1436). New Orleans, USA: IEEE.

- [19] Reis, A. M., Coleman, N. T., Marshall, M. W., Lehman, P. A. and Chamberlin, C. E. (2002). Comparison of PV module performance before and after 11-years of field exposure. **Proceedings of 29th IEEE PVSC** (pp.1432-1435). New Orleans, USA: IEEE.
- [20] Kopp, E. S., Lonij, V. P., Brooks, A. E., Hidalgo-Gonzalez, P. L. and Cronin, A. D. (2012). I-V curves and visual inspection of 250 PV modules deployed over 2 years in Tucson. In **Proceedings of 38th IEEE Photovoltaic Specialists Conference (PVSC)** (pp. 3166 – 3171). Austin, TX: IEEE.
- [21] Marion, B. and Adelstein, J. (2003). Long-term performance of the SERF PV systems. In **National Center for Photovoltaics and Solar Program Review Meeting**. Denver, Colorado: n.p.
- [22] Krejcie, R. V. and Morgan, D. W. (1970). Determining sample size for research activities. **Educational and Psychological Measurement**, 30, 607-610.
- [23] **Random Digits**. (2013). Retrieved November 11, 2013, from <http://www.rand.org/publications/classics/randomdigits>
- [24] **SERT Meteorological Station Data**. (2013). Phitsanulok: School of Renewable Energy Technology, Naresuan University
- [25] **CM11 Pyranometer Kipp & Zonen Manual**. (2013). Retrieved November 11, 2013, from [http://www.KippZonen_Manual_CMP_Pyranometers_CMA_Albedometers_V1401%20\(1\).pdf](http://www.KippZonen_Manual_CMP_Pyranometers_CMA_Albedometers_V1401%20(1).pdf)
- [26] **EKO I-V Checker MP140 Data Sheet**. (2013). Tokyo Japan: EKO Instruments.
- [27] **Type T Thermocouple**. (2013). Retrieved November 11, 2013, from <http://www.reotemp.com/thermocoupleinfo/type-t-thermocouple.htm>
- [28] **Photovoltaic Devices – Part 1: Measurement of photovoltaic current-voltage characteristics** (2nd ed.). (2006). Geneva, Switzerland: International Electrotechnical Commission.
- [29] **Photovoltaic devices – Procedures for temperature and irradiance corrections to measured I-V characteristics** (2nd ed.). (2009). Geneva, Switzerland: International Electrotechnical Commission.
- [30] **HK RE Net**. (2013). Retrieved June 5, 2013, from http://re.emsd.gov.hk/english/solar/solar_ph/solar_ph_to.html

- [31] Wenham, S. R., Green, M. A., Watt, M. E. and Corkish, R. (2007). **Applied photovoltaics** (2nd ed.). London: Earthscan
- [32] **Kaneka Solar Module Data Sheet**. (2013). Retrieved December 12, 2013, from <http://www.kaneka-solar.com/product/thin-film/pdf/U-EA.pdf>
- [33] **Photovoltaic Devices – Measurement principles for terrestrial photovoltaic solar devices with reference spectral irradiance data** (2nd ed.). (2008). Geneva, Switzerland: International Electrotechnical Commission.
- [34] Lo Brano, V., Orioli, A. and Ciulla, G. (2012). On the experimental validation of an improved five-parameter model for silicon photovoltaic modules. **Solar Energy Materials and Solar Cells**, 105, 27-39.
- [35] Lo Brano, V., Orioli, A., Ciulla, G. and Di Gangi, A. (2010). An improved five-parameter model for photovoltaic modules. **Solar Energy Materials and Solar Cells**, 94(8), 1358-1370.
- [36] Ye, J.-Y., Ding, K., Reindl, T. and Aberle, A. G. (2013). Outdoor PV Module Performance under Fluctuating Irradiance Conditions in Tropical Climates, **Energy Procedia**, 33, 238-247.
- [37] Seddaoui, N., Rahmani, L., Chauder, A. and Kessal, A. (2011). Parameters extraction of photovoltaic module at reference and real conditions. In **Proceedings of 46th International Universities' Power Engineering Conference** (pp.1- 6). Soest, Germany: n.p.
- [38] Chouder, A., Silvestre, S., Sadaoui, N. and Rahmani, L. (2012). Modeling and simulation of a grid connected PV system based on the evaluation of main PV module parameters. **Simulation Modeling Practice and Theory**, 20(1), 46-58.
- [39] Sadok, M. and Mehdaoui, A. (2008). Outdoor testing of photovoltaic arrays in the Saharan region. **Renewable Energy**, 33(12), 2516-2524.
- [40] Blaesser, G. and Zaaiman, W. (1991). On-Site Power Measurements on Large PV Arrays. In A. Luque (Ed.), **Tenth E.C. Photovoltaic Solar Energy Conference** (pp.1240-1243). , Netherlands: Springer.
- [41] Wagner, A. (2000). **Peak power and internal series resistance measurement under natural ambient conditions**. Copenhagen: Eurosun.

- [42] Kumaravel, M., Jeevandoss, C. R., Amutha, G. and Veeraraghavan, S. (2009). Performance evaluation of solar photo voltaic modules under field conditions through a quick diagnostic tool. In Goswami and Y. Zhao (Eds.), **Proceedings of ISES World Congress 2007** (Vol.I – V, pp.1409-1413). Berlin Heidelberg: D. Y. Springer.
- [43] Kobayashi, K., Takano, I. and Sawada, Y. (2006). A study of a two stage maximum power point tracking control of a photovoltaic system under partially shaded insolation conditions. **Solar Energy Materials and Solar Cells**, 90(18-19), 2975-2988.
- [44] Hecktheuer, L. A., Krenzinger, A. and Prieb, C. W. M. (2002). Methodology for Photovoltaic Modules Characterization and Shading Effects Analysis. **Journal of the Brazilian Society of Mechanical Sciences**, 24, 26-32.
- [45] Leboeuf, C. and Ossenbrink, H. A. (1991). PV module power output: sensitivity and uncertainty in non-STC measurements. **Twenty Second IEEE Photovoltaic Specialists Conference**, 1991, 1, 614-619.
- [46] Kenny, R. P., Ioannides, A., Müllejans, H., Zaaiman, W. and Dunlop, E. D. (2006). Performance of thin film PV modules. **Thin Solid Films**, 511–512, 663-672.
- [47] Blaesser, G. and Rossi, E. (1988). Extrapolation of outdoor measurements of PV array I–V characteristics to standard test conditions. **Solar Cells**, 25(2), 91-96.
- [48] **Photovoltaic Sandia Performance Model I-V Curve Tracer, Maui Solar Energy Software Corporation**. (2001). Haiku USA.: n.p.
- [49] Shen, W., Choo Fook, H., Wang, P., Loh Poh, C. and Khoo Sui, Y. (2011). Development of a mathematical model for solar module in photovoltaic systems. **6th IEEE Conference on Industrial Electronics and Applications (ICIEA)**, 2011, 2056-2061.
- [50] Berman, D. and Faiman, D. (1997). EVA browning and the time-dependence of I–V curve parameters on PV modules with and without mirror-enhancement in a desert environment. **Solar Energy Materials and Solar Cells**, 45(4), 401-412.

- [51] Skoczek, A., Sample, T. and Dunlop, E. D. (2009). The results of performance measurements of field-aged crystalline silicon photovoltaic modules. **Progress in Photovoltaics: Research and Applications**, 17(4), 227-240.
- [52] Siemens Solar Module SP75 Data sheet. (2013). Retrieved November 12, 2013, from <http://www.solarcellsales.com/techinfo/docs/sp75.pdf>
- [53] Herrmann, W. and Bogdanski, N. (2011). Outdoor weathering of PV modules and Effects of various climates and comparison with accelerated laboratory testing. **37th IEEE Photovoltaic Specialists Conference (PVSC)**, 2011, 2305 - 2311.
- [54] Granata, J. E., Boyson, W. E., Kratochvil, J. A. and Quintana, M. A. (2009). Long-term performance and reliability assessment of 8 PV arrays at Sandia National Laboratories. **34th IEEE Photovoltaic Specialists Conference (PVSC)**, 2009, 1486 - 1491.
- [55] Osterwald, C. R., Benner, J. P., Pruett, J., Anderberg, A., Rummel, S. and Ottoson, L. (2003). Degradation in weathered crystalline-silicon PV modules apparently caused by UV radiation. **Proceedings of 3rd World Conference on Photovoltaic Energy Conversion**, 3, 2911-2915.
- [56] Chianese, D., Realini, A., Cereghetti, N., Rezzonico, A., Bura, E., Friesen, G. and Bernasconi, A. (2003). Analysis of weathered c-Si PV modules. **Proceedings of 3rd World Conference on Photovoltaic Energy Conversion**, 3, 2922-2926.
- [57] Carr, A. J. and Pryor, T. L. (2004). A comparison of the performance of different PV module types in temperate climates. **Solar Energy**, 76(1-3), 285-294.

BIOGRAPHY

BIOGRAPHY

First name – Last name Tariq Aziz

Date of Birth November 17, 1973

Address Office of Chief Engineer Electricity,
Muzaffarabad, AJ&K, Pakistan

Education Background

2012 M.B.A. (Finance), AJ&K University,
Muzaffarabad, Aj&K, Pakistan.

1997 B. Sc. (Electrical Engineering), UCET Mirpur AJ&K,
Pakistan.

Publication

Tariq A., Nipon, K., Chatchai, S. (2014). Determination of PV module power output degradation after long term operation. In **International Conference and Utility Exhibition 2014 on: Green Energy for Sustainable Development (ICUE 2014)**. Pattaya City, Thailand: ICUE.