

REFERENCES

REFERENCES

- Adams, M.M., Shah, R.A., Janssen, W.G. and Morrison, J.H. (2001). Different modes of hippocampal plasticity in response to estrogen in young and aged female rats. **Proceeding of the National Academy of Sciences of the United States of America**, 98(14), 8071-8076.
- Aguirre, C.C. and Baudry, M. (2009). Progesterone reverses 17beta-estradiol-mediated neuroprotection and BDNF induction in cultured hippocampal slices. **European Journal of Neuroscience**, 29(3), 447-454.
- Allen, A.L. and McCarson, K.E. (2005). Estrogen increases nociception-evoked brain-derived neurotrophic factor gene expression in the female rat. **Neuroendocrinology**, 81(3), 193-199.
- Alonso, A., Moreno, M., Ordonez, P., Fernandez, R., Perez, C., Diaz, F., et al. (2008). Chronic estradiol treatment improves brain homeostasis during aging in female rats. **Endocrinology**, 149(1), 57-72.
- Ashwlayan, V.D. and Singh, R. (2011). Reversal effect of *Asparagus racemosus* Wild (Liliceae) root extract on memory deficits in mice. **International journal of Drug Development & Research**, 3, 314-323.
- Bachevalier, J. and Mishkin, M. (1986). Visual recognition impairment follows ventromedial but not dorsolateral prefrontal lesions in monkeys. **Behavioural Brain Research**, 20(3), 249-261.
- Baeza, I., Alvarado, C., Alvarez, P., Salazar, V., Castillo, C., Ariznavarreta, C., et al. (2009). Improvement of leucocyte functions in ovariectomised aged rats after treatment with growth hormone, melatonin, oestrogens or phyto-oestrogens. **Journal of Reproductive Immunology**, 80(1-2), 70-79.
- Barrett-Connor, E. and Grady, D. (1998). Hormone replacement therapy, heart disease, and other considerations. **Annual Review of Public Health**, 19, 55-72.
- Bear, M.F., Connors, B.W. and Paradiso, M.A. (2007). **Neuroscience exploring the brain: Memory systems**. Philadelphia.: Lippincott Williams & Wilkins.

- Blurton-Jones, M. and Tuszynski, M.H. (2002). Estrogen receptor-beta colocalizes extensively with parvalbumin-labeled inhibitory neurons in the cortex, amygdala, basal forebrain, and hippocampal formation of intact and ovariectomized adult rats. **Journal of Comparative Neurology**, 452(3), 276-287.
- Boonsom, T., Waranuch, N., Ingkaninan, K., Denduangboripant, J. and Sukrong, S. (2012). Molecular analysis of the genus *Asparagus* based on matK sequences and its application to identify *A. racemosus*, a medicinally phytoestrogenic species. **Fitoterapia**, 83(5), 947-953.
- Bopana, N. and Saxena, S. (2007). *Asparagus racemosus*--ethnopharmacological evaluation and conservation needs. **Journal of Ethnopharmacology**, 110(1), 1-15.
- Broadbent, N.J., Squire, L.R. and Clark, R.E. (2004). Spatial memory, recognition memory, and the hippocampus. **Proceeding of the National Academy of Sciences of the United States of America**, 101(40), 14515-14520.
- Brodal, P. (1998). **The central nervous system : Structure and function**. New York: Oxford University Press.
- Burwell, R.D. and Amaral, D.G. (1998). Cortical afferents of the perirhinal, postrhinal, and entorhinal cortices of the rat. **Journal of Comparative Neurology**, 398(2), 179-205.
- Cardoso, C.C., Ricardo, V.P., Frussa-Filho, R., Porto, C.S. and Abdalla, F.M. (2010). Effects of 17 β -estradiol on expression of muscarinic acetylcholine receptor subtypes and estrogen receptor alpha in rat hippocampus. **European Journal of Pharmacology**, 634(1-3), 192-200.
- Carlson, N.R. (2004). **Physiology of behavior**. Boston, Mass: Pearson Education.
- Carswell, H.V., Macrae, I.M., Gallagher, L., Harrop, E. and Horsburgh, K.J. (2004). Neuroprotection by a selective estrogen receptor beta agonist in a mouse model of global ischemia. **American Journal of Physiology - Heart and Circulatory Physiology**, 287(4), 1501-1504.

- Castillo, C., Ariznavarreta, M.C., Lahera, V., Cachofeiro, V., Gil-Loyzaga, P. and Tresguerres, J.A. (2005). Effects of ovariectomy and growth hormone administration on body composition and vascular function and structure in old female rats. **Biogerontology**, 6(1), 49-60.
- Chan, R.Y., Chen, W.F., Dong, A., Guo, D. and Wong, M.S. (2002). Estrogen-like activity of ginsenoside Rg1 derived from *Panax notoginseng*. **The Journal of Clinical Endocrinology & Metabolism**, 87(8), 3691-3695.
- Chao, M.V. (2003). Neurotrophins and their receptors: A convergence point for many signalling pathways. **Nature Reviews Neuroscience**, 4(4), 299-309.
- Chen, L., Dai, J., Wang, Z., Zhang, H., Huang, Y. and Zhao, Y. (2014). Ginseng total saponins reverse corticosterone-induced changes in depression-like behavior and hippocampal plasticity-related proteins by interfering with GSK-3 beta - CREB signaling pathway. **Evidence-based Complementary and Alternative Medicine**, 2014, 506735.
- Chompootweep, S., Tankeyoon, M., Yamarat, K., Poomsuwan, P. and Dusitsin, N. (1993). The menopausal age and climacteric complaints in Thai women in Bangkok. **Maturitas**, 17(1), 63-71.
- Connor, B., Young, D., Yan, Q., Faull, R.L., Synek, B. and Dragunow, M. (1997). Brain-derived neurotrophic factor is reduced in Alzheimer's disease. **Molecular Brain Research**, 49(1-2), 71-81.
- Cornwell, T., Cohick, W. and Raskin, I. (2004). Dietary phytoestrogens and health. **Phytochemistry**, 65(8), 995-1016.
- Correll, R.E. and Scoville, W.B. (1965). Performance on delayed match following lesions of medial temporal lobe structures. **Journal of Comparative & Physiological Psychology**, 60(3), 360-367.
- Courtney, M.J., Akerman, K.E. and Coffey, E.T. (1997). Neurotrophins protect cultured cerebellar granule neurons against the early phase of cell death by a two-component mechanism. **Journal of Neuroscience**, 17(11), 4201-4211.
- Croll, S.D., Ip, N.Y., Lindsay, R.M. and Wiegand, S.J. (1998). Expression of BDNF and trkB as a function of age and cognitive performance. **Brain Research**, 812(1-2), 200-208.

- Cui, J., Shen, Y. and Li, R. (2013). Estrogen synthesis and signaling pathways during aging: from periphery to brain. **Trends in Molecular Medicine**, 19(3), 197-209.
- Day, M., Sung, A., Logue, S., Bowlby, M. and Arias, R. (2005). Beta estrogen receptor knockout (BERKO) mice present attenuated hippocampal CA1 long-term potentiation and related memory deficits in contextual fear conditioning. **Behavioral Brain Research**, 164(1), 128-131.
- De la Fuente, M., Baeza, I., Guayervas, N., Puerto, M., Castillo, C., Salazar, V., et al. (2004). Changes with ageing in several leukocyte functions of male and female rats. **Biogerontology**, 5(6), 389-400.
- Devi, G., Hahn, K., Massimi, S. and Zhivotovskaya, E. (2005). Prevalence of memory loss complaints and other symptoms associated with the menopause transition: a community survey. **Gender Medicine**, 2(4), 255-264.
- Dodart, J.C., Bales, K.R., Gannon, K.S., Greene, S.J., DeMattos, R.B., Mathis, C., et al. (2002). Immunization reverses memory deficits without reducing brain A β burden in Alzheimer's disease model. **Nature Neuroscience**, 5(5), 452-457.
- Dohanich, G.P. (2002). **Gonadal steroids, learning and memory**. San Diego: Academic Press.
- Drachman, D.A. and Ommaya, A.K. (1964). Memory and the hippocampal complex. **Archives of Neurology**, 10, 411-425.
- Dreher, J.C., Schmidt, P.J., Kohn, P., Furman, D., Rubinow, D. and Berman, K.F. (2007). Menstrual cycle phase modulates reward-related neural function in women. **Proceeding of the National Academy of Sciences of the United States of America**, 104(7), 2465-2470.
- Driscoll, I., Martin, B., An, Y., Maudsley, S., Ferrucci, L., Mattson, M.P., et al. (2012). Plasma BDNF is associated with age-related white matter atrophy but not with cognitive function in older, non-demented adults. **PLoS One**, 7(4), e35217.
- Duncan, A.M., Phipps, W.R. and Kurzer, M.S. (2003). Phyto-oestrogens. **Best Practice & Research Clinical Endocrinology & Metabolism**, 17(2), 253-271.

- Ennaceur, A. and Delacour, J. (1988). A new one-trial test for neurobiological studies of memory in rats. 1: Behavioral data. **Behavioural Brain Research**, 31(1), 47-59.
- Ennaceur, A., Neave, N. and Aggleton, J.P. (1997). Spontaneous object recognition and object location memory in rats: the effects of lesions in the cingulate cortices, the medial prefrontal cortex, the cingulum bundle and the fornix. **Experimental Brain Research**, 113(3), 509-519.
- Euston, D.R., Gruber, A.J. and McNaughton, B.L. (2012). The role of medial prefrontal cortex in memory and decision making. **Neuron**, 76(6), 1057-1070.
- Frick, K.M. and Berger-Sweeney, J. (2001). Spatial reference memory and neocortical neurochemistry vary with the estrous cycle in C57BL/6 mice. **Behavioral Neuroscience**, 115(1), 229-237.
- Gaitonde, B.B. and Jetmalani, M.H. (1969). Antioxytotic action of saponin isolated from *Asparagus racemosus* Willd (Shatavari) on uterine muscle. **Archives Internationales de Pharmacodynamie et de Therapie**, 179(1), 121-129.
- Gao, S., Hendrie, H.C., Hall, K.S. and Hui, S. (1998). The relationships between age, sex, and the incidence of dementia and Alzheimer disease: a meta-analysis. **Archives of General Psychiatry**, 55(9), 809-815.
- Gibbs, R.B. (1998). Levels of trkA and BDNF mRNA, but not NGF mRNA, fluctuate across the estrous cycle and increase in response to acute hormone replacement. **Brain Research**, 787(2), 259-268.
- Glazier, M.G. and Bowman, M.A. (2001). A review of the evidence for the use of phytoestrogens as a replacement for traditional estrogen replacement therapy. **Archives of Internal Medicine**, 161(9), 1161-1172.
- Gopumadhavan, S., Venkataranganna, M., Rafiq, M., Madhumathi, B. and Mitra, S. (2005). Evaluation of the estrogenic effect of Menosan using the rat models of uterotrophic assay. **Medicine Update**, 13, 37-41.
- Goulart, B.K., de Lima, M.N., de Farias, C.B., Reolon, G.K., et al. (2010). Ketamine impairs recognition memory consolidation and prevents learning-induced increase in hippocampal brain-derived neurotrophic factor levels. **Neuroscience**, 167(4), 969-973.

- Goyal, R.K., Singh, J. and Lal, H. (2003). *Asparagus racemosus*--an update. **Indian Journal of Medical Sciences**, 57(9), 408-414.
- Hayes, P.Y., Jahidin, A.H., Lehmann, R., Penman, K., Kitching, W. and De Voss, J.J. (2008). Steroidal saponins from the roots of *Asparagus racemosus*. **Phytochemistry**, 69(3), 796-804.
- Heldring, N., Pike, A., Andersson, S., Matthews, J., Cheng, G., Hartman, J., et al. (2007). Estrogen receptors: how do they signal and what are their targets. **Physiological Reviews**, 87(3), 905-931.
- Henderson, V.W., Guthrie, J.R., Dudley, E.C., Burger, H.G. and Dennerstein, L. (2003). Estrogen exposures and memory at midlife: A population-based study of women. **Neurology**, 60(8), 1369-1371.
- Hill, K. (1996). The demography of menopause. **Maturitas**, 23(2), 113-127.
- Hock, C., Heese, K., Hulette, C., Rosenberg, C. and Otten, U. (2000). Region-specific neurotrophin imbalances in Alzheimer disease: Decreased levels of brain-derived neurotrophic factor and increased levels of nerve growth factor in hippocampus and cortical areas. **Archives of Neurology**, 57(6), 846-851.
- Hofer, M., Pagliusi, S.R., Hohn, A., Leibrock, J. and Barde, Y.A. (1990). Regional distribution of brain-derived neurotrophic factor mRNA in the adult mouse brain. **The EMBO Journal**, 9(8), 2459-2464.
- Jay, T.M. and Witter, M.P. (1991). Distribution of hippocampal CA1 and subicular efferents in the prefrontal cortex of the rat studied by means of anterograde transport of Phaseolus vulgaris-leucoagglutinin. **Journal of Comparative Neurology**, 313(4), 574-586.
- Jeziarski, M.K. and Sohrabji, F. (2000). Region- and peptide-specific regulation of the neurotrophins by estrogen. **Molecular Brain Research**, 85(1-2), 77-84.
- Jeziarski, M.K. and Sohrabji, F. (2003). Estrogen enhances retrograde transport of brain-derived neurotrophic factor in the rodent forebrain. **Endocrinology**, 144(11), 5022-5029.
- Josep, L. and Mayo, M. (1999). A Natural Approach to Menopause. **Applied Nutritional Science Reports**, 5(7), 1-8.
- Juraska, J.M. and Lowry, N.C. (2012). Neuroanatomical changes associated with cognitive aging. **Current Topics in Behavioral Neurosciences**, 10, 137-162.

- Kandel, E.R., Schwartz, J.H. and Jessell, T.M. (2000). **Principles of neural science**. New York: McGraw-Hill.
- Kim, H., Xia, H., Li, L. and Gewin, J. (2000). Attenuation of neurodegeneration-relevant modifications of brain proteins by dietary soy. **Biofactors**, 12(1-4), 243-250.
- Korol, D.L. (2004). Role of estrogen in balancing contributions from multiple memory systems. **Neurobiology of Learning and Memory**, 82(3), 309-323.
- Korol, D.L. and Kolo, L.L. (2002). Estrogen-induced changes in place and response learning in young adult female rats. **Behavioural Neuroscience**, 116(3), 411-420.
- Korol, D.L., Malin, E.L., Borden, K.A., Busby, R.A. and Couper-Leo, J. (2004). Shifts in preferred learning strategy across the estrous cycle in female rats. **Hormones and Behavior**, 45(5), 330-338.
- Kuiper, G.G., Carlsson, B., Grandien, K., Enmark, E., Haggblad, J., Nilsson, S., et al. (1997). Comparison of the ligand binding specificity and transcript tissue distribution of estrogen receptors alpha and beta. **Endocrinology**, 138(3), 863-870.
- Kuiper, G.G., Lemmen, J.G., Carlsson, B., Corton, J.C., Safe, S.H., van der Saag, P.T., et al. (1998). Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor beta. **Endocrinology**, 139(10), 4252-4263.
- Kulkarni, S.K., Verma, A. (1993). Protective effect of BR-16A (Mentat), a herbal preparation on alcohol abstinence-induced anxiety and convulsions. **Indian Journal of Experimental Biology**, 31(5), 435-439.
- Lee, Y.J., Jin, Y.R., Lim, W.C., Park, W.K., Cho, J.Y., Jang, S., et al. (2003). Ginsenoside-Rb1 acts as a weak phytoestrogen in MCF-7 human breast cancer cells. **Archives of Pharmacal Research**, 26(1), 58-63.
- Li, M., Dai, F.R., Du, X.P., Yang, Q.D., Zhang, X. and Chen, Y. (2012). Infusion of BDNF into the nucleus accumbens of aged rats improves cognition and structural synaptic plasticity through PI3K-ILK-Akt signaling. **Behavioural Brain Research**, 231(1), 146-153.

- Lindsay, R.M., Alderson, R.F., Friedman, B., Hyman, C., Ip, N.Y., Furth, M.E., et al. (1991). The neurotrophin family of NGF-related neurotrophic factors. **Restorative Neurology and Neuroscience**, 2(4), 211-220.
- Liu, F., Day, M., Muniz, L.C., Bitran, D., Arias, R., Revilla-Sanchez, R., et al. (2008). Activation of estrogen receptor-beta regulates hippocampal synaptic plasticity and improves memory. **Nature Neuroscience**, 11(3), 334-343.
- Liu, J., Wang, A., Li, L., Huang, Y., Xue, P. and Hao, A. (2010). Oxidative stress mediates hippocampal neuron death in rats after lithium-pilocarpine-induced status epilepticus. **Seizure**, 19(3), 165-172.
- Luine, V. and Frankfurt, M. (2013). Interactions between estradiol, BDNF and dendritic spines in promoting memory. **Neuroscience**, 239, 34-45.
- Luine, V.N. and Frankfurt, M. (2012). Estrogens facilitate memory processing through membrane mediated mechanisms and alterations in spine density. **Frontiers in Neuroendocrinology**, 33(4), 388-402.
- Luine, V.N., Jacome, L.F. and Maclusky, N.J. (2003). Rapid enhancement of visual and place memory by estrogens in rats. **Endocrinology**, 144(7), 2836-2844.
- Ma, L., Harada, T., Harada, C., Romero, M., Hebert, J.M., McConnell, S.K., et al. (2002). Neurotrophin-3 is required for appropriate establishment of thalamocortical connections. **Neuron**, 36(4), 623-634.
- Maki, P.M., Zonderman, A.B. and Resnick, S.M. (2001). Enhanced verbal memory in nondemented elderly women receiving hormone-replacement therapy. **American Journal of Psychiatry**, 158(2), 227-233.
- Markowska, A.L. and Savonenko, A.V. (2002). Effectiveness of estrogen replacement in restoration of cognitive function after long-term estrogen withdrawal in aging rats. **Journal of Neuroscience**, 22(24), 10985-10995.
- Martin, J.H. (1991). **Neuroanatomy: Text and atlas**. New York: Elsevier.
- Martins, D.B., Mazzanti, C.M., Franca, R.T., Pagnoncelli, M., Costa, M.M., de Souza, E.M., et al. (2012). 17-beta estradiol in the acetylcholinesterase activity and lipid peroxidation in the brain and blood of ovariectomized adult and middle-aged rats. **Life Sciences**, 90(9-10), 351-359.

- Matthews, J., Celius, T., Halgren, R. and Zacharewski, T. (2000). Differential estrogen receptor binding of estrogenic substances: A species comparison. **The Journal of Steroid Biochemistry and Molecular Biology**, 74(4), 223-234.
- Mayo, J.L. (1998). Black cohosh and chasteberry: Herbs valued by women for centuries. **Clinical Nutrition Insights**, 6(15), 1-4.
- Mazzucco, C.A., Lieblich, S.E., Bingham, B.I., Williamson, M.A., Viau, V. and Galea, L.A. (2006). Both estrogen receptor alpha and estrogen receptor beta agonists enhance cell proliferation in the dentate gyrus of adult female rats. **Neuroscience**, 141(4), 1793-1800.
- McEwen, B.S. and Alves, S.E. (1999). Estrogen actions in the central nervous system. **Endocrine Reviews**, 20(3), 279-307.
- Meunier, M., Bachevalier, J. and Mishkin, M. (1997). Effects of orbital frontal and anterior cingulate lesions on object and spatial memory in rhesus monkeys. **Neuropsychologia**, 35(7), 999-1015.
- Michalski, B. and Fahnestock, M. (2003). Pro-brain-derived neurotrophic factor is decreased in parietal cortex in Alzheimer's disease. **Molecular Brain Research**, 111(1-2), 148-154.
- Miquel, J., Ramirez-Bosca, A., Ramirez-Bosca, J.V. and Alperi, J.D. (2006). Menopause: a review on the role of oxygen stress and favorable effects of dietary antioxidants. **Archives of Gerontology and Geriatrics**, 42(3), 289-306.
- Mitra, S.K., Gopumadhavan, S., Venkataranganna, M.V., Sarma, D.N.K. and Anturlikar, S.D. (1999). Uterine tonic activity of herbal preparation in rats. **Indian Journal of Pharmacology**, 31, 200-203.
- Mukai, H., Kimoto, T., Hojo, Y., Kawato, S., Murakami, G., Higo, S., et al. (2010). Modulation of synaptic plasticity by brain estrogen in the hippocampus. **Biochimica et Biophysica Acta**, 1800(10), 1030-1044.
- Nandagopal, M., Muralidharan, P. and Thirumurugan, G. (2011). Cerebroprotective effect of root extract of *Asparagus racemosus* Wild. in global cerebral ischemia in rats. **Journal of Pharmacology and Toxicology**, 6(1), 49-61.

- Narisawa-Saito, M., Wakabayashi, K., Tsuji, S., Takahashi, H. and Nawa, H. (1996). Regional specificity of alterations in NGF, BDNF and NT-3 levels in Alzheimer's disease. **Neuroreport**, 7(18), 2925-2928.
- Navarro A., Del Valle, E., Ordonez, C., Martinez, E., Perez, C., Alonso, A., et al. (2012). Aging and substitutive hormonal therapy influence in regional and subcellular distribution of ERalpha in female rat brain. **Age**, 35(3), 821–837.
- Nevrekar, P., Bai, N. and Khanna, S. (2002). EveCare capsules in DUB. **Obstetrics and Gynaecology Communications**, 3(3), 51-53.
- Ni, J.W., Matsumoto, K., Li, H.B., Murakami, Y. and Watanabe, H. (1995). Neuronal damage and decrease of central acetylcholine level following permanent occlusion of bilateral common carotid arteries in rat. **Brain Research**, 673(2), 290-296.
- Nonomura, T., Nishio, C., Lindsay, R.M. and Hatanaka, H. (1995). Cultured basal forebrain cholinergic neurons from postnatal rats show both overlapping and non-overlapping responses to the neurotrophins. **Brain Research**, 683(1), 129-139.
- Notelovitz, M. (1989). Is routine use of estrogen indicated in postmenopausal women? An opposing view. **Journal of Family Practice**, 29(4), 410-415.
- Ojha, R., Sahu, A.N., Muruganandam, A.V., Singh, G.K. and Krishnamurthy, S. (2010). *Asparagus recemosus* enhances memory and protects against amnesia in rodent models. **Brain and Cognition**, 74(1), 1-9.
- Osterlund, M.K., Gustafsson, J.A., Keller, E. and Hurd, Y.L. (2000). Estrogen receptor beta (ERbeta) messenger ribonucleic acid (mRNA) expression within the human forebrain: distinct distribution pattern to ERalpha mRNA. **The Journal of Clinical Endocrinology & Metabolism**, 85(10), 3840-3846.
- Pan, M., Li, Z., Yeung, V. and Xu, R.J. (2010). Dietary supplementation of soy germ phytoestrogens or estradiol improves spatial memory performance and increases gene expression of BDNF, TrkB receptor and synaptic factors in ovariectomized rats. **Nutrition and Metabolism (Lond)**, 7, 75.
- Pan, Y., Anthony, M. and Clarkson, T.B. (1999). Evidence for up-regulation of brain-derived neurotrophic factor mRNA by soy phytoestrogens in the frontal cortex of retired breeder female rats. **Neuroscience Letters**, 261(1-2), 17-20.

- Parihar, M.S. and Hemnani, T. (2004). Experimental excitotoxicity provokes oxidative damage in mice brain and attenuation by extract of *Asparagus racemosus*. **Journal of Neural Transmission**, 111(1), 1-12.
- Patisaul, H.B., Dindo, M., Whitten, P.L. and Young, L.J. (2001). Soy isoflavone supplements antagonize reproductive behavior and estrogen receptor alpha- and beta-dependent gene expression in the brain. **Endocrinology**, 142(7), 2946-2952.
- Patisaul, H.B., Whitten, P.L. and Young, L.J. (1999). Regulation of estrogen receptor beta mRNA in the brain: opposite effects of 17beta-estradiol and the phytoestrogen, coumestrol. **Molecular Brain Research**, 67(1), 165-171.
- Patterson, S.L., Abel, T., Deuel, T.A., Martin, K.C., Rose, J.C. and Kandel, E.R. (1996). Recombinant BDNF rescues deficits in basal synaptic transmission and hippocampal LTP in BDNF knockout mice. **Neuron**, 16(6), 1137-1145.
- Paxinos, G. and Watson, C. (1998). **The Rat Brain in Stereotaxic Coordinates**. San Diego: Academic Press.
- Pluchino, N., Russo, M., Santoro, A.N., Litta, P., Cela, V. and Genazzani, A.R. (2013). Steroid hormones and BDNF. **Neuroscience**, 239, 271-279.
- Pompili, A., Arnone, B. and Gasbarri, A. (2012). Estrogens and memory in physiological and neuropathological conditions. **Psychoneuroendocrinology**, 37(9), 1379-1396.
- Punyahotra, S., Dennerstein, L. and Lehert, P. (1997). Menopausal experiences of Thai women. Part 1: Symptoms and their correlates. **Maturitas**, 26(10), 1-7.
- Rao, A.R. (1981). Inhibitory action of *Asparagus racemosus* on DMBA-induced mammary carcinogenesis in rats. **International Journal of Cancer**, 28(5), 607-610.
- Raval, A.P., Borges-Garcia, R., Javier Moreno, W., Perez-Pinzon, M.A. and Bramlett, H. (2013). Periodic 17beta-estradiol pretreatment protects rat brain from cerebral ischemic damage via estrogen receptor-beta. **PLoS One**, 8, e60716.
- Rege, N.N., Thatte, U.M. and Dahanukar, S.A. (1999). Adaptogenic properties of six rasayana herbs used in Ayurvedic medicine. **Phytotherapy Research**, 13(4), 275-291.

- Rietjens, I.M., Sotoca, A.M., Vervoort, J. and Louisse, J. (2012). Mechanisms underlying the dualistic mode of action of major soy isoflavones in relation to cell proliferation and cancer risks. **Molecular Nutrition and Food Research**, 57(1), 100-13.
- Romeo, R.D., McCarthy, J.B., Wang, A., Milner, T.A. and McEwen, B.S. (2005). Sex differences in hippocampal estradiol-induced N-methyl-D-aspartic acid binding and ultrastructural localization of estrogen receptor-alpha. **Neuroendocrinology**, 81(6), 391-399.
- Rose'Meyer, R.B., Mellick, A.S., Garnham, B.G., Harrison, G.J., Massa, H.M. and Griffiths, L.R. (2003). The measurement of adenosine and estrogen receptor expression in rat brains following ovariectomy using quantitative PCR analysis. **Brain Research Protocols**, 11(1), 9-18.
- Rosenberg, L. and Park, S. (2002). Verbal and spatial functions across the menstrual cycle in healthy young women. **Psychoneuroendocrinology**, 27(7), 835-841.
- Sato, K., Akaishi, T., Matsuki, N., Ohno, Y. and Nakazawa, K. (2007). beta-Estradiol induces synaptogenesis in the hippocampus by enhancing brain-derived neurotrophic factor release from dentate gyrus granule cells. **Brain Research**, 1150, 108-120.
- Saxena, G., Singh, M. and Bhatnagar, M. (2010). Phytoestrogen of *Asparagus racemosus* Wild. **Herbal Medicine and Toxicology**, 4, 15-20.
- Saxena, V.K. and Chourasia, S. (2001). A new isoflavone from the roots of *Asparagus racemosus*. **Fitoterapia**, 72(3), 307-309.
- Scharfman, H.E. and MacLusky, N.J. (2006). Estrogen and brain-derived neurotrophic factor (BDNF) in hippocampus: Complexity of steroid hormone-growth factor interactions in the adult CNS. **Frontiers in Neuroendocrinology**, 27(4), 415-435.
- Scharfman, H.E., Mercurio, T.C., Goodman, J.H., Wilson, M.A. and MacLusky, N.J. (2003). Hippocampal excitability increases during the estrous cycle in the rat: A potential role for brain-derived neurotrophic factor. **Journal of Neuroscience**, 23(37), 11641-11652.
- Schmidt, T.J. and Meyer, A.S. (1994). Autoregulation of corticosteroid receptors. How, when, where, and why? **Receptor**, 4(4), 229-257.

- Sekine, T., Fukasawa, N., Kashiwagi, Y., Ruangrunsi, N. and Murakoshi, I. (1994). Structure of asparagine A, a novel polycyclic alkaloid from *Asparagus racemosus*. **Chemical and Pharmaceutical Bulletin (Tokyo)**, 42(6), 1360-1362.
- Sekine, T., Fukasawa, N., Murakoshi, I. and Ruangrunsi, N. (1997). A 9,10-dihydrophenanthrene from *Asparagus racemosus*. **Phytochemistry**, 44(4), 763-764.
- Sharma, P.C., Yelne, M.B. and Dennis, T.J. (2000). **Database on Medicinal Plants Used in Ayurveda** (Vol. 1): New Delhi: Yugantar Prakashan.
- Sherwin, B.B. (2003). Estrogen and cognitive functioning in women. **Endocrine Reviews**, 24(2), 133-151.
- Sherwin, B.B. and Tulandi, T. (1996). "Add-back" estrogen reverses cognitive deficits induced by a gonadotropin-releasing hormone agonist in women with leiomyomata uteri. **The Journal of Clinical Endocrinology and Metabolism**, 81(7), 2545-2549.
- Shughrue, P.J., Lane, M.V. and Merchenthaler, I. (1997). Comparative distribution of estrogen receptor-alpha and -beta mRNA in the rat central nervous system. **Journal of Comparative Neurology**, 388(4), 507-525.
- Shughrue, P.J. and Merchenthaler, I. (2000). Estrogen is more than just a "sex hormone": novel sites for estrogen action in the hippocampus and cerebral cortex. **Frontiers in Neuroendocrinology**, 21(1), 95-101.
- Sidman, M., Stoddard, L.T. and Mohr, J.P. (1968). **Neuropsychologia**, 6, 245-254.
- Silvers, J.M., Harrod, S.B., Mactutus, C.F. and Booze, R.M. (2007). Automation of the novel object recognition task for use in adolescent rats. **Journal of Neuroscience Methods**, 166(1), 99-103.
- Singh, M., Meyer, E.M., Millard, W.J. and Simpkins, J.W. (1994). Ovarian steroid deprivation results in a reversible learning impairment and compromised cholinergic function in female Sprague-Dawley rats. **Brain Research**, 644(2), 305-312.

- Singh, M., Meyer, E.M. and Simpkins, J.W. (1995). The effect of ovariectomy and estradiol replacement on brain-derived neurotrophic factor messenger ribonucleic acid expression in cortical and hippocampal brain regions of female Sprague-Dawley rats. **Endocrinology**, 136(5), 2320-2324.
- Snowdon, D.A. (1990). Early natural menopause and the duration of postmenopausal life. Findings from a mathematical model of life expectancy. **Journal of the American Geriatrics Society**, 38(4), 402-408.
- Sohrabji, F. and Lewis, D.K. (2006). Estrogen-BDNF interactions: Implications for neurodegenerative diseases. **Frontiers in Neuroendocrinology**, 27(4), 404-414.
- Sohrabji, F., Miranda, R.C. and Toran-Allerand, C.D. (1995). Identification of a putative estrogen response element in the gene encoding brain-derived neurotrophic factor. **Proceeding of the National Academy of Sciences of the United States of America**, 92(24), 11110-11114.
- Solum, D.T. and Handa, R.J. (2002). Estrogen regulates the development of brain-derived neurotrophic factor mRNA and protein in the rat hippocampus. **Journal of Neuroscience**, 22(7), 2650-2659.
- Spence, R.D., Wisdom, A.J., Cao, Y., Hill, H.M., Mongerson, C.R., Stapornkul, B., et al. (2013). Estrogen mediates neuroprotection and anti-inflammatory effects during EAE through ERalpha signaling on astrocytes but not through ERbeta signaling on astrocytes or neurons. **Journal of Neuroscience**, 33(26), 10924-10933.
- Spencer-Segal, J.L., Tsuda, M.C., Mattei, L., Waters, E.M., Romeo, R.D., Milner, T.A., et al. (2012). Estradiol acts via estrogen receptors alpha and beta on pathways important for synaptic plasticity in the mouse hippocampal formation. **Neuroscience**, 202, 131-146.
- Spencer, J.L., Waters, E.M., Romeo, R.D., Wood, G.E., Milner, T.A. and McEwen, B.S. (2008). Uncovering the mechanisms of estrogen effects on hippocampal function. **Frontiers in Neuroendocrinology**, 29(2), 219-237.

- Su, J., Sripanidkulchai, K., Hu, Y., Wyss, J.M. and Sripanidkulchai, B. (2012). The effect of ovariectomy on learning and memory and relationship to changes in brain volume and neuronal density. **International Journal of Neuroscience**, 122(10), 549-559.
- Sun, X., Ji, C., Hu, T., Wang, Z. and Chen, G. (2013). Tamoxifen as an effective neuroprotectant against early brain injury and learning deficits induced by subarachnoid hemorrhage: Possible involvement of inflammatory signaling. **Journal of Neuroinflammation**, 10, 157.
- Swarup, A. and Umadevi, K. (1998). Evaluation of EveCare® in the treatment of dysmenorrhoea and premenstrual syndrome. **Obstetrics Gynaecology Today**, 6(3), 369-372.
- Szymczak, S., Kalita, K., Jaworski, J., Mioduszevska, B., Savonenko, A., Markowska, A., et al. (2006). Increased estrogen receptor beta expression correlates with decreased spine formation in the rat hippocampus. **Hippocampus**, 16(5), 453-463.
- Takuma, K., Matsuo, A., Himeno, Y., Hoshina, Y., Ohno, Y., Funatsu, Y., et al. (2007). 17beta-estradiol attenuates hippocampal neuronal loss and cognitive dysfunction induced by chronic restraint stress in ovariectomized rats. **Neuroscience**, 146(1), 60-68.
- Tao, X., Finkbeiner, S., Arnold, D.B., Shaywitz, A.J. and Greenberg, M.E. (1998). Ca^{2+} influx regulates BDNF transcription by a CREB family transcription factor-dependent mechanism. **Neuron**, 20(4), 709-726.
- Thoenen, H. (2000). Neurotrophins and activity-dependent plasticity. **Progress in Brain Research**, 128, 183-191.
- Thompson, L.U., Boucher, B.A., Liu, Z., Cotterchio, M. and Kreiger, N. (2006). Phytoestrogen content of foods consumed in Canada, including isoflavones, lignans, and coumestan. **Nutrition and Cancer**, 54(2), 184-201.
- Toran-Allerand, C.D., Singh, M. and Setalo, G. (1999). Novel mechanisms of estrogen action in the brain: new players in an old story. **Frontiers in Neuroendocrinology**, 20(2), 97-121.

- Touillaud, M.S., Pillow, P.C., Jakovljevic, J., Bondy, M.L., Singletary, S.E., Li, D., et al. (2005). Effect of dietary intake of phytoestrogens on estrogen receptor status in premenopausal women with breast cancer. **Nutrition and Cancer**, 51(2), 162-169.
- Towart, L.A., Alves, S.E., Znamensky, V., Hayashi, S., McEwen, B.S. and Milner, T.A. (2003). Subcellular relationships between cholinergic terminals and estrogen receptor-alpha in the dorsal hippocampus. **Journal of Comparative Neurology**, 463(4), 390-401.
- Tresguerres, J.A., Kireev, R., Tresguerres, A.F., Borrás, C., Vara, E. and Ariznavarreta, C. (2008). Molecular mechanisms involved in the hormonal prevention of aging in the rat. **The Journal of Steroid Biochemistry and Molecular Biology**, 108(3-5), 318-326.
- Unnikrishnan, P.M. (1998). Shatavari—*Asparagus racemosus* Willd. **Amruth**, 18–20.
- Urasopon, N., Hamada, Y., Asaoka, K., Cherdshewasart, W. and Malaivijitnond, S. (2007). Pueraria mirifica, a phytoestrogen-rich herb, prevents bone loss in orchidectomized rats. **Maturitas**, 56(3), 322-331.
- Uysal, N., Tugyan, K., Kayatekin, B.M., Acikgoz, O., Bagriyanik, H.A., Gonenc, S., et al. (2005). The effects of regular aerobic exercise in adolescent period on hippocampal neuron density, apoptosis and spatial memory. **Neuroscience Letters**, 383(3), 241-245.
- van Strien, N.M., Cappaert, N.L. and Witter, M.P. (2009). The anatomy of memory: an interactive overview of the parahippocampal-hippocampal network. **Nature Reviews Neuroscience**, 10(4), 272-282.
- Verwer, R.W., Meijer, R.J., Van Uum, H.F. and Witter, M.P. (1997). Collateral projections from the rat hippocampal formation to the lateral and medial prefrontal cortex. **Hippocampus**, 7(4), 397-402.
- Walf, A.A. and Frye, C.A. (2006). A review and update of mechanisms of estrogen in the hippocampus and amygdala for anxiety and depression behavior. **Neuropsychopharmacology**, 31(6), 1097-1111.
- Wallace, M., Luine, V., Arellanos, A. and Frankfurt, M. (2006). Ovariectomized rats show decreased recognition memory and spine density in the hippocampus and prefrontal cortex. **Brain Research**, 1126(1), 176-182.

- Wappler, E.A., Felszeghy, K., Szilagyi, G., Gal, A., Skopal, J., Mehra, R.D., et al. (2010). Neuroprotective effects of estrogen treatment on ischemia-induced behavioural deficits in ovariectomized gerbils at different ages. **Behavioural Brain Research**, 209(1), 42-48.
- Wiboonpun, N., Phuwapraisirisan, P. and Tip-pyang, S. (2004). Identification of antioxidant compound from *Asparagus racemosus*. **Phytotherapy Research**, 18(9), 771-773.
- Wilson, M.E., Rosewell, K.L., Kashon, M.L., Shughrue, P.J., Merchenthaler, I. and Wise, P.M. (2002). Age differentially influences estrogen receptor-alpha (ERalpha) and estrogen receptor-beta (ERbeta) gene expression in specific regions of the rat brain. **Mechanism of Ageing and Development**, 123(6), 593-601.
- Wise, P.M., Dubal, D.B, Wilson, M.E., Rau, S.W. and Bottner, M. (2001). Minireview: Neuroprotective effects of estrogen-new insights into mechanisms of action. **Endocrinology**, 142(3), 969-973.
- Witter, M.P., Van Hoesen, G.W. and Amaral, D.G. (1989). Topographical organization of the entorhinal projection to the dentate gyrus of the monkey. **Journal of Neuroscience**, 9(1), 216-228.
- Witter, M.P., Wouterlood, F.G., Naber, P.A. and Van Haeften, T. (2000). Anatomical organization of the parahippocampal-hippocampal network. **Annals of the New York Academy of Sciences**, 911, 1-24.
- Yamada, K., Takayanagi, M., Kamei, H., Nagai, T., Dohniwa, M., Kobayashi, K., et al. (2005). Effects of memantine and donepezil on amyloid beta-induced memory impairment in a delayed-matching to position task in rats. **Behavioural Brain Research**, 162(2), 191-199.
- Yue, X., Lu, M., Lancaster, T., Cao, P., Honda, S., Staufenbiel, M., et al. (2005). Brain estrogen deficiency accelerates Abeta plaque formation in an Alzheimer's disease animal model. **Proceeding of the National Academy of Sciences of the United States of America**, 102(52), 19198-19203.

Zhou, J., Zhang, H., Cohen, R.S. and Pandey, S.C. (2005). Effects of estrogen treatment on expression of brain-derived neurotrophic factor and cAMP response element-binding protein expression and phosphorylation in rat amygdaloid and hippocampal structures. **Neuroendocrinology**, 81(5), 294-310.

BIOGRAPHY

BIOGRAPHY

Name-Surname Laddawan Lalert
Date of Birth January 16, 1987
Address 214 Moo 5 Thungkhanan, Soidao District, Chanthaburi
Province, 22180 Thailand

Education Background

2010 B.Sc. (Medical Science) and LL.B., Naresuan University,
Phisanulok, Thailand.

Publication

Lalert L, Kruevaisayawan H, Amatyakul P and Khogsombat O (2013).
Neuroprotective effects of the *Asparagus racemosus* root extract on
ovariectomized rats. **Journal of Physiological and Biomedical
Sciences**, 26(1), 18-22.