

## LIST OF FIGURES

Figure	Page
<b>LITERATURE REVIEW</b>	
1 Influenza viral particle(s)	8
2 Schematic representations of an influenza virion (left) and a ribonucleoprotein particle (RNP) containing the viral RNA, nucleoprotein(NP) and the heterotrimeric polymerase complex(right)	10
3 Protein-protein and protein–RNA interactions of the polymerase subunits and nucleoprotein	12
4 Life cycle of the influenza A virus	16
5 Mechanism of cap snatching and capped RNA-primed initiation of influenza virus mRNA synthesis and transcription steps	18
6 Activation of the influenza virus RNA polymerase by specific virion RNA sequences	19
7 Proposed models for transport and assembly of RNA polymerase subunits	21
8 Phylogenetic relationships of the hemagglutinin genes of representative influenza A viruses isolated in Southeastern Asia, including 2 of 6 from Indonesia, 5 of 8 from Thailand, and 4 of 12 from Vietnam	30
9 Phylogenetic analysis of HA gene sequence of A/Chicken/Nakorn-Pathom/Thai/CU-K2/2004 compared to other H5N1 strains	32
10 Phylogenetic analysis of HA and NA gene sequences of H5N1 influenza viruses	33
11 Structure of $\alpha$ -2,6 sialic acid linkage (A) and $\alpha$ -2,3 sialic acid linkage (B)	36
12 Structure of filamentous phage particle that displays ScFv on g3p molecules and has the <i>scFv</i> in the form of <i>VH</i> -linker- <i>VL</i> in the phage genome	40
13 Schematic diagrams for constructing ScFv repertoire using phage display technology	44

## LIST OF FIGURES (Cont.)

<b>Figure</b>	<b>Page</b>
<b>RESULTS</b>	
14 PCR amplified product of H5 gene segment of influenza A virus, H5N1 subtype	73
15 PCR amplicons of the <i>PA-5'</i> , <i>PB1-5'</i> and <i>PB2-5'</i> sequences	74
16 Patterns of recombinant plasmids extracted from JM109 <i>E. coli</i> clones after 1% agarose gel electrophoresis and ethidium bromide staining	76
17 Patterns of DNA of recombinant plasmids extracted from JM109 <i>E. coli</i> and cut by restriction enzymes after 1% agarose gel electrophoresis and ethidium bromide staining	77
18 BLAST search across multiple nucleotide sequences of the database showing nucleotide sequence of the cloned <i>PB1-5'</i> sequence matched with 100% identity to the PB1 gene sequences of influenza A viruses of the database	78
19 BLAST search across multiple nucleotide sequences of the database showing nucleotide sequence of the cloned <i>PB2-5'</i> sequence matched with 100% identity with the PB2 gene sequences of influenza A viruses of the database	79
20 BLAST search across multiple nucleotide sequences of the database showing nucleotide sequence of the cloned <i>PA-5'</i> sequence matched with 99% identity with the PA gene sequences of influenza A viruses of database	80
21 PCR amplicons of <i>PB1-5'</i> , <i>PB2-5'</i> and <i>PA-5'</i> segments from transformed JM109 <i>E. coli</i> colonies after 1% agarose gel electrophoresis and ethidium bromide staining	82
22 PCR amplicons of <i>PB1-5'</i> , <i>PB2-5'</i> and <i>PA-5'</i> sequences from transformed expression hosts after 1% agarose gel electrophoresis and ethidium bromide staining	83

### LIST OF FIGURES (Cont.)

<b>Figure</b>	<b>Page</b>
23 SDS-PAGE patterns run under reducing condition of recombinant N-terminal PB1 protein	85
24 Results of Western blot analysis for screening of positive BL21(DE3) pLysS <i>E. coli</i> clones expressing recombinant N-terminal PB1 protein	86
25 SDS-PAGE and Western blot results for screening of positive M15 <i>E. coli</i> clones expressing recombinant N-terminal PB2 protein	87
26 SDS-PAGE and Western blot results for screening of positive <i>E. coli</i> clones expressing recombinant N-terminal PA protein	88
27 Results of the purification of the recombinant N-terminal PA protein by using a nickel column under denatured conformation using batch elution with various concentrations of imidazole ranging from 50 mM to 500 mM	89
28 Results of purification of the recombinant N-terminal PA protein by nickel column under natural conformation using batch elution with various concentrations of imidazole ranging from 50 mM to 500 mM	90
29 Results of purification of recombinant N-terminal PA protein by using a nickel column under denatured conformation	91
30 Results of SDS-PAGE patterns from purification of recombinant N-terminal PB1 protein by using a nickel column under denatured	92
31 Results of purification of recombinant N-terminal t PB2 protein purification by using a nickel column under denatured conformation using elution buffer (buffer D, pH 5.9 and buffer E, pH 4.5)	93
32 PCR amplicons of the <i>huscFv</i> sequences from transformed HB2151 <i>E. coli</i> derived from phage bio-panning using recombinant N-terminal PA protein as antigen	95
33 PCR amplicons of <i>huscFv</i> sequences from transformed HB2151 <i>E. coli</i> derived from phage bio-panning using recombinant N-terminal PB1 protein as antigen	96

### LIST OF FIGURES (Cont.)

<b>Figure</b>	<b>Page</b>
34 PCR amplicons of <i>huscFv</i> sequences from transformed HB2151 <i>E. coli</i> derived from phage bio-panning using recombinant N-terminal PB2 protein as antigen	98
35 Western blot analysis for screening of HuScFv-expressing HB2151 <i>E. coli</i> clones from bio-panning using recombinant N-terminal PA protein ( <b>A</b> and <b>B</b> ).	99
36 Western blot analysis of HuScFv-expressing HB2151 <i>E. coli</i> clones derived from phage bio-panning using recombinant N-terminal PB1 protein as antigen	100
37 Western blot analysis of HuScFv-expressing HB2151 <i>E. coli</i> clones derived from phage bio-panning using recombinant N-terminal PB2 protein as antigen	101
38 Results of HuScFv-ELISA for detecting of the binding of HuScFv derived from different <i>E. coli</i> transformants to recombinant N-terminal PA protein	103
39 Results of Western blotting for detection of the binding of HuScFv to recombinant N-terminal PA protein	104
40 Results of HuScFv-ELISA for detection of the binding of the HuScFv derived from different <i>E. coli</i> transformants to recombinant N-terminal PB1 protein	105
41 Dot-ELISA results for determining the binding of HuScFv to recombinant N-terminal PB1 protein recombinant protein	106
42 Results of HuScFv-ELISA for detecting of the binding of HuScFv derived from different <i>E. coli</i> transformants to recombinant N-terminal PB2 protein	108
43 Dot-ELISA results for determining the binding of HuScFv to recombinant N-terminal PB2 protein	109

**LIST OF FIGURES (Cont.)**

<b>Figure</b>		<b>Page</b>
44	RFLP banding patterns of <i>huscFv</i> sequences from bio-pannig using recombinant N-terminal PA protein as antigen	110
45	RFLP banding patterns of <i>huscFv</i> sequences from bio-pannig using recombinant N-terminal PB1 protein as antigen	111
46	RFLP banding patterns of <i>huscFv</i> sequences from bio-pannig using recombinant N-terminal PB2 protein as antigen	112
47	Nuclear import of recombinant N-terminal PA protein	114
48	Results of the RNA binding assay of recombinant N-terminal PA protein	115
49	Inhibition of recombinant N-terminal PA nuclear import	117