

## REFERENCES

- Adam SA, Marr RS, Gerace L. Nuclear protein import in permeabilized mammalian cells requires soluble cytoplasmic factors. *J Cell Biol* 1990; 111: 807-16.
- Akamatsu Y, Cole MS, Tso JY, Tsurushita N. Construction of a human Ig combinatorial library from genomic V segments and synthetic CDR3 fragments. *J Immunol* 1993; 151: 4651-9.
- Akkina RK, Chambers TM, Londo DR, Nayak DP. Intracellular localization of the viral polymerase proteins in cells infected with influenza virus and cells expressing PB1 protein from cloned cDNA. *J Virol* 1987; 61: 2217-24.
- Alexander DJ. A review of avian influenza in different bird species. *Vet Microbiol* 2000; 74: 3-13.
- Alexander DJ. Ecological aspects of influenza A viruses in animals and their relationship to human influenza: a review. *J R Soc Med* 1982; 75: 799-811.
- Amonsin A, Chutinimitkul S, Pariyothorn N, *et al.* Genetic characterization of influenza A viruses (H5N1) isolated from 3rd wave of Thailand AI outbreaks. *Virus Research* 2006; 122: 194-9.
- Amonsin A, Payungporn S, Theamboonlers A, *et al.* Genetic characterization of H5N1 influenza A viruses isolated from zoo tigers in Thailand. *Virology* 2006; 344: 480-91.
- Andersen PS, Stryhn A, Hansen BE, Fugger L, Engberg J, Buus S. A recombinant antibody with the antigen-specific, major histocompatibility complex-restricted specificity of T cells. *Proc Natl Acad Sci* 1996; 93: 1820-24.
- Argos P. A conserved motif in many polymerases. *Nucleic Acids Res* 1988; 16: 9909-16.
- Azzay HM, Highsmith WE Jr. Phage display technology: clinical applications and recent innovations. *Clinical Biochem* 2002; 35: 425-45.

- Baert F, Noman M, Vermeire S, Van Assche G., D' Haaens G, Carbonez A. Rutgeerts P. Influence of immunogenicity on the long-term efficacy of infliximab in Crohn's disease. *N Engl J Med* 2003; 348: 601-8.
- Baras B, Stittelaar JK, Simon JH, *et al.* Cross-protection against lethal H5N1 challenge in ferrets with an adjuvanted pandemic influenza vaccine. *PLoS ONE* 2008; 3: 1401-7.
- Baudin F, Petit I, Weissenhorn W, Ruigrok RWH. *In vitro* dissection of the membrane and RNP binding activities of influenza virus M1 protein. *Virology* 2001; 281: 102-8.
- Begent RH, Verhaar MJ, Chester KA, *et al.* Clinical evidence of efficient tumor targeting based on single-chain Fv antibody selected from a combinatorial library. *Nat Med.* 1996; 2: 979-84.
- Biswas SK, Nayak DP. Mutational analysis of the conserved motifs of influenza A virus polymerase basic protein 1. *J Virol* 1994; 68: 181900-26.
- Bleshe RB, Smith MH, Hall CB, Betts R, Hay AJ. Genetic basis of resistance to rimantadine emerging during treatment of influenza virus infection. *J Virol* 1988; 62: 1508-12.
- Bright RA, Medina MJ, Xu X, *et al.* Incidence of adamantane resistance among influenza A (H3N2) viruses isolated worldwide from 1994 to 2005: a cause for concern. *Lancet* 2005; 366: 1175-81.
- Bui M, Wills EG, Helenius A, Whittaker GR. Role of the influenza virus M1 protein in nuclear export of viral ribonucleoproteins. *J Virol* 2000; 74: 1781-6.
- Chan CH, Lin KL, Chan Y, *et al.* Amplification of the entire genome of influenza A virus H1N1 and H3N2 subtypes by reverse-transcription polymerase chain reaction. *J Virol Methods* 2006; 136: 38-43.
- Chan MC, Cheung CY, Chui WH, *et al.* Proinflammatory cytokine responses induced by influenza A (H5N1) viruses in primary human alveolar and bronchial epithelial cells. *Respir Res* 2005; 6: 135.

- Charlton K, Harris WJ, Porter AJ. The isolation of super-sensitive anti-hapten antibodies from combinatorial antibody libraries derived from sheep. *Biosens Bioelectron* 2001; 16: 639-46.
- Chen H, Deng G, Li Z, *et al.* The evolution of H5N1 influenza viruses in ducks in southern China. *Proc Natl Acad Sci USA* 2004; 101: 10452-7.
- Chothia C, Lesk AM. Canonical structures for the hypervariable regions of immunoglobulins. *J Mol Biol* 1987; 196: 901-17.
- Chotpirayasunondh T, Lochindarat S, Srisan P. Cases of influenza A (H5N1)-Thailand 2004. *Morb Mortal Wkly Rep* 2004; 53: 101-3.
- Chotpitayasunondh T, Ungchusak K, Hanshaoworakul W, *et al.* Human disease from influenza A (H5N1), Thailand, 2004. *Emerg Infect Dis* 2005; 11: 201-9.
- Cianci C, Tiley L, Krystal M. Differential activation of the influenza virus polymerase *via* template RNA binding. *J Virol* 1995; 69: 3995-9.
- Claas ECJ, de Jong JC, van Beek R, Rimmelzwaan GF, Osterhaus A. Human influenza virus A/Hong Kong/156/97 (H5N1) infection. *Vaccine* 1998; 16: 977-8.
- Clackson T, Hoogenboom HR, Griffiths AD, Winter G. Making antibody fragments using phage display libraries. *Nature* 1991; 352: 624-8.
- Claudio R, Michael W, Philipp H, Gernot A, Kurt B, Reto C. Phage display of human antibodies from a patient suffering from celiac disease and selection of isotype-specific scFv against gliadin. *Immunology* 2003; 110: 269-74.
- Cohn EJ, Strong LE, Hugher WL, *et al.* Preparation and properties of serum and plasma proteins. IV. A system for the separation into fractions of the protein and lipoprotein components of biological tissues and fluids. *J Am Chem Soc* 1946; 68: 459-75.
- Colman PM. Neuraminidase: enzyme and antigen. In: Krug RM. Ed. *The influenza viruses*. New York: Plenum Press, 1989: 175-210.

- Cox RJ, Brokstad KA, Ogra P. Influenza Virus: Immunity and Vaccination Strategies. Comparison of the Immune Response to Inactivated and Live Attenuated Influenza Vaccines. *Scand J Immunol* 2004; 59: 1-15.
- de Jong MD, Bach VC, Phan TQ, *et al.* Fatal avian influenza A (H5N1) in a child presenting with diarrhea followed by coma. *N Engl J Med* 2005; 352: 686-91.
- de Jong MD, Tran TT, Truong HK, *et al.* Oseltamivir resistance during treatment of influenza A (H5N1) infection. *N Eng J Med* 2005; 353: 2667-72.
- de Kruif J, Terstappen L, Boel E, Logtenberg T. Rapid selection of cell subpopulation-specific human monoclonal antibodies from a synthetic phage antibody library. *Proc Natl Acad Sci USA* 1995; 92: 3938-42.
- Dente L, Cesareni G, Micheli G, *et al.* Monoclonal antibodies that recognize filamentous phage: tools for phage display technology. *Gene* 1994; 148: 7-13.
- Detjen BM, Angelo CS, Katze MG, Krug RM. The three influenza virus polymerase (P) proteins not associated with viral nucleocapsids in the infected cell are in the form of a complex. *J Virol.* 1987; 61: 16-22.
- Digard P, Blok VC, Inglis SC. Complex formation between influenza virus polymerase proteins expressed in *Xenopus* oocytes. *Virology* 1989; 171: 162-9.
- Dolin R, Reichman RC, Madore HP, Maynard R, Linton PN, Webber-Jones J. A controlled trial of amantadine and rimantadine in the population of influenza A infection. *N Engl J Med* 1982; 307: 580-84.
- Drescher HJ. Influenza. *Arch Otorhino Laryngol Suppl* 1983; 1: 113-87.
- Ellis TM, Bousfield RB, Bissett LA, *et al.* Investigation of outbreaks of highly pathogenic H5N1 avian influenza in waterfowl and wild birds in Hong Kong in late 2002. *Avian Patho* 2004; 33: 492-505.
- Fechter P, Mingay L, Sharps J, Chambers A, Fodor E, Brownlee GG. Two aromatic residues in the PB2 subunit of influenza A RNA polymerase are crucial for cap binding. *J Biol Chem* 2003; 278: 20381-8.

- Felici F, Castagnoli L, Musacchio A, Jappelli R, Cesareni G. Selection of antibody ligands from a large library of oligopeptides expressed on a multivalent exposition vector. *J Mol Biol* 1991; 220: 301-10.
- Fitch JC, Rollins S, Matis L, *et al.* Pharmacology and biological efficacy of a recombinant, humanized, single-chain antibody C5 complement inhibitor in patients undergoing coronary artery bypass graft surgery with cardiopulmonary bypass. *Circulation* 1999; 100: 2499-2506.
- Flint SJ, Enguist LW, Krug RM, Racaniello VR, Skalka AM. *Principles of Virology: Molecular biology, pathogenesis, and control.* Washington D.C: ASM Press, 2000.
- Fodor E, Brownlee GG. Influenza virus replication, p1-29 In C.W. Potter(ed.), *Influenza.* Elsevier Science, New York, NY, 2002.
- Fodor E, Crow M, Mingay LJ, *et al.* A single amino acid mutation in the PA subunit of the influenza virus RNA polymerase inhibits endonucleolytic cleavage of capped RNAs. *J Virol* 2002; 76: 8989-9001.
- Fodor E, Mingay LJ, Crow M, Deng T, Brownlee GG. A single amino acid mutation in the PA subunit of the influenza virus RNA polymerase promotes the generation of defective interfering RNAs. *J Virol* 2003; 77: 5017-20.
- Fodor E, Pritlove DC, Brownlee GG. The influenza virus panhandle is involved in the initiation of transcription. *J Virol* 1994; 68: 4092-6.
- Fodor E, Seong BL, Brownlee GG. Photochemical crosslinking of influenza A polymerase to its virion RNA promoter defines a polymerase binding site at residues 9 to 12 of the promoter. *J Gen Virol* 1993; 74: 1327-33.
- Fodor E, Smith M. The PA subunit is required for efficient nuclear accumulation of the PB1 subunit of the influenza A virus RNA polymerase complex. *J Virol* 2004; 78: 9144-53.
- Fouchier RA, Munster V, Wallensten A, *et al.* Characterization of a novel influenza A virus hemagglutinin subtype (H16) obtained from black-headed gulls. *J Virol* 2005; 79: 2814-22.

- Gastaminza P, Perales B, Falcon AM, Ortin J. Mutations in the N-terminal region of influenza virus PB2 protein affect virus RNA replication but not transcription. *J Virol* 2003; 77: 5098-108.
- Ghanem A, Mayer D, Chases G, *et al.* Peptide-mediated interference with influenza A polymerase. *J Virol* 2007; 81: 7801-4.
- González S, Ortín J. Characterization of the influenza virus PB1 protein binding to vRNA: two separate regions of the protein contribute to the interaction domain. *J Virol* 1999; 73: 631-7.
- González S, Ortín J. Distinct regions of influenza virus PB1 polymerase subunit recognize vRNA and cRNA templates. *EMBO J* 1999; 18: 3767-75.
- González S, Zürcher T, Ortín J. Identification of two separate domains in the influenza virus PB1 protein involved in the interaction with the PB2 and PA subunits: a model for the viral RNA polymerase structure. *Nucleic Acids Res* 1996; 24: 4456-63.
- Gorman OT, Bean WJ, Kawaoka Y, Webster RG. Evolution of the nucleoprotein gene of influenza A virus. *J Virol* 1990; 4: 1487-97.
- Gram H, Marconi LA, Barbas 3<sup>rd</sup> CF, Collet TA, Lerner RA, Kang AS. *In vitro* selection and affinity maturation of antibodies from a naive combinatorial immunoglobulin library. *Proc Natl Acad Sci USA* 1992; 89: 3576–80.
- Griffiths AD. Production of human antibodies using bacteriophage. *Curr Opin Immunol* 1993; 5: 263-7.
- Guan Y, Peiris JS, Lipatov AS, *et al.* Emergence of multiple genotypes of H5N1 avian influenza viruses in Hong Kong SHRS. *Proc. Natl Acad Sci USA* 2002; 99: 8950-5.
- Hawkin RE, Russell SJ, Winter G. Selection of phage antibodies by binding affinity mimicking affinity maturation. *J Mol Biol* 1992; 226: 889-96.
- Hay AJ, Wolstenholme AJ, Skehel JJ, Smith MH. The molecular basis of the specific anti-influenza action of amantadine. *EMBO J* 1985; 4: 3021-4.

- Hien TT, Liem NT, Dung NT, *et al.* Avian influenza (H5N1) in 10 patients in Vietnam. *N Engl J Med* 2004; 350: 1179-88.
- Hoffmann E, Stech J, Guan Y, Webster RG, Perez DR. Universal primer set for the full-length amplification of all influenza A viruses. *Arch Virol* 2001; 146: 2275-89.
- Honda A, Mizumoto K, Ishihama A. Minimum molecular architectures for transcription and replication of the influenza virus. *Proc Natl Acad Sci USA* 2002; 99: 13166-71.
- Horimoto T, Kawaoka Y. Influenza: lessons from past pandemics, warnings from current incidents. *Nat Rev Microbiol* 2005; 3: 591-600.
- Huarte M, Falcón A, Nakaya Y, Ortín J, García-Sastre A, Nieto A. Threonine 157 of influenza virus PA polymerase subunit modulates RNA replication in infectious viruses. *J Virol* 2003; 77: 6007-13.
- Ito T, Suzuki Y, Mitnaul L, Vines A, Kida H, Kawaoka Y. Receptor specificity of influenza A viruses correlates with agglutination of erythrocytes from different animal species. *Virology* 1997; 227: 492-9.
- Jackson DA, Caton AI, McCreedy, Cook PR. Influenza-virus RNA is synthesized at fixed sites in the nucleus. *Nature* 1982; 296: 366-8.
- Jefferson T, Rivetti D, Rivetti A, Rudin M, Pietrantonj CD, Demicheli V. Efficacy and effectiveness of influenza vaccines in elderly people: a systematic review. *Lancet* 2005; 366: 1165-74.
- Johnson N, Mueller J. "Updating the accounts: global mortality of the 1918-1920 'Spanish' influenza pandemic". *Bullet Hist Med* 2002; 76: 105-15.
- Jones PT, Dear PH, Foote J, Neuberger MS, Winter G. Replacing the complementarity-determining regions in a human antibody with those from a mouse. *Nature* 1986; 321: 522-5.
- Jung TE, Brownlee GG. A new promoter-binding site in the PB1 subunit of the influenza A virus polymerase. *J Gen Virol* 2006; 87: 679-88.

- Kang AS, Barbas CF, Janda KD, Benkovic SJ, Lerner RA. Linkage of recognition and replication functions by assembling combinatorial antibody Fab libraries along phage surfaces. *Proc Natl Acad Sci USA* 1991; 88: 4363-6.
- Kang I, Hong MS, Nolasco H, *et al.* Age-associated change in the frequency of memory CD4<sup>+</sup> T cell impairs long term CD4<sup>+</sup> T cell response to influenza vaccine. *J Immunol* 2004; 173: 673-81.
- Kanra G, Marchisio P, Feiterna SC, *et al.* Comparison of immunogenicity and tolerability of a virosome-adjuvanted and a split influenza vaccine in children. *Pediatr Infect Dis J* 2004; 23: 300-6.
- Kawaguchi A, Naito T, Nagato K. Involvement of influenza virus PA subunit in assembly of functional RNA polymerase complexes. *J Virol* 2005; 79: 732-44.
- Kawaoka Y, Yamnikova S, Chambers TM, Lvov DK, Webster RG. Molecular characterization of a new hemagglutinin, subtype H14, of influenza A virus. *Virology* 1990; 179: 759-67.
- Keawcharoen J, Oraveerakul K, Kuiken T, *et al.* Avian influenza H5N1 in tigers and leopards. *Emerg Infect Dis* 2004; 10: 2189-91.
- Kelier MA, Stiehm ER. Passive immunity in prevention and treatment of infectious diseases. *Clin Microbiol Rev* 2000; 113: 602-14.
- Kingsbury DW, Jones IM, Murti KG. Assembly of influenza ribonucleoprotein *in vitro* using recombinant nucleoprotein. *Virology* 1987; 156: 396-403.
- Kobayashi M, Toyoda T, Ishihama A. Influenza virus PB1 protein is the minimal and essential subunit of RNA polymerase. *Arch Virol* 1996; 141: 525-39.
- Kohler G, Milstein C. Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature* 1975; 256: 495-7.
- Koopmans M, Wilbrink B, Conyn M, *et al.* Transmission of H7N7 avian influenza A virus to human beings during a large outbreak in commercial poultry farms in the Netherlands. *Lancet* 2004; 363: 587-93.
- Kou Z, Lei FM, Yu J, *et al.* New genotype of avian influenza H5N1 viruses isolated from tree sparrows in China. *J Virol* 2005; 79: 15460-6.

- Kuiken T, Rimmelzwaan G, van Riel D, *et al.* Avian H5N1 influenza in cats. *Science* 2004; 306: 241.
- Kulkeaw K. Production of Human anti-NaJa Kaouthia venom by antibody phage display library. Thesis, Faculty of Allied Health Sciences, Thammasat University, Thailand, 2008.
- Kurstak E, Hossain A. Virus variability, *Epidemiology and Control*. In: Kurstak E, Marusyk RG, Morphy FA, Van Regenmortel MHV. Eds. *Applied virology research* Town: press, 1990: 99-115.
- Kurtz J, Manvell RJ, Banks J. Avian influenza virus isolated from a woman with conjunctivitis. *Lancet* 1990; 348: 901-2.
- Lang IM, Barbas CF 3rd, Schleef RR. Recombinant rabbit Fab with binding activity to type-1 plasminogen activator inhibitor derived from a phage-display library against human alpha-granules. *Gene* 1996; 172: 295-8.
- Lee MTM, Bishop K, Medcalf L, Elton D, Digard P, Tiley L. Definition of the minimal components required for the initiation of unprimed RNA synthesis by influenza virus RNA polymerase. *Nucleic Acids Res* 2002; 30: 429-38.
- Le MQ, Kiso M, Someya K, *et al.* Avian flu: Isolation of drug-resistant H5N1 virus. *Nature* 2005; 437: 1108.
- Li KS, Guan Y, Wang J, *et al.* Genesis of a highly pathogenic and potentially pandemic H5N1 influenza virus in eastern Asia. *Nature* 2004; 430: 209-13.
- Li KS, Xu KM, Peiris JS, *et al.* Characterization of H9 subtype influenza viruses from the ducks of Southern China: a candidate for the next influenza pandemic in humans. *J Virol* 2003; 77: 6988-94.
- Li ML, Ramirez BC, Krug RM. RNA-dependent activation of primer RNA production by influenza virus polymerase: different regions of the same protein subunit constitute the two required RNA-binding sites. *EMBO J* 1998; 17: 5844-52.
- Li ML, Rao P, Krug RM. The active sites of the influenza cap-dependent endonuclease are on different polymerase subunits. *EMBO J* 2001; 20: 2078-86.

- Mahaffey KW, Granger CB, Nicolau JC, *et al.* Effect of pexelizumab, an anti-C5 complement antibody, as adjunctive therapy to fibrinolysis in acute myocardial infarction: the COMPLEMENT inhibition in myocardial infarction treated with thromboLYtics (COMPLY) trial. *Circulation* 2003; 108: 1176-83.
- Malmborg AC, Duenas M, Ohlin M, Soderlind E, Borrebaeck CA. Selection of binders from phage displayed antibody libraries using the BIAcore biosensor. *J Immunol Methods* 1996; 198: 51-7.
- Marks JD, Hoogenboom HR, Bonnert TP, McCafferty J, Griffiths AD, Winter G. Bypassing immunization. Human antibodies from V-gene libraries displayed on phage. *J Mol Biol* 1991; 222: 581-97.
- Martin K, Helenius A. Nuclear transport of influenza virus ribonucleoproteins: the viral matrix protein (M1) promotes export and inhibits import. *Cell* 1991; 67: 117-30.
- McCafferty J, Jackson RH, Chiswell DJ. Phage enzymes: expression and affinity chromatography of functional alkaline phosphatase on the surface of bacteriophage. *Prot Eng* 1991; 4: 955-61.
- Mead DA, Kemper B. Chimeric single-stranded DNA phage-plasmid cloning vectors. *Biotechnology* 1988; 10: 85-102.
- Medcalf LE, Poole E., Elton D, Digard P. Temperature-sensitive lesions in two influenza A viruses defective transcription disrupt RNA binding by the nucleoprotein. *J Virol* 1999; 73: 7349-56.
- Mei-Yun L, Wei H, Yan-Li D. Generation and characterization of C305, a murine neutralizing scFv antibody that can inhibit BlyS binding to its receptor BCMA. *Acta Biochim Biophys Sin* 2005; 37: 415-20.
- Mendel DB, Roberts NA. In-vitro and in-vivo efficacy of influenza neuraminidase inhibitors. *Curr Opin Infect Dis* 1998; 11; 727-32.
- Morrison SL, Johnson MJ, Herzenberg LA, Oi VT. Chimeric human antibody molecules: mouse antigen-binding domains with human constant region domains. *Proc Natl Acad Sci USA* 1984; 81: 6851-5.

- Moscona A. Neuraminidase inhibitors for influenza. *N Engl J Med* vol 2005; 29,1363-73.
- Mukaigawa J, Nayak DP. Two signals mediate nuclear localization of influenza virus (A/WSN/33) polymerase basic protein 2. *J Virol* 1991; 65: 245-53.
- Munster VJ, Wallensten A, Baas C, *et al.* Mallards and Highly pathogenic avian influenza ancestral viruses. *North Eur Emerg Infect Dis* 2005; 11: 1545-51.
- Naffakh N, Massin P, van der Werf S. The transcription/replication activity of the polymerase of influenza A viruses is not correlated with the level of proteolysis induced by the PA subunit. *Virology* 2001; 285: 244-52.
- Naito T, Momose F, Kawaguchi A, Nagata K. Involvement of Hsp90 in assembly and nuclear import of influenza virus RNA polymerase subunits. *J Virology* 2007; 81: 1339-49.
- Nath ST, Nayak DP. Function of two discrete regions is required for nuclear localization of polymerase basic protein 1 of A/WSN/33 influenza virus (H1N1). *Mol Cell Biol* 1990; 10: 4139-45.
- Neumann G, Brownlee GG, Fodor E, Kawaoka Y. Orthomyxovirus replication, transcription, and polyadenylation. *Curr Top Microbiol Immunol* 2004; 283: 121-43.
- Neumann G, Hughes MT, Kawaoka Y. Influenza A virus NEP protein mediates vRNP nuclear export through NES-independent interaction with hCRM1. *EMBO J* 2000; 19: 6751-86.
- Nicholson IC, Zou X, Popov AV, *et al.* Antibody repertoires of four- and five-feature translocus mice carrying human immunoglobulin heavy chain and light chain yeast artificial chromosomes. *J Immunol* 1999; 163: 6898-906.
- Nieto A, de la Luna S, Bárcena J, *et al.* Nuclear transport of influenza virus polymerase PA protein. *Virus Res* 1992; 24: 65-75.
- Nieto A, de la Luna S, Bárcena J, Portela A, Oftin J. Complex structure of the nuclear translocation signal of influenza virus polymerase PA subunit. *J Gen Virol* 1994; 75: 29-36.

- Nissim A, Hoogenboom HR, Tomlinson IM, *et al.* Antibody fragments from a 'single pot' phage display library as immunochemical reagents. *EMBO* 1994; 13: 692-8.
- Nunes-Correia I, Eulalio A, Nir S, Pedroso de Lima MC. Caveolae as an additional route for influenza virus endocytosis in MDCK cells. *Cell Mol Biol Lett* 2004; 9: 47-60.
- O'Neill RE, Talon J, Palese P. The influenza virus NEP (NS2 protein) mediates the nuclear export of viral ribonucleoproteins. *EMBO J* 1998; 17: 288-96.
- Ohtsu Y, Honda Y, Sakata Y, Kato H, Toyoda T. Fine mapping of the subunit binding sites of influenza virus RNA polymerase. *Microbiol Immunol* 2002; 46: 167-175.
- Palese P, Compans RW. Inhibition of influenza virus replication in tissue culture by 2-deoxy-2,3-dehydro-N-trifluoroacetylneuraminic acid (FANA): mechanism of action. *J Gen Virol* 1976; 33: 159-63.
- Pasqualini R, Ruoslahti E. Organ targeting *in vivo* using phage display peptide libraries. *Nature* 1996; 380: 364-6.
- Peiris M, Yuen KY, Leung CW, *et al.* Human infection with influenza H9N2. *Lancet* 1999; 354: 916.
- Peiris JS, Yu WC, Leung CW, *et al.* Re-emergence of fetal human influenza A subtype H5N1 disease. *Lancet* 2004; 363: 617-9.
- Perales B, Sanz-Ezquerro JJ, Gastaminza P, *et al.* The replication activity of influenza virus polymerase is linked to the capacity of the PA subunit to induce proteolysis. *J Virol* 2000; 74: 1307-12.
- Perez DR, Donis RO. Functional analysis of PA binding by influenza A virus PB1: effects on polymerase activity and viral infectivity. *J Virol* 2001; 75: 8127-36.
- Plosker GL, Figgitt DP. Rituximab: a review of its use in non-Hodgkins lymphoma and chronic lymphocytic leukaemia. *Drugs* 2003; 63: 803-43.

- Plotch SJ, Bouloy M, Ulmanen I, Krug RA. A unique cap(m7GpppXm)-dependent influenza virion endonuclease cleaves capped RNAs to generate the primers that initiate viral RNA transcription. *Cell* 1981; 23: 847-58.
- Pons MW. The inhibition of influenza virus RNA synthesis by actinomycin D and cycloheximide. *Virology* 1973; 51: 120-8.
- Regoes RR, Bonhoeffer S. Emergence of Drug-Resistant Influenza Virus: Population Dynamical Considerations. *Science* 2006; 312: 389-91.
- Ritchey MB, Palese P. Identification of the defective genes in three mutant groups of influenza virus. *J Virol* 1977; 21: 1196-204.
- Roberts BL, Markland W, Siranosian K, Saxena MJ, Guterman SK, Ladner RC. Protease inhibitor display M13 phage: selection of high-affinity neutrophil elastase inhibitors. *Gene* 1992; 121: 9-15.
- Robertson JS, Schubert M, Lazzarini RA. Polyadenylation sites for influenza mRNA. *J Virol* 1981; 38: 157-63.
- Rogers GN, Paulson JC, Daniels RS, Skehel JJ, Wilson IA, Wiley DC. Single amino acid substitutions in influenza haemagglutinin change receptor binding specificity. *Nature* 1983; 304: 76-8.
- Roland RR, Sebastian B. Emergence of Drug-Resistant influenza virus: Population dynamical considerations. *Science* 2006; 312: 389-91.
- Ruigrok RWH. Structure of influenza A, B, and C. In: Nicholson KG, Webster RG, Hay AJ, eds. *The textbook of influenza*. Oxford: Blackwell Science, 1998: 29-42.
- Sanz-Ezquerro JJ, de la Luna S, Ortín J, Nieto A. Individual expression of influenza virus PA protein induces degradation of coexpressed proteins. *J Virol* 1995; 69: 2420-6.
- Schmitt AP, Lamb RA. Influenza virus assembly and budding at the viral budzone. *Adv Virus Res* 2005; 64: 383-416.
- Schwartz B, Wortley P. Mass vaccination for annual and pandemic influenza. *Curr Top Microbiol Immunol* 2006; 304: 131-52.

- Sébastien B, Akarsu H, Ruigrok RWH, Baudin F. Nuclear traffic of influenza virus proteins and ribonucleoprotein complexes. *Virus Research* 2007; 124: 212-21.
- Shapiro GI, Krug RM. Influenza virus RNA replication *in vitro*: synthesis of viral template RNAs and virion RNAs in the absence of an added primer. *J Virol* 1988; 62: 2285-90.
- Shin JY, Song MS, Lee EH, *et al.* Isolation and characterization of novel H3N1 swine influenza viruses from pigs with respiratory diseases in Korea. *J Clin Microbiol* 2006; 11: 3923-7.
- Sieczkarski SB, Whittaker GR. Influenza virus can enter and infect cells in the absence of clathrin-mediated endocytosis. *J Virol* 2002; 76: 10455-64.
- Siegel DL, Chang TY, Russell SL, Bunya VY. Isolation of cell surface-specific human monoclonal antibodies using phage display and magnetically-activated cell sorting: applications in immunohematology. *J Immunol Methods* 1997; 206:73-85.
- Sims LD, Guan Y, Ellis TM, *et al.* An update on avian influenza in Hong Kong in 2002. *Avian Dis* 2003; 47: 1083-6.
- Slamon DJ, Leyland-Jones B, Shak S, *et al.* Use of chemotherapy plus a monoclonal antibody against HER2 for metastatic breast cancer that overexpresses HER2. *N Engl J Med* 2001; 344: 783-92.
- Slepushkin VA, Staber PD, Wang G, McCray J, Paul B, Davidson BL. Infection of human airway epithelia with H1N1, H2N2, and H3N2 influenza A virus strains. *Mol Ther* 2001; 3: 395-402.
- Smith GP. Filamentous fusion phage: novel expression vectors that display cloned antigens on the virion surface. *Science* 1985; 228: 1315-7.
- Smith GL, Levin JZ, Palese P and Moss B. Synthesis and cellular location of the ten influenza polypeptides individually expressed by recombinant vaccine viruses. *Virology* 1987; 160: 336-45.
- Songserm T, Amonsin A, Jam-on R, *et al.* Avian influenza H5N1 in naturally infected domestic cat. *Emerg Infect Dis* 2006; 12: 681-3.

- Songserm T, Amonsin A, Jam-on R, *et al.* Fatal Avian influenza H5N1 in a Dog. *Emerg Infect Dis* 2006; 12: 1744-7.
- Stephenson I, Nicholson KG, Wood JM, Zambon MC, Katz JM. Confronting the avian influenza threat: vaccine development for a potential pandemic. *Lancet Infect Dis* 2004; 10: 499-509.
- Stiehm ER. Passive Immunization. In Feigin RD, Cherry JD. Eds. *The textbook of pediatric infectious diseases*. 4<sup>th</sup> ed. Philadelphia: WB Saunders, 1998: 2769-2802.
- Sturm-Ramirez KM, Ellis T, Bousfield B, *et al.* Reemerging H5N1 influenza viruses in Hong Kong in 2002 are highly pathogenic to ducks. *J Virol* 2004; 78: 4892-901.
- Takayuki H, Shunsuke U, Tomoki Y, Shuhei H, Yuji I, Kazuhisa S. Bio-panning of antibody-phage clones using immunoplates coated with gel slices of electrophoresis: Immunogel-biopanning. *Biol Pharm Bull* 2007; 30: 1361-4.
- Thanawongnuwech R, Amonsin A, Tantilertcharoen R, *et al.* Probable tiger-to-tiger transmission of avian influenza H5N1. *Emerg Infect Dis* 2005; 11: 699-701.
- Tiensin T, Chaitaweesub P, Songserm T, *et al.* Highly pathogenic avian influenza H5N1, Thailand, 2004. *Emerg Infect Dis* 2005; 11: 1664-72.
- Timmins J, Ruigrok RWH, Weissenhorn W. Structural studies on the Ebola virus matrix protein VP40 indicate that matrix proteins of enveloped RNA viruses are analogous but not homologous. *FEMS Microbiol Lett* 2004; 233: 179-86.
- Tominack RI, Hayden FG. Rimantadine hydrochloride and amantadine hydrochloride use in influenza A virus infections. *Infect Dis Clin North Am* 1987; 1: 459-78.
- Toyoda T, Adyshev DM, Kobayashi M, Iwata A, Ishihama A. Molecular assembly of the influenza virus RNA polymerase: determination of the subunit-subunit contact sites. *J Gen Virol* 1996; 77: 2149-57.
- Traggiai E, Becker S, Subbarao K, *et al.* An efficient method to make human monoclonal antibodies from memory B cells: Potent neutralization of SARS coronavirus. *Nat Med* 2004; 10: 871-5.

- Treanor JJ, Kotloff K, Betts RF, *et al.* Evaluation of trivalent, live, cold-adapted (CAIV-T) and inactivated (TIV) influenza vaccines in prevention of virus infection and illness following challenge of adults with wild type influenza A(H1N1), A(H3N2), and B viruses. *Vaccine* 2000; 18: 899-906.
- Ungchusak N, Thanawongnuwech R, Amonsin A, *et al.* Proable person-to-person transmission of avian influenza A virus isolated from the outbreak among poultry population in Thailand. *Virology* 2005; 328:169-76.
- Vaughan TJ, Williams AJ, Pritchard K, *et al.* Human antibodies with sub-nanomolar affinities isolated from a large non-immunized phage display libraries. *Nat Biotechnol* 1996; 14: 309-14.
- Viseshakul N, Thanawongnuwech R, Amonsin A, *et al.* The genome sequence analysis of H5N1 avian influenza A virus isolated from the outbreak among poultry populations in Thailand. *Virology* 2004; 169-76.
- Wang C, Takeuchi K, Pinto LH, Lamb RA. Ion channel activity of influenza A virus M2 protein: characterization of the amantadine block. *J Virol* 1993; 67: 55585-94.
- Ward, RL, Clark MA, Lees J, Hawkins NJ. Retrieval of human antibodies from phage-display libraries using enzymatic cleavage. *J Immunol Methods* 1996; 189: 73-82.
- Warrell DA. The clinical management of snake bites in the Southeast Asian region. *Southeast Asian J Trop Med Public Health* 1999; 30 (supplement): 1-84.
- Webster RG, Bean WJ, Gorman OT, Chambers TM, Kawaoka Y. Evolution and Ecology of Influenza A Viruses. *Microbiol Rev* 1992; 56: 152-79.
- Webster RG, Govorkova EA. H5N1 influenza-continuing evolution and spread. *New Eng J Med* 2006; 355: 2174-7.
- Whittaker G, Bui M, Helenius A. Nuclear trafficking of influenza virus ribonucleoproteins in heterokaryons. *J Virol* 1996; 70: 2743-56.
- Wilcox MH. Treatment of *Clostridium difficile* infection. *J Antimicrob Chemother* 1998; 41: 41-6.

- Williams JR, Chen PY, Cho CT, Chin TD. Influenza: prospect for prevention and control. *Kaohsiung J Med Sci* 2002; 18: 421-34.
- World Health Organization. Epidemic and Pandemic Alert and Response Guide to WHO's H5N1 pages. ([http://www.who.int/csr/disease/avian\\_influenza/country/en/](http://www.who.int/csr/disease/avian_influenza/country/en/))
- Wright PF, Webster RG. In: Knipe DM, Howley PM. Eds *Fields Virology*. 4<sup>th</sup> Ed. Philadelphia: Lippincott Williams and Wilkins, 2001: 1533-79.
- Wu Winco WH, Sun Ying-Hua B, Panté Nelly. Nuclear import of influenza A viral ribonucleoprotein complexes is mediated by two nuclear localization sequences on viral nucleoprotein. *Virology Journal* 2007; 4: 1-12.
- Yamanaka HI, Inoue T, Ikeda-Tanaka O. Chicken monoclonal antibody isolated by a phage display system. *J Immunol* 1996; 157: 1156-62.
- Yuen KY, Chan PK, Peiris M, *et al.* Clinical features and rapid viral diagnosis of human disease associated with avian influenza A H5N1 virus. *Lancet* 1998; 351: 467-71.
- Zürcher T, de la Luna S, Sanz-Ezquerro JJ, Nieto A, Ortín J. Mutational analysis of the influenza virus A/Victoria/3/75 PA protein: studies of interaction with PB1 protein and identification of a dominant negative mutant. *J Gen Virol* 1996; 77: 1745-9.