

เอกสารอ้างอิง



- Adler, N.J. 1987. Enzymatic hydrolysis of soy protein for nutritional fortification of low pH food. *Ann Nutr Aliment.* 32(2-3): 205-216.
- Barca, A.M.C., Ruiz-Salazar, R.A., and Jara-Marini, M.E., 2000, Enzymatic hydrolysis and synthesis of soy protein to improve its amino acid composition and functional properties, *J. Food Sci.* 65(2):246-253.
- Chen, C., and Chi, Y.J. 2012. Antioxidant, ACE inhibitory activities and functional properties of egg white protein hydrolysate. *J. Food Biochem.* 36: 383-394.
- Ching, L.C., Abdullah, N., and Shuib, A.S., 2011, Characterization of antihypertensive peptides from *Pleurotus cystidiosus* O.K. miller (abalone mushroom), The Proceeding of the 7th International Conference on Mushroom Biology and Mushroom Products (ICMBMP7), 2011.
- Constantinides, A., and Adu-Amankwa, B. 2004. Enzymatic modification of vegetable protein; mechanism, kinetics, and production of soluble and partially soluble protein in a batch reactor. *Biotechnol Bioeng.* 22(8): 1543-1565.
- Debroas, D., Depardon, N., and Blanchart, G. 1999. Study of enzyme and physicochemical parameters during hydrolysis of soy peptides by *Prevotella ruminicola*. *J. Sci Food Agric.* 78(4): 453-460.
- Fan, J., Hu, X., Tan, S., Zhang, Y., Tatsumi, E., and Li, L., 2009, Isolation and characterization of novel angiotensin I-converting enzyme-inhibitory peptide derived from *douchi*, a traditional Chinese fermented soybean food. *J. Sci Food Agric.* 89(4):603-608.
- Feng, J., and Xiong, Y.L. 2006. Interaction and functionality of mixed myofibrillar and enzyme-hydrolyzed soy proteins. *J. Food Sci.* 68(3): 803-809.
- Gadow, A., Joubert, E., and Hansmann, C. F. 1997. Comparison of the antioxidant activity of aspalathin with that of other plant phenols of rooibos tea (*Aspalathus linearis*), α -tocopherol, BHT, and BHA. *J. Agric Food Chem.* 45: 632-638.
- Health Claims; Soy Protein and Coronary Heart Disease; Final Rule. Federal Register 64 FR 57699 October 26, 1999 - Food Labeling. U.S. Food and Drug Administration.
- Helle, O., and Boyce, C.O., 1990. Microbial proteinase and biotechnology. *Microbial*

- Enzyme and Biotechnology*, 2nd ed., New York, USA : Elsevier Applied Science, pp. 240-241.
- Hrckova, M., Rusnakova, M., and Zemanovic, J. 2002. Enzymatic hydrolysis of defatted soy flour by three different proteases and their effect on the functional properties of resulting protein hydrolysates. *J. Food Sci.* 20(1): 7-14.
- Jung, S., Murphy, P.A., and Johnson, L.A. 2006. Physicochemical and functional properties of soy protein substrates modified by low levels of protease hydrolysis. *J. Food Sci.* 70(2): 180-187.
- Kasai, N., Satake, R., and Ikehara, H. 2005. Isolation and enzymatic digestion of body complex of soybean seed. *J. Agric Food Chem.* 53(26):10026-10033.
- Kodera, T., Asano, M., and Nio, N. 2006. Characteristic property of Low bitterness in protein hydrolysates by a novel soybean protease D3. *J. Food Sci.* 71(9): 609-614.
- Kumar, C.G., and Takagi, H. 1999. Microbial alkaline proteases: from a bioindustrial viewpoint. *Biotechnol Advanc.* 17: 561-594.
- Layne, E. 1957. Spectrophotometric and turbidimetric methods for measuring proteins. *Method Enzymol.* 10: 447-455.
- Lopez, L.M.I., Brullo, A., Natalucci, C.L., Caffini, N.O., Sorgentini, D.A., and Wegner, J.R. 1998. Thermal behavior, solubility and structural properties of soy concentrate hydrolyzed by new plant proteases. *Food and Nutrition press, Inc.*
- Miroljub, B., Snezana, T., Sladjana, P., and Mirjana, B. 2006. Effect of limited hydrolysis on traditional soy protein concentrate. *J. Food Tech.* 6: 1087-1101.
- Nakahara, T., Sano, A., Yamaguchi, H., Sugimoto, K., Chikata, H., Kinoshita, E., and Uchida, R. 2012. Antihypertensive effect of peptide-enriched soy sauce-like seasoning and identification of its angiotensin i-converting enzyme inhibitory substances. *J. Agric. Food Chem.* 58: 821-827.
- Park, S.Y., Lee, J.S., Baek, H.H., and Lee, H.G., 2010, Purification and characterization of antioxidant peptides from soy protein hydrolysate, *J. Food Biochem.* 34 (s1):120-132.
- Seo, W.H., Lee, H.G., and Baek, H.H. 2008. Evaluation of bitterness in enzymatic hydrolysates of soy protein isolate by taste dilution analysis. *J. Food Sci.* 73(1): 41-46.
- Soy protein isolated: [on-line]. Available: <http://www.Hi-Balanz.com>.

- Takamatsu, K., Tachibana, N., Matsumoto, I., and Abe, K. 2008. Soy protein functionality and nutrigenomic analysis. *Biofactors*. 21(1-4): 49-53.
- Tsumura, K., Saito, T., Kugimiya, W., and Inouye, K. 2006. Selective proteolysis of the glycinin and β -conglycinin fractions in a soy protein isolate by pepsin and papain with controlled pH and temperature. *J. Food Sci.* 69(5): 363-367.
- Udenigwe, C.C., and Aluko, R.E. 2012. Food protein-derived bioactive peptide: production, processing, and potential health benefits. *J. Food Sci.* 71(1): R11-24.
- Vermeirssen, V., Camp, J.V., and Verstraete, W., 2008, Assay of angiotensin I-converting enzyme-inhibiting activity based on the detection of 3-hydroxybutyrate with water-soluble tetrazolium salt. *Anal Sci.* 24:1057-1060.
- Yeom, H.W., Kim, K.S., and Rhee, J.S. 2006. Soy protein hydrolysate debittering by lysine-acetylation. *J. Food Sci.* 59(5): 1123-1126.