

References

Books

- Barry, S. L. (1995). Animal clinical pathology. In M. J. Derelanko & M. A. Hollinger (Eds.), *CRC handbook of toxicology* (pp. 517-537). New York: CRC Press.
- Buja, M. L., & Krueger, G. R. F. (2005). *Netter's illustrated human pathology*. New Jersey: Icon Learning System.
- Carol S. A. (1995). Acute, subchronic and chronic toxicology. In M. J. Derelanko & M. A. Hollinger (Eds.), *CRC handbook of toxicology* (pp. 51-104). New York: CRC Press.
- Carson, F. L. (1996). *Histotechnology: A self-instructional text* (2nd ed.). Texas: Amer Society of Clinical.
- Chan, P. K. & Hayes, A. W. (1989). Principles and methods for acute toxicity and eye irritancy. In A. W. Hayes (Ed.), *Principles and methods of toxicology* (2nd ed.). New York: Raven Press.
- Charles, F. S. & Beth, H. R. T. (2006). Clinical laboratory test and interpretation. In R. A. Helms (Ed.), *Textbook of therapeutics: Drug and disease management* (8th ed., pp. 91-115). Texas: Culinary and Hospitality Industry Publications Services.
- Chengelis, C. P. (1995). Acute toxicity testing in drug safety evaluation. In S. C. Gad (Ed.), *Safety assessment for pharmaceuticals* (pp. 61-105). New York: Van Nostrand Reinhold.
- Feldman, B. F., Zinkl, J. G., Jain, N. C. & Moor, D. M. (2000). *Schalmis veterinary hematology* (5th ed.). Philadelphia: Lea Febiger.
- Feldman, D. B. & John, C. S. (1998). *Necropsy guide: rodent and the rabbit* (pp. 23-50). Boca Raton, Florida: CRC press.
- Gad, S. C. (1995). *Safety assessment for pharmaceuticals: Subchronic and chronic toxicity studies* (pp. 111-127). North Carolina: Van Nostrand Reinhold.
- Gad, S. C. (2005). *Data Analysis applications in toxicology: Statistics and experimental design for toxicologists and pharmacologists* (4th ed., pp. 215-240). Boca Raton, Florida: Taylor and Francis.

- Gad, S. C. (2006). *Animal model in toxicology* (2nd, ed., pp. 150-247). Boca Raton, Florida: Taylor and Francis.
- Greaves, P. & Faccini, J. M. (1984). *Rat histopathology: a glossary for use in toxicity and carcinogenicity studies*. New York: Elsevier Science Publishing.
- Gregg, L. V. (2000). *Hematology techniques and concepts for veterinary technicians*. (pp. 95-101). Virginia: Iowa State University Press.
- Hayes, A. W. (2001). *Principle and method of toxicology: Short-term, subchronic, and chronic toxicology studies* (4th ed., pp. 917-955). Philadelphia: Taylor & Francis.
- Hodgeson E. & Levi P. E. (1987). *A textbook of modern toxicology*. New York: Elsevier Science Publishing.
- Huether, S. E. & McCance, K. L. (2008). *Understanding pathophysiology* (4th ed., pp. 62-65). New York: Elsevier Science Publishing.
- Johnson, M. D., & Gad, S. C. (2006). *Animal models in toxicology: The Rat* (pp. 150-245). New York: Taylor & Francis Group Boca Raton.
- Koller, A. & Kaplan, L. A. (1987). Total serum protein. In A. J. Pesce & L. A. Kaplan (Eds.), *Methods in clinical chemistry* (pp. 1134-1138). USA: Mosby company.
- Kumar, V., Abbas, A. K., & Fausto, N. (2004). *Robbins and cotran pathologic basis of disease* (7th ed., pp. 6-11, 39). Philadelphia: Elsevier Saunders.
- Ministry of Public Health, Department of Medical Sciences [MOPH]. (2000). *Thai Herbal Pharmacopoeia* (Vol. 2). Nonthaburi: Department of Medical Sciences.
- Peckham, J. C. (1995). Animal histopathology. In M. J. Derelanko & M. A. Hollinger (Eds.), *CRC handbook of toxicology* (pp. 452-485). New York: CRC Press.
- Sacher, R. A. & McPherson, R. A. (1991a). *Widmann's clinical interpretation of laboratory test: Test of liver function* (10th ed., pp. 416-443). USA: F.A. Davis Company.
- Sacher, R. A. & McPherson, R. A. (1991b). *Widmann's clinical interpretation of laboratory test: General chemistry* (10th ed., pp. 318-365). USA: F.A. Davis Company.

- Smitinand, T. (2001). *Thai Plant Names Dictionary*. Bangkok, Thailand: The forest herbarium, Royal forest department.
- Wilson, N. H., Hardisty, J. F., & Hayes, J. R. (2001). *Principle and Method of Toxicology: Short-term, subchronic, and chronic toxicology studies* (4th ed., pp. 917- 955). Philadelphia: Taylor & Francis.
- Williams, J. W., Nelson, D. A., & Morris, M. W. (1990). Examination of the blood. In J. W. William (Ed.), *Hematology international* (4th ed., pp. 9-24). New York: Mc Graw-Hell.
- Young L. Y. & Holland E. G. (1995). *The clinical use of drugs: Interpretation of clinical laboratory tests* (6th ed., pp. 4-20). Vancouver: Lippincott Williams & Wilkins.

Articles

- Ahmad, I., Mehmood, Z., & Mohammad, F. (1998). Screening of some Indian medicinal plants for their antimicrobial properties. *J Ethnopharmacol*, 62(2), 183-193.
- Arora, S., Kaur, K., & Kaur, S. (2003). Indian medicinal plants as a reservoir of protective phytochemicals. *Teratog Carcinog Mutagen, Suppl 1*, 295-300.
- Arseculeratne, S. N., Gunatilaka, A. A., & Panabokke, R. G. (1985). Studies of medicinal plants of Sri Lanka. Part 14: Toxicity of some traditional medicinal herbs. *J Ethnopharmacol*, 13(3), 323-335.
- Bajpai, M., Pande, A., Tewari, S. K., & Prakash, D. (2005). Phenolic contents and antioxidant activity of some food and medicinal plants. *Int J Food Sci Nutr*, 56(4), 287-291.
- Bonjar, G. H. (2004a). Antibacterial screening of plants used in Iranian folkloric medicine. *Fitoterapia*, 75(2), 231-235.
- Bonjar, G. H. (2004b). Inhibition of Clotrimazole-resistant *Candida albicans* by plants used in Iranian folkloric medicine. *Fitoterapia*, 75(1), 74-76.
- Caisey, J. D. & King, D. J. (1980). Clinical chemical values for some common laboratory animal. *Clin Chem*, 26, 1877-1879.

- Cheng, H. Y., Lin, T. C., Yu, K. H., Yang, C. M., & Lin, C. C. (2003). Antioxidant and free radical scavenging activities of *Terminalia chebula*. *Biol Pharm Bull*, 26(9), 1331-1335.
- Creencia, E., Eguchi, T., Nishimura, T., & Kakinuma, K. (1966). Isolation and structure elucidation of the biologically active components of *Terminalia chebula* Retzius (Combretaceae). *KIMIKA*, 12, 1-10.
- Danciu, M. & Mihailovici, M. S. (2009). Atlas of pathology. Retrieved August 24, 2009, from <http://www.pathologyatlas.ro/index.php>
- Dutta, B. K., Rahman, I., & Das, T. K. (1998). Antifungal activity of Indian plant extracts. *Mycoses*, 41(11-12), 535-536.
- el-Mekkawy, S., Meselhy, M. R., Kusumoto, I. T., Kadota, S., Hattori, M., & Namba, T. (1995). Inhibitory effects of Egyptian folk medicines on human immunodeficiency virus (HIV) reverse transcriptase. *Chem Pharm Bull (Tokyo)*, 43(4), 641-648.
- Elizabeth, K. M. (2005). Antimicrobial activity of *Terminalia bellerica*. *Indian Journal of Clinical Biochemistry*, 20 (2) 150 -153.
- Environmental Protection Agency [EPA]. (1998). *Health effects test guidelines: Chronic toxicity* (OPPTS 870.4100). Washington: U.S. Government Printing Office.
- Hamada, S., Kataoka, T., Woo, J. T., Yamada, A., Yoshida, T., Nishimura, T., et al. (1997). Immunosuppressive effects of gallic acid and chebulagic acid on CTL-mediated cytotoxicity. *Biol Pharm Bull*, 20(9), 1017-1019.
- Jadon, A., Bhadauria, M., & Shukla, S. (2007). Protective effect of *Terminalia bellerica* Roxb. and gallic acid against carbon tetrachloride induced damage in albino rats. *J Ethnopharmacol*, 109(2), 214-218.
- Jagtap, A. G., & Karkera, S. G. (1999). Potential of the aqueous extract of *Terminalia chebula* as an anticaries agent. *J Ethnopharmacol*, 68(1-3), 299-306.
- Jin, Y. A., Li, G. H., Ahn, S. Y., Row, K. H., & Kim, E. K. (2006). Extraction and purification of depigmenting agents from Chinese plants. *Chemistry Research Chinese University*, 22(2), 162-167.

- Juang, L. J., Sheu, S. J., & Lin, T. C. (2004). Determination of hydrolyzable tannins in the fruit of *Terminalia chebula* Retz. by high-performance liquid chromatography and capillary electrophoresis. *J Sep Sci*, 27(9), 718-724.
- Kaur, S., Grover, I. S., Singh, M., & Kaur, S. (1998). Antimutagenicity of hydrolyzable tannins from *Terminalia chebula* in *Salmonella typhimurium*. *Mutat Res*, 419(1-3), 169-179.
- Kim, H. G., Cho, J. H., Jeong, E. Y., Lim, J. H., Lee, S. H., & Lee, H. S. (2006). Growth-inhibiting activity of active component isolated from *Terminalia chebula* fruits against intestinal bacteria. *J Food Prot*, 69(9), 2205-2209.
- Kumar, G. P. S., Arulselvan, P., Kumar, D. S., & Subramania, S. P. (2006). Antidiabetic activity of *Terminalia chebula* on streptozotocin-induced diabetic rats. *J Health Science*, 52(3), 283-91.
- Kusumoto, I. T., Nakabayashi, T., Kida, H., Hattori, M., Namba, T., et al. (1995). Screening of various plant extract used in Ayurvedic medicine for inhibitory effects on human immunodeficiency virus type 1 (HIV-1) protease. *Phytother Res*, 9, 180-4.
- Lee, H. S., Jung, S. H., Yun, B. S., & Lee, K. W. (2007). Isolation of chebulic acid from *Terminalia chebula* Retz. and its antioxidant effect in isolated rat hepatocytes. *Arch Toxicol*, 81(3), 211-218.
- Lee, S. H., Ryu, S. Y., Choi, S. U., Lee, C. O., & Ahn, J. W. (1995). Hydrolyzable tannins and related compound having cytotoxic activity from the fruits of *Terminalia chebula*. *Arch Pharmacol Res*, 18(2), 118-120.
- Lee, H. S., Won, N. H., Kim, K. H., Lee, H., Jun, W., & Lee, K. W. (2005). Antioxidant effects of aqueous extract of *Terminalia chebula* in vivo and in vitro. *Biol Pharm Bull*, 28(9), 1639-1644.
- Malekzadeh, F., Ehsanifar, H., Shahamat, M., Levin, M., & Colwell, R. R. (2001). Antibacterial activity of black myrobalan (*Terminalia chebula* Retz) against *Helicobacter pylori*. *Int J Antimicrob Agents*, 18(1), 85-88.
- Mokkhasmit, M., Swatdimongkol, K., & Satrawaha, P. (1971). Study on toxicity of Thai medicinal plants. *Bull Dept Med Sci*, 12, 36-65.

- Na, M., Bae, K., Kang, S. S., Min, B. S., Yoo, J. K., Kamiryo, Y., et al. (2004). Cytoprotective effect on oxidative stress and inhibitory effect on cellular aging of *Terminalia chebula* fruit. *Phytother Res*, 18(9), 737-741.
- Naik, G. H., Priyadarsini, K. I., Naik, D. B., Gangabhagirathi, R., & Mohan, H. (2004). Studies on the aqueous extract of *Terminalia chebula* as a potent antioxidant and a probable radioprotector. *Phytomedicine*, 11(6), 530-538.
- Naik, G. H., Priyadarsini, K. I., Satav, J. G., Banavalikar, M. M., Sohoni, D. P., Biyani, M. K., et al. (2003). Comparative antioxidant activity of individual herbal components used in Ayurvedic medicine. *Phytochemistry*, 63(1), 97-104.
- Nancy, A. K., Chakraborty, A., Podder, G. (1997). Antimicrobial activity of *Terminalia bellerica* triterpenoids. *Fitoterapia*, 68, 178-180.
- Organization of Economic Co-operation and Development [OECD]. (1981a). OECD test guideline 401: Acute oral toxicity studies. Paris.
- Organization of Economic Co-operation and Development [OECD]. (1981b). OECD test guideline 452: Chronic toxicity studies. Paris.
- Organization of Economic Co-operation and Development [OECD]. (2001). OECD test guideline 423: Acute oral toxicity studies. Paris.
- Phadke, S. A., & Kulkarni, S. D. (1989). Screening of in vitro antibacterial activity of *Terminalia chebula*, *Eclipta alba* and *Ocimum sanctum*. *Indian J Med Sci*, 43(5), 113-117.
- Pinmai, K., Chunlaratthanabhorn, S., Ngamkitidechakul, C., Soonthornchareon, N., & Hahnvanawong, C. (2008). Synergistic growth inhibitory effects of *Phyllanthus emblica* and *Terminalia bellerica* extracts with conventional cytotoxic agents: doxorubicin and cisplatin against human hepatocellular carcinoma and lung cancer cells. *World J Gastroenterol*, 14(10), 1491-1497.
- Prasad, L., Husain Khan, T., Jahangir, T., & Sultana, S. (2006). Chemomodulatory effects of *Terminalia chebula* against nickel chloride induced oxidative stress and tumor promotion response in male Wistar rats. *J Trace Elem Med Biol*, 20(4), 233-239.

- Rani, P., & Khullar, N. (2004). Antimicrobial evaluation of some medicinal plants for their anti-enteric potential against multi-drug resistant *Salmonella typhi*. *Phytother Res*, 18(8), 670-673.
- Rao, N. K., & Nammi, S. (2006). Antidiabetic and renoprotective effects of the chloroform extract of *Terminalia chebula* Retz. seeds in streptozotocin-induced diabetic rats. *BMC Complement Altern Med*, 6, 17.
- Row, L. R., & Murty, P. S. (1970). Chemical examination of *Terminalia belerica* Roxb. *Indian J Chem*, 8, 1047-1048.
- Sabu, M. C., & Kuttan, R. (2002). Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property. *J Ethnopharmacol*, 81(2), 155-160.
- Saleem, A., Husheem, M., Harkonen, P., & Pihlaja, K. (2002). Inhibition of cancer cell growth by crude extract and the phenolics of *Terminalia chebula* Retz. fruit. *J Ethnopharmacol*, 81(3), 327-336.
- Sato, Y., Oketani, H., Singyouchi, K., Ohtsubo, T., Kihara, M., Shibata, H., et al. (1997). Extraction and purification of effective antimicrobial constituents of *Terminalia chebula* Retz. against methicillin-resistant *Staphylococcus aureus*. *Biol Pharm Bull*, 20(4), 401-404.
- Tasduq, S. A., Singh, K., Satti, N. K., Gupta, D. K., Suri, K. A., & Johri, R. K. (2006). *Terminalia chebula* (fruit) prevents liver toxicity caused by sub-chronic administration of rifampicin, isoniazid and pyrazinamide in combination. *Hum Exp Toxicol*, 25(3), 111-118.
- Thanaporn, S., Jaijoy, K., Thamaree, S., Ingkaninan, K., & Panthong, A. (2006). Acute and subacute toxicity study of the ethanol extract from the fruit of *Terminalia bellerica*. *Mahidol University J Pharm Sci*, 33(1-4): 23-30.
- Valsaraj, R., Pushpangadan, P., Smitt, U. W., Adersen, A., Christensen, S. B., Sittie, A., et al. (1997). New anti-HIV-1, antimalarial, and antifungal compounds from *Terminalia bellerica*. *J Nat Prod*, 60(7), 739-742.
- Vonshak, A., Barazani, O., Sathiyamoorthy, P., Shalev, R., Vardy, D., & Golan-Goldhirsh, A. (2003). Screening South Indian medicinal plants for antifungal activity against cutaneous pathogens. *Phytother Res*, 17(9), 1123-1125.

- World Health Organization [WHO]. (2000). General guidelines for methodologies on research and evaluation of traditional medicine (pp. 40-47). Geneva: World health organization.
- Yadava, R. N., & Rathore, K. (2001). A new cardenolide from the seeds of *Terminalia bellerica*. *Fitoterapia*, 72(3), 310-312.
- Yukawa, T. A., Kurokawa, M., Sato, H., Yoshida, Y., Kageyama, S., Hasegawa, T., et al. (1996). Prophylactic treatment of cytomegalovirus infection with traditional herbs. *Antiviral Res*, 32(2), 63-70.

Other Materials

- Angkhasirisap, W., Inala, P., Sirimontaporn, A., Inpunkaew, R., Rungrojajinda, K., Kengkoom, K., Ratanasak, W., Buripadi Lawson, D. (2002). Blood chemistry profiles of outbred Sprague-Dawley rat in The Facility of National Laboratory Animal Centre. 28th Congress on Science and Technology of Thailand. Bangkok, Thailand.
- Dahanukar, S. A. (1986). *Study of influence of plant products on adaptive processes*. Unpublished doctoral dissertation, Mumbai University, Faculty of Graduate Studies, Pharmacology and Therapeutics.
- Inala, P., Sirimontaporn, A., Inpunkaew, R., Rungrojajinda K., Kengkoom K., Ratanasak W., Buripakdi, Lawson D. (2002). Hematological analysis of outbred Sprague-Dawley rat in The Facility of National Laboratory Animal Centre. 28th Congress on Science and Technology of Thailand, Bangkok, Thailand.
- Kimbli, N. (1997). *Evaluation of protective effects of Indian medicinal plants against renal damage*. Unpublished master's thesis, Mumbai University, Faculty of Graduate Studies, Pharmacology and Therapeutics.
- Klatt, E. C. (2009). The internet pathology laboratory for medical education. Retrieved August 20, 2009, from <http://library.med.utah.edu/WebPath/webpath.html>
- Worasuttayangkum L. (2001). *The study of toxic effects of Terminalia chebula Retz. in mice*. Unpublished master's thesis, Mahidol University, Faculty of Graduate Studies, Toxicology.