

## REFERENCE

- [1] C.N.R. Rao, A. Muller, and A.K. Cheetham, "Nanomaterials Chemistry", Wiley VCH Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, (2007) 1-424.
- [2] M. Kohler and Wolfgang Fritzsche, "Nanotechnology, An introduction to nanostructuring technique", Wiley-VCH Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, (2007) 1-11.
- [3] C. N. R. Rao, S.R.C. Vivekchand, K. Biswas and A. Govindaraj, "Synthesis of inorganic nanomaterials", *Dalton Trans.*, (2007) 3728-3749.
- [4] X. Zhang, M. Zhang, Y. Zhu, P. Wang, F. Xue, J. Gu, H. Bi and Y. Qian, "Hydrothermal synthesis and luminescent properties of LaPO<sub>4</sub>:Eu 3D microstructures with controllable phase and morphology", *Mater. Res. Bull.*, **45** (2010) 1324-1329.
- [5] W.T. Yao and S.H. Yu, "Recent advances in hydrothermal syntheses of low dimensional nanoarchitectures", *Int. J. Nanotechnology*, **4** (2007) 129-162.
- [6] Infomine Research group, "Rare-Earth Elements Market Research in the CIS", **495** (2008) 952-1322.
- [7] M. Dolg, "Lanthanides and Actinides", Dresden, Germany, 1-9.
- [8] J. Bao, R. Yu, J. Zhang, X. Yang, D. Wang, J. Deng, J. Chen and X. Xing, "Low-temperature hydrothermal synthesis and structure control of nano-sized CePO<sub>4</sub>", *CrystEngComm.*, **11** (2009) 1630-1634.

- [9] P.C.D.S. Filho and O.A Serra, "Red, green, and blue lanthanum phosphate phosphors obtained via surfactant-controlled hydrothermal synthesis", *J. of Luminescence*, **129** (2009) 1664-1668.
- [10] D. Heiman, "Photoluminescence Spectroscopy", (2004) 1-5.
- [11] K. Binnemans, "Lanthanide-Based Luminescent Hybrid Materials", *Chem. Rev.* **109** (2009) 4283-4374.
- [12] R.H. Abu-Eittah, S.A. Marie and M.B. Salem, "The electronic absorption spectra of Lanthanum (III), Cerium (III) and Thorium (IV) ions in Different Solvents", *Can. J. Anal. Sci. Spect.*, **49** (2004) 248-257.
- [13] P.A. Tanner, "Spectra, Energy Levels and Energy Transfer in High Symmetry Lanthanide Compounds", **241** (2004) 167-278.
- [14] B.L. Hayes, "Microwave Synthesis, Chemistry at the Speed of light", CEM Publishing, U.S.A, (2002) 1-296.
- [15] M. Taylor, S.S. Atri, S. Minhas and P. Bisht, "Developments in Microwave Chemistry", Evalueserve, RS·C, (2005) 1-50.
- [16] C.O. Kappe, D. Dallinger and S. Murphree, Practical Microwave Synthesis for Organic Chemists: Strategies, Instrument and Protocols, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, (2009) 1-5.
- [17] K.J. Rao, B. Vaidhyanathan, M. Ganguli and P.A. Ramakrishnan, "Synthesis of Inorganic Solids Using Microwaves", *Chem. Mater.*, **11** (1999) 882-895.
- [18] K. Byrappa and M. Yoshimura , "Handbook of hydrothermal technology, A technology for Crystal Growth and Materials Processing", William Andrew publishing, LLC, Park Ridge, New Jersey, U.S.A., (2001) 1-870.

- [19] S. Komarneni, "Nanophase materials by hydrothermal, microwave-hydrothermal and microwave-solvothermal methods", *Curr. Sci.*, **85** (2003) 1730-1734.
- [20] L. Neil and J. Grace, "High throughput automated microwave synthesis of metal organic frameworks", *materials science-porous materials*, (2009), 1.
- [21] S. Verma, P.A. Joy, Y.B. Kholam, H.S. Potdar and S.B. Deshpande, "Synthesis of nanosized  $\text{MgFe}_2\text{O}_4$  powder by microwave hydrothermal method", *Mater. Lett.*, **58** (2004) 1092-1095.
- [22] H.Y. Xu, H. Wang, Y.Q. Meng and H. Yan, "Rapid synthesis of size-controllable  $\text{YVO}_4$ ", *J. Solid State Commun.*, **130** (2004) 465-468.
- [23] P. Parhi and V. Manivannan, "Novel microwave initiated solid-state metathesis synthesis and characterization of lanthanide phosphates and vanadates,  $\text{LMO}_4$ ", *J. Solid State Sci.*, **10** (2008) 1012-1019.
- [24] W.J. Park, M.K. Jung, T. Masaki, S.J. Im and D.H. Yoon, "Characterization of  $\text{YVO}_4:\text{Eu}^{3+}$ ,  $\text{Sm}^{3+}$  red phosphor quick synthesized by microwave rapid heating method", *J. Mater. Lett. Sci.*, **146** (2008) 95-98.
- [25] L. Ma, L.M. Xu, W.X. Chen and Z.D. Xu, "Microwave-assisted synthesis and characterization of  $\text{LaPO}_4:\text{Re}$  nanorods", *Mater. Lett.*, **63** (2009) 1635-1637.
- [26] W. Ruigang, P. Wei, C. Jian, F. Minghao, C. Zhenzhu and L. Yongming, "Synthesis and sintering of  $\text{LaPO}_4$  powder and its application", *J. Mater. Chem. Phys.*, **79** (2003) 30-36.
- [27] L. Yu, H. Song, Z. Liu, L. Yang, S. Lu and Z. Zheng, "Remarkable improvement of brightness for the green emissions  $\text{Ce}^{3+}$  and  $\text{Tb}^{3+}$  co-activated  $\text{LaPO}_4$ ", nanowires, *J. Solid State Commun.*, **134** (2005) 753-757.

- [28] X. Wang and M. Gao, "A facials route for preparing rhabdophane rare earth phosphate nanorods", *J. Mater. Chem.*, **16** (2006) 1360-1365.
- [29] L. Karpowich, S. Wilcke, R. Yu, G. Harley, J.A. Reimer and L.C.D. Jonghe, "synthesis and Characterization of mixed-morphology CePO<sub>4</sub> nanoparticles", *J. Solid State Chem.*, **180** (2007) 840-846.
- [30] Y.B. Yin, X. Shao, L.M. Zhao and W.Z. Li, "synthesis and Characterization of CePO<sub>4</sub> nanowires via microemulsion method at room temperature", *J. Chinese Chem. Lett.*, **20** (2009) 857-860.
- [31] L. Qian, W.Du, Q. Gong and X. Qian, "Controlled synthesis of light rare earth phosphate nanowires via a simple solution route", *J. Mater. Chem. Phys.*, **114** (2009) 479-484.
- [32] M.T. Schatzmann, M.L. Mecartney and P.E.D. Morgan, "synthesis of monoclinic monazite, LaPO<sub>4</sub> , by direct precipitation" *J. Mater. Chem.*, **19** (2009) 5720-5722.
- [33] C. Yu, M. Yu, C. Li, X. Liu, J. Yang, P. Yang and J. Lin, "Facile sonochemical synthesis and Photoluminescent properties of lanthanide orthophosphate nanoparticles", *J. Solid State Chem.*, **182** (2009) 339.
- [34] M. Guan, J. Sun, T. Shang, Q. Zhou, J. Han and A. Ji, "A Facile synthesis of cerium phosphate nanofiber by solution-solid method", *J. Mater. Sci. Technol.*, **26** (2010) 45.
- [35] E.K. Nyutu, C.H. Chen, P.K. Dutta and S.L.Suib, "Effect of microwave frequency on hydrothermal synthesis of nanocrystalline tetragonal Barium Titanate", *J. Phys. Chem.*, **112** (2008) 9659-9667.

- [36] O. Yayapao, T. Thongtem, A. Phuruangrat and S. Thongtem, "CTAB-assisted hydrothermal synthesis of tungsten oxide microflowers", *J. Alloy. Compd.*, **509** (2011) 2294-2299.
- [37] L. Ma, W.X. Chen, Y.F. Zheng and Z.D. Xu, "Hydrothermal growth and morphology evolution of  $\text{CePO}_4$  aggregates by a complexing method", *Mater. Res. Bull.*, **43** (2008) 2840-2849.
- [38] K. Wang, J. Zhang, J. Wang, C. Fang, W. Yu, X. Zhao, and H. Xu, "Growth defects and infrared spectra analysis of  $\text{CePO}_4$  single crystals", *J. Appl. Cryst.*, **38** (2005), 675–677.
- [39] P. Yang, Z. Quan, C. Li, Z. Hou, W. Wang, and J. Lin, "Solvothermal synthesis and luminescent properties of monodisperse  $\text{LaPO}_4\text{:Ln}$  ( $\text{Ln}=\text{Eu}^{3+}$ ,  $\text{Ce}^{3+}$ ,  $\text{Tb}^{3+}$ ) particles", *J. Solid State Chem.*, **182** (2009), 1045–1054.
- [40] Y. Zhang and H. Guan, "Hydrothermal synthesis and characterization of hexagonal and monoclinic  $\text{CePO}_4$  single-crystal nanowires", *J. Cryst. Growth*, **256** (2003), 156–161.
- [41] Z. Chai, L. Gao, C. Wang, H. Zhang, R. Zheng, P.A. Webley, and H. Wang, "Synthesis of mesoporous  $\text{LaPO}_4$  nanostructures with controllable morphologies", *New J. Chem.*, **33** (2009), 1657–1662.
- [42] G. Wang and C. Hao, "Fast synthesis and morphology control of lead tungstate microcrystals via a microwave-assisted method", *Mater. Res. Bull.*, **44** (2009), 418–421.
- [43] X. Wang and Y. Li, "Synthesis and characterization of lanthanide hydroxide single-crystal nanowires", *Angew. Chem.*, **114** (2002) 4984-4987.
- [44] R. Baierlein, "The elusive chemical potential", *Am. J. Phys.*, **69** (2001) 423-434.

- [45] Z.A. Peng and X. Peng, "Mechanisms of the shape evolution of CdSe nanocrystals", *J. Am. Chem. Soc.*, **123** (2001) 1389-1395.
- [46] Z. Fu and W. Bu, " High efficiency green-luminescence LapO4:Ce, Tb hierarchical nanostructure: Synthesis, characterization and luminescence property", *J. Solid State Sci.*, **10** (2008) 1062.

## **APPENDICES**

## APPENDIX A

### Joint committee on powder diffraction standard of LaPO<sub>4</sub>

#### Name and formula

Reference code:	00-004-0635
PDF index name:	Lanthanum Phosphate
Empirical formula:	LaO <sub>4</sub> P
Chemical formula:	LaPO <sub>4</sub>

#### Crystallographic parameters

Crystal system:	Hexagonal
Space group:	P6222
Space group number:	180
a (?):	7.0420
b (?):	7.0420
c (?):	6.4490
Alpha (?):	90.0000
Beta (?):	90.0000
Gamma (?):	120.0000
Calculated density (g/cm <sup>3</sup> ):	4.12
Volume of cell (10 <sup>6</sup> pm <sup>3</sup> ):	276.96
Z:	3.00
RIR:	-

Subfiles and Quality

Subfiles: Inorganic

Quality: Blank (B)


Comments

General comments: Cell parameters generated by least squares refinement.

Unit cell: Reference reports:  $a=7.081$ ,  $c=6.468$ .

References

Primary reference: Mooney., *Acta Crystallogr.*, **3**, 338, (1950)

Stick Pattern

Peak list

<u>No.</u>	<u>h</u>	<u>k</u>	<u>l</u>	<u>d [Å]</u>	<u>2Theta[deg]</u>	<u>I [%]</u>
1	1	0	0	6.08000	14.557	50.0
2	1	0	1	4.41000	20.119	30.0
3	1	1	0	3.52000	25.281	40.0
4	2	0	0	3.04000	29.356	100.0
5	1	0	2	2.85000	31.362	30.0
6	1	1	2	2.38000	37.768	15.0
7	2	1	0	2.30500	39.046	15.0
8	2	1	1	2.17000	41.584	90.0
9	3	0	1	1.94000	46.789	30.0
10	2	1	2	1.88000	48.376	40.0
11	2	2	0	1.76000	51.911	20.0
12	3	0	2	1.72000	53.212	20.0
13	2	2	1	1.70000	53.888	40.0
14	3	1	1	1.64000	56.029	5.0

## APPENDIX B

### Joint committee on powder diffraction standard of CePO<sub>4</sub>

#### 1. CePO<sub>4</sub> monoclinic structure

##### Name and formula

Reference code:	01-077-0429
Mineral name:	Monazite
ICSD name:	Cerium Phosphate
Empirical formula:	CeO <sub>4</sub> P
Chemical formula:	Ce ( PO <sub>4</sub> )

##### Crystallographic parameters

Crystal system:	Monoclinic
Space group:	P21/n
Space group number:	14
a (?):	6.7700
b (?):	6.9900
c (?):	6.4500
Alpha (?):	90.0000
Beta (?):	103.6000
Gamma (?):	90.0000
Calculated density (g/cm <sup>3</sup> ):	5.26
Measured density (g/cm <sup>3</sup> ):	5.20
Volume of cell (10 <sup>6</sup> pm <sup>3</sup> ):	296.67

Z: 4.00  
RIR: 3.39

### Subfiles and Quality


Subfiles: Inorganic  
Mineral  
Modelled additional pattern  
Quality: Calculated (C)

### Comments

Sample source: Specimen from Ishikawayama, Fukushima, Japan.  
ICSD collection code: 039135  
Test from ICSD: At least one TF missing.  
No R value given.  
Calc. density unusual but tolerable.

### References

Primary reference: *Calculated from ICSD using POWD-12++*, (1997)  
Structure: Ueda, T., *Mem. Coll. Sci., Univ. Kyoto, Ser. B*, **20**,  
227, (1953)

Stick PatternPeak list

No.	h	k	l	d [Å]	2Theta[deg]	I [%]
1	-1	0	1	5.18902	17.074	14.5
2	1	1	0	4.79122	18.504	3.7
3	0	1	1	4.66707	19.000	35.3
4	-1	1	1	4.16646	21.308	37.0
5	1	0	1	4.08454	21.741	22.8
6	1	1	1	3.52659	25.233	12.8
7	0	2	0	3.49500	25.465	15.4
8	2	0	0	3.29009	27.080	59.4
9	0	0	2	3.13457	28.452	5.9

10	1	2	0	3.08663	28.903	100.0
11	0	2	1	3.05267	29.232	9.4
12	2	1	0	2.97682	29.994	9.6
13	-2	1	1	2.94256	30.351	6.2
14	-1	2	1	2.89879	30.821	0.9
15	0	1	2	2.86016	31.248	65.8
16	1	2	1	2.65554	33.725	1.2
17	-2	0	2	2.59451	34.543	16.4
18	2	1	1	2.49151	36.018	3.9
19	1	1	2	2.43875	36.825	12.1
20	-2	1	2	2.43236	36.926	22.6
21	2	2	0	2.39561	37.513	3.7
22	-2	2	1	2.37764	37.807	2.8
23	0	2	2	2.33166	38.582	6.3
24	-3	0	1	2.24111	40.207	1.2
25	1	3	0	2.19637	41.062	2.5
26	0	3	1	2.18403	41.305	18.5
27	-1	0	3	2.14231	42.147	19.0
28	-3	1	1	2.13410	42.317	21.2
29	2	2	1	2.12003	42.611	17.9
30	3	1	0	2.09278	43.194	0.7
31	1	2	2	2.08724	43.314	0.9
32	-2	2	2	2.08323	43.402	0.5
33	-1	1	3	2.04827	44.181	0.4

34	2	0	2	2.04227	44.318	0.3
35	1	3	1	2.02386	44.743	4.0
36	0	1	3	2.00216	45.255	0.9
37	2	1	2	1.96032	46.276	28.4
38	-3	1	2	1.95479	46.414	20.1
39	3	0	1	1.93346	46.957	5.1
40	-2	1	3	1.91235	47.507	0.3
41	2	3	0	1.90147	47.796	0.8
42	-2	3	1	1.89245	48.038	7.5
43	-3	2	1	1.88656	48.197	4.9
44	-1	3	2	1.86901	48.679	28.7
45	3	1	1	1.86349	48.833	16.9
46	3	2	0	1.85784	48.991	16.8
47	-1	2	3	1.82649	49.889	0.9
48	1	1	3	1.80552	50.509	1.1
49	0	2	3	1.79356	50.869	7.3
50	-3	2	2	1.75927	51.934	13.6
51	2	3	1	1.75459	52.083	10.1
52	0	4	0	1.74750	52.310	5.2
53	1	3	2	1.73586	52.688	16.7
54	-3	0	3	1.72815	52.941	9.3
55	1	4	0	1.68896	54.269	4.1
56	0	4	1	1.68333	54.465	2.3
57	-3	1	3	1.67903	54.616	0.3

58	-1	4	1	1.65611	55.437	1.7
59	4	0	0	1.64436	55.867	5.0
60	-4	0	2	1.62200	56.707	5.1
61	-3	3	1	1.61521	56.967	1.3
62	1	4	1	1.60664	57.299	2.8
63	4	1	0	1.60130	57.508	3.6
64	3	3	0	1.59707	57.674	4.2
65	3	1	2	1.58411	58.191	3.6
66	-4	1	2	1.58002	58.356	3.7
67	-1	3	3	1.57703	58.477	1.2
68	-1	1	4	1.57123	58.714	2.0
69	0	0	4	1.56729	58.877	4.4
70	-2	0	4	1.56502	58.970	2.6
71	2	1	3	1.56127	59.126	1.3
72	0	3	3	1.55569	59.359	0.4
73	-3	2	3	1.55022	59.590	0.3
74	2	4	0	1.54331	59.884	4.0
75	-2	4	1	1.53848	60.091	2.3
76	-3	3	2	1.53315	60.322	3.9
77	0	1	4	1.52932	60.489	4.4
78	-2	1	4	1.52721	60.581	5.6
79	-4	2	1	1.52280	60.775	2.9
80	-2	3	3	1.51242	61.237	0.1
81	4	2	0	1.48841	62.334	0.4

## 2. CePO<sub>4</sub> hexagonal structure

### Name and formula

Reference code:	01-075-1880
ICSD name:	Cerium Phosphate
Empirical formula:	CeO <sub>4</sub> P
Chemical formula:	CePO <sub>4</sub>

### Crystallographic parameters

Crystal system:	Hexagonal
Space group:	P6222
Space group number:	180
a (?):	7.0550
b (?):	7.0550
c (?):	6.4390
Alpha (?):	90.0000
Beta (?):	90.0000
Gamma (?):	120.0000
Calculated density (g/cm <sup>3</sup> ):	4.22
Volume of cell (10 <sup>6</sup> pm <sup>3</sup> ):	277.55
Z:	3.00
RIR:	5.23

Subfiles and Quality

Subfiles: Inorganic  
 Modelled additional pattern

Quality: Calculated (C)

Comments

ICSD collection code: 031563

Test from ICSD: No R value given.  
 At least one TF missing.

References

Primary reference: *Calculated from ICSD using POWD-12++*, (1997)

Structure: Mooney, R.C.L., *Acta Crystallogr.*, **3**, 337, (1950)

Peak list


No.	h	k	l	d [Å]	2Theta[deg]	I [%]
1	1	0	0	6.10981	14.486	100.0
2	1	0	1	4.43210	20.018	55.4
3	1	1	0	3.52750	25.227	16.8
4	1	1	1	3.09368	28.836	12.6
5	2	0	0	3.05490	29.210	71.4
6	1	0	2	2.84826	31.382	63.1
7	2	0	1	2.76003	32.412	1.9
8	1	1	2	2.37798	37.802	18.0

9	2	1	0	2.30929	38.971	4.5
10	2	0	2	2.21605	40.681	1.7
11	2	1	1	2.17372	41.510	24.5
12	0	0	3	2.14633	42.064	7.7
13	3	0	0	2.03660	44.448	3.6
14	1	0	3	2.02502	44.716	3.3
15	3	0	1	1.94179	46.744	12.8
16	2	1	2	1.87648	48.473	30.0
17	1	1	3	1.83359	49.682	1.6
18	2	2	0	1.76375	51.792	9.7
19	2	0	3	1.75621	52.031	9.3
20	3	0	2	1.72114	53.173	14.6
21	2	2	1	1.70109	53.850	0.6
22	3	1	0	1.69456	54.075	5.9
23	3	1	1	1.63876	56.075	7.0
24	2	1	3	1.57214	58.677	0.7
25	1	0	4	1.55663	59.320	4.7
26	2	2	2	1.54684	59.733	0.2
27	4	0	0	1.52745	60.570	6.3
28	3	1	2	1.49953	61.820	10.3
29	4	0	1	1.48621	62.436	0.2
30	3	0	3	1.47737	62.852	0.9
31	1	1	4	1.46447	63.470	4.2
32	2	0	4	1.42413	65.489	0.1

33	3	2	0	1.40169	66.672	2.2
34	4	0	2	1.38001	67.861	0.1
35	3	2	1	1.36961	68.447	2.9
36	2	2	3	1.36268	68.844	2.6
37	4	1	0	1.33327	70.585	0.6
38	3	1	3	1.33000	70.785	1.3
39	2	1	4	1.32057	71.367	7.6
40	4	1	1	1.30558	72.315	2.2
41	3	2	2	1.28517	73.650	5.3
42	3	0	4	1.26289	75.172	3.9
43	1	0	5	1.26011	75.367	3.4
44	4	0	3	1.24448	76.482	2.1
45	4	1	2	1.23182	77.414	4.8
46	5	0	0	1.22196	78.156	0.5
47	1	1	5	1.20971	79.102	0.5
48	5	0	1	1.20053	79.827	0.6
49	2	2	4	1.18899	80.761	0.1
50	2	0	5	1.18667	80.952	0.1
51	3	3	0	1.17583	81.856	0.4
52	3	2	3	1.17359	82.046	0.6
53	3	1	4	1.16709	82.602	4.5
54	3	3	1	1.15671	83.509	1.5
55	4	2	0	1.15465	83.692	9.8
56	5	0	2	1.14244	84.793	1.3

57	4	2	1	1.13652	85.339	0.1
58	4	1	3	1.13255	85.710	0.1
59	2	1	5	1.12473	86.452	1.4
60	4	0	4	1.10802	88.087	0.1
61	3	3	2	1.10448	88.443	1.9
62	5	1	0	1.09735	89.170	1.2

### Stick Pattern



## CURRICULUM VITAE

**Name** Miss Nuengruethai Ekthammathat

**Date of Birth** November 15, 1986

### Education Background

2005 - 2008 Bachelor of Science (Chemistry), second Class honors,  
Chiang Mai University

### Scholarship

2009 - 2010 The Center of Excellence for Innovation in Chemistry  
(PERCH-CIC)

### Experiences

2009 Undergraduate Teaching Assistant, Chiang Mai University,  
General Chemistry Laboratory

### International publication from MS.D. Thesis

1. **Nuengruethai Ekthammathat**, Titipun Thongtem, Anukorn Phuruangrat and Somchai Thongtem, "Microwave-assisted synthesis and characterisation of uniform LaPO<sub>4</sub> nanorods", *Journal of Experimental Nanoscience*, (2011) Accepted.

**Other International publication**

1. Anukorn Phuruangrat, **Nuengruethai Ekthammathat**, Titipun Thongtem, and Somchai Thongtem, “Microwave-assisted synthesis and optical property of CdMoO<sub>4</sub> nanoparticles”, *Journal of Physics and Chemistry of Solids*, 72 (2011) 176-180.

**Conference presentation**

1. **Nuengruethai Ekthammathat**, Titipun Thongtem, Anukorn Phuruangrat and Somchai Thongtem, “Luminescence of uniform LaPO<sub>4</sub> nanorods synthesized by a facial microwave method”, The 28<sup>th</sup> Annual Conference of the Microscopy Society of Thailand, 5-7 January 2011, Mea Fah Luang University, Chiang Rai, Thailand.  
(Proceeding of the 28<sup>th</sup> MST Annual Conference)
2. **Nuengruethai Ekthammathat**, Titipun Thongtem, Anukorn Phuruangrat and Somchai Thongtem, “Microwave-assisted synthesis of CePO<sub>4</sub> nanorods phosphor with violet emission”, The 12<sup>th</sup> International Symposium on Eco-materials Processing and Design, 8-11 January 2011, Chiang Mai University, Chiang Mai, Thailand.  
(Excellence Award of Poster Presentation)

**INTERNATIONAL PUBLICATION**

## Microwave-assisted synthesis and characterisation of uniform LaPO<sub>4</sub> nanorods

Nuengruethai Ekthammathat<sup>a</sup>, Titipun Thongtem<sup>a\*</sup>, Anukorn Phuruangrat<sup>b\*</sup> and Somchai Thongtem<sup>c</sup>

5 <sup>a</sup>Department of Chemistry and Center for Innovation in Chemistry, Faculty of Science, Chiang Mai University, Chiang Mai 50200, Thailand; <sup>b</sup>Department of Materials Science and Technology, Faculty of Science, Prince of Songkla University, Hat Yai, Songkhla 90112, Thailand; <sup>c</sup>Department of Physics and Materials Science, Faculty of Science, Chiang Mai University, Chiang Mai 50200, Thailand

10 (Received 25 September 2010; final version received 23 December 2010)

15 Lanthanum phosphate (LaPO<sub>4</sub>) phosphor materials with one-dimensional (1-D) nanorods and nanoparticles were successfully synthesised from LaCl<sub>3</sub> · 7H<sub>2</sub>O and Na<sub>3</sub>PO<sub>4</sub> · 12H<sub>2</sub>O with pH adjusted at the range 1–6 using 37% HNO<sub>3</sub> by the microwave radiation at 180 W for 60 min. X-ray diffraction patterns indicated that the as-synthesised products were hexagonal LaPO<sub>4</sub> nanostructures. Scanning electron microscopy and transmission electron microscopy analyses showed that these products were nanoparticles, short and long nanorods, controlled by pH of the precursor solutions. Asymmetric stretching and bending vibrations of the PO<sub>4</sub><sup>3-</sup> groups were detected using Fourier transform-infrared spectroscopy. A possible formation mechanism of LaPO<sub>4</sub> phosphor materials with 1-D nanorods and nanoparticles was also proposed according to the experimental results.

20 **Keywords:** LaPO<sub>4</sub>; 1-D nanorods; nanoparticles; microwave-assisted synthesis

### 1. Introduction

25 In recent years, scientists and researchers have focused on doing research on the properties of one-dimensional (1-D) nanomaterials, including nanorods, nanowires, nanobelts and nanotubes for use as phosphor materials, which have more efficient novel luminescent properties, due to their quantum size effect [1–3]. In comparison with 0-D structures, the space anisotropy of a 1-D structure provided a better model system to study the dependence of electronic transport, optical and mechanical properties on size confinement and dimensionality [4,5]. Their properties were controlled by the morphology and size 30 which can be controlled by several parameters including temperature, holding reaction time, template/surfactant added, pH value, synthesised methods, starting materials and many others [6,7].

---

\*Corresponding author. Emails: [ttphongtem@yahoo.com](mailto:ttphongtem@yahoo.com) (T. Thongtem); [phuruangrat@hotmail.com](mailto:phuruangrat@hotmail.com) (A. Phuruangrat)

35 Lanthanide orthophosphate ( $\text{LnPO}_4$ ) nanomaterials including lanthanum phosphate  
( $\text{LaPO}_4$ ),  $\text{CePO}_4$ ,  $\text{EuPO}_4$  and  $\text{GdPO}_4$  belong to the group of phosphor materials, which are  
very interesting for researchers due to their unique chemical and physical properties [1,2].  
They have a variety of potentially beneficial properties such as very high thermal stability  
( $\sim 2300^\circ\text{C}$ ), low solubility ( $K_{\text{sp}} = 10^{-25} - 10^{-27}$ ) in water, high refractive index ( $n \approx 1.5$ )  
40 and high concentration of lasing ions ( $\sim 1.8 \times 10^{21}$  ions  $\text{cm}^{-3}$ ). Because of these unique  
properties,  $\text{LnPO}_4$  is capable of being used in various applications, such as luminescent or  
laser materials, magnets, ceramics, catalysts, proton conductors, moisture sensors, heat-  
resistant materials, hosts for radioactive nuclear waste, green ( $^5\text{D}_4 - ^7\text{F}_5$  of  $\text{Tb}^{3+}$  at 543 nm)  
phosphor (for  $\text{Tb}^{3+}$  co-activated by bulk  $\text{LaPO}_4$ ) in fluorescent lamps, scintillators for  
X-ray and gamma-ray detection in medical science, biochemical probes and medical  
45 diagnostics [8]. Among them,  $\text{LaPO}_4$ , with a unique 4f shell of  $\text{La}^{3+}$  ions, has been widely  
used in optoelectronic devices high-performance luminescent devices, magnets, catalysts,  
time-resolved fluorescence labels for biological detection and other functional  
materials [1,8,9].

There are a number of reports on the synthesis of  $\text{LaPO}_4$  nanomaterials by various  
50 methods, such as liquid phase reaction [10], sonochemical method [11], precipitation [12],  
solvothermal/hydrothermal method [9,13] and solid-liquid reaction [14], but they are not  
advantageous due to the high-temperature consumption and long-reaction time. In the  
past decades, microwave radiation has been considered as a new candidate, and is capable  
of being applied for the synthesis of nanomaterials such as  $\text{YVO}_4$  [15],  $\text{ZnO}$  [16],  $\text{CeO}_2$  [17]  
55 and  $\text{PbWO}_4$  [18]. The microwave method consumes low power and has short-reaction  
time, and is able to produce highly purified products with controlled morphologies,  
compared to others [19].

In this research, hexagonal  $\text{LaPO}_4$  nanorods have been synthesised by microwave  
radiation method at the precursor pH range of 1–6. The products were characterised by  
60 X-ray diffraction (XRD), scanning electron microscopy (SEM) and transmission electron  
microscopy (TEM) and Fourier transform-infrared spectrometry (FT-IR).

## 2. Experiment

To synthesise  $\text{LaPO}_4$  nanostructures, chemical-grade reagents purchased from Merck  
Company,  $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$ ,  $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$  and 37%  $\text{HNO}_3$ , were used without further  
65 purification.

Each 0.003 mole of  $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$  and  $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$  was dissolved in 80 mL  
deionised (DI) water with vigorous stirring for 15 min, and followed by the addition of  
37%  $\text{HNO}_3$  to the precursor solutions for adjusting the pH to be in the range 1–6. Each of  
70 these solutions was continuously heated by a microwave oven (Electrolux, EMS 2820,  
2.45 GHz) at 180 W and 60 min at a time, and naturally cooled down to room temperature.  
Finally, white precipitates were produced, filtered, washed with DI water and 95% ethanol  
several times and dried at  $80^\circ\text{C}$  for 12 h. The final products were collected for further  
characterisation.

Phase, morphologies and vibration modes of the products were characterised by XRD  
75 (Philips X'Pert MPD) using  $\text{Cu-K}\alpha$  line ( $\lambda = 1.54056 \text{ \AA}$ ), and scanned at  $2\theta$  angle ranging  
from  $10^\circ$  to  $60^\circ$  with a scanning rate of  $0.04^\circ$  per step. The XRD data were analysed by  
X'Pert HighScore Plus program in combination with The Joint Committee on Powder

80 Diffraction Standards (JCPDS). Field emission scanning electron microscopy (FE-SEM, JEOL JSM-6335F) and TEM (JEOL JEM-2010) were operated at 15.0 and 200 kV with LaB<sub>6</sub> electron gun. FT-IR spectroscopy analysis (Perkin Elmer RX spectrophotometer) of the products with 40 times concentration diluted by KBr was performed over 400–4000 cm<sup>-1</sup> range with 4 cm<sup>-1</sup> resolution.

### 3. Results and discussion

85 Phase and crystalline structure of LaPO<sub>4</sub> synthesised by microwave radiation method with pH adjusted to be in the range 1–6 by the addition of 37% HNO<sub>3</sub> were investigated by XRD, as shown in Figure 1. These patterns were identified as purified hexagonal LaPO<sub>4</sub> phase, compared to the JCPDS No. 04-0635 (*a* = *b* = 7.0420 Å and *c* = 6.4490 Å) [20].  
 90 When the precursor pH values were lowered from 6 to 1, the XRD peaks became sharper, proving that the product crystal has improved. Therefore, it can be concluded that hexagonal LaPO<sub>4</sub> crystalline was influenced by the precursor pH. Lattice parameters of hexagonal LaPO<sub>4</sub> nanostructures were calculated from the equation of plane spacing for the hexagonal structure in combination with the Bragg's law for diffraction, as shown below.

$$\frac{1}{d^2} = \frac{4}{3a^2}(h^2 + hk + k^2) + \frac{1}{c^2}l^2 \quad (1)$$

$$\lambda = 2d \sin \theta \quad (2)$$




Figure 1. XRD patterns of LaPO<sub>4</sub> synthesised in the solutions with different pH values by microwave radiation at 180 W for 60 min.



4 *N. Ekthammathat et al.*

95 where  $a$  and  $c$  are the lattice parameters,  $h$ ,  $k$  and  $l$  the Miller indices,  $d$  the plane spacing and  $\theta$  the Bragg's angle [21]. The calculated lattice parameters of the hexagonal  $\text{LaPO}_4$  nanomaterials (pH = 1) are  $a = b = 7.0859 \text{ \AA}$  and  $c = 6.5016 \text{ \AA}$ , very close to those of the JCPDS standard values [20].

100 Consider the lanthanide phosphate compounds such as  $\text{CePO}_4$ ,  $\text{LaPO}_4$  and  $\text{GdPO}_4$ . Their different modes were originated from the vibration in the tetrahedral  $\text{PO}_4^{3-}$  units. The selection rule for the isolated  $\text{PO}_4^{3-}$  tetrahedrons shows different vibration modes as  $A_1(\text{R}) + E(\text{R}) + 2F_2(\text{IR} + \text{R})$ . The  $\nu_1(A_1)$  and  $\nu_2(E)$  corresponding to the symmetric stretching and bending modes are Raman active. The  $\nu_3(F_2)$  and  $\nu_4(F_2)$  are the asymmetric stretching and bending modes, specified as Raman and IR doubly active. The symmetry of  $\text{PO}_4^{3-}$  ions in the lanthanide phosphate compounds decreases from  $T_d$  to  $C_1$ . Thus, the non-IR modes become IR active [22]. FT-IR spectra of  $\text{LaPO}_4$  synthesised by the microwave-assisted synthesis at the pH levels of 1, 3 and 5 were recorded in the range 400–4000  $\text{cm}^{-1}$  as shown in Figure 2. The broad bands at 3440  $\text{cm}^{-1}$  and 1644  $\text{cm}^{-1}$  were, respectively, assigned to be the O–H stretching and bending modes of absorbed water containing in the products. The other peaks at 1046, 614 and 540  $\text{cm}^{-1}$  were seen in the vibrations in  $\text{PO}_4^{3-}$  of  $\text{LaPO}_4$ . The mode at 1046  $\text{cm}^{-1}$  was ascribed as the asymmetric stretching vibration of P–O bonds. Those centred at 614 and 540  $\text{cm}^{-1}$  were the P–O bending vibrations of the  $\text{PO}_4^{3-}$  groups [7,9,22]. There were no other functional groups, detected in these products.

115 The morphologies of  $\text{LaPO}_4$  nanostructures were characterised by SEM and TEM. From SEM analysis (Figure 3), it is observed that the morphologies of the as-synthesised  $\text{LaPO}_4$  products have different shapes (nanoparticles and nanorods), depending on the precursor pH of the system. At the pH range of 4–6, there were agglomerates of nanoparticles with size less than 50 nm. When the precursor pH was lowered to 3, the  $\text{LaPO}_4$  nanoparticles arranged themselves and diffused to form short nanorods.




Figure 2. FTIR spectra of  $\text{LaPO}_4$  synthesised in the solutions with pH values of 1, 3 and 5 by microwave radiation at 180 W for 60 min.

Finally, the short nanorods (~200 nm) and long nanorods (~600 nm) were, respectively, produced at the pH values of 2 and 1, under the microwave radiation. These results confirmed that pH is the key factor to control the LaPO<sub>4</sub> morphologies, by changing from nanoparticles to 1-D nanorods, due to the increase in the H<sup>+</sup> concentration of the solutions. The effect of pH on different morphologies of LaPO<sub>4</sub> nanostructures is illustrated in Figure 4.

The uniform shape of LaPO<sub>4</sub> nanorods was characterised by TEM, as shown in Figure 5. It indicates the true morphology of LaPO<sub>4</sub> at the pH values 1 and 2, showing that both these products are nanorods with different lengths and diameters. The LaPO<sub>4</sub> nanorods are 100–200 nm long with 10–12 nm diameter for pH value 2, and 600–1000 nm long, with 20–40 nm diameter for pH value 1 – in accordance with those of the SEM analysis. The lattice plane and growth direction of LaPO<sub>4</sub> nanorods were analysed by high-resolution transmission electron microscope (HRTEM), as shown in Figure 5(c) and (d). It shows lattice fringes, of which a number of planes are parallel to the LaPO<sub>4</sub> structure. These planes are 4.42 Å apart, corresponding to the (1 0 1) plane of hexagonal LaPO<sub>4</sub> structure (JCPDS No. 04-0635) [20]. This analysis demonstrated that the hexagonal LaPO<sub>4</sub> nanorods grew along the [-1 0 1] direction.

A possible formation mechanism of LaPO<sub>4</sub> phosphor nanomaterials is simply explained as follows:





Figure 3. SEM images of LaPO<sub>4</sub> synthesised in the solutions with pH values of (a)–(f) 1, 2, 3, 4, 5 and 6 by microwave radiation at 180 W for 60 min, respectively.

6 *N. Ekthammathat et al.*




Figure 4. Schematic diagram for the formation of LaPO<sub>4</sub> products.




Figure 5. TEM and HRTEM images of LaPO<sub>4</sub> synthesised in the solutions with the pH of (a), (c) and (d) 1, and (b) 2, by microwave radiation at 180 W for 60 min.

In this research,  $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$  and  $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$  dissolved in DI water with the addition of  $\text{HNO}_3$  (conc.). Thus,  $\text{H}^+$  ions reacted with  $\text{PO}_4^{3-}$  ions to form  $\text{H}_n\text{PO}_4^{(3-n)-}$ , which subsequently reacted with  $\text{La}^{3+}$  to produce  $\text{LaPO}_4$  white precipitates by the microwave radiation at 180 W for 60 min. The products have different morphologies for different pH values of the solutions. These implied that  $\text{H}^+$  ions induced the system to be at the highest chemical potential and led the product to grow in 1-D  $\text{LaPO}_4$  nanorods at pH value of 1 – in accordance with the report of Zhang and Guan [23]. Compared to the facile solution-precipitation process reported by Wang et al. [24],  $\text{LaPO}_4$  products with different morphologies were synthesised. The effect of the precursor pH on the different morphologies was explained above. In this research, microwave radiation as a heating source has more advantages than the conventional heating method, due to the rapid volumetric heating, resulting in higher reaction rate and selectivity, reduction in reaction time often by orders of magnitude, and increasing yields of the products [18]. It is a candidate for the synthesis of nanomaterials.

#### 4. Conclusions

Hexagonal  $\text{LaPO}_4$  nanorods were successfully synthesised from  $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$  and  $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$  in DI water at pH level 1 by the 180-W and 60-min microwave radiation. This method is simple and inexpensive, with short-reaction time and can be applied for the synthesis of other nanomaterials.

#### Acknowledgements

The research was supported by the National Nanotechnology Center (NANOTEC), a member of National Science and Technology Development Agency (NSTDA), Ministry of Science and Technology; Thailand Research Fund (TRF); and Center for Innovation in Chemistry (PERCH-CIC), Commission on Higher Education (CHE), Ministry of Education, Thailand.

#### References

- [1] L. Qian, W. Du, Q. Gong, and X. Qian, *Controlled synthesis of light rare earth phosphate nanowires via a simple solution route*, Mater. Chem. Phys. 114 (2009), pp. 479–484.
- [2] Y.S. Zhao, H. Fu, A. Peng, Y. Ma, D. Xiao, and J. Yao, *Low-dimensional nanomaterials based on small organic molecules: Preparation and optoelectronic properties*, Adv. Mater. 20 (2008), pp. 2859–2876.
- [3] X. Liu, Q. Wang, Z. Gao, J. Sun, and J. Shen, *Fabrication of lanthanide phosphate nanocrystals with well-controlled morphologies by layer-by-layer adsorption and reaction method at room temperature*, Cryst. Growth Des. 9 (2009), pp. 3707–3713.
- [4] L. Yu, H. Song, Z. Liu, L. Yang, and S.L.Z. Zheng, *Electronic transition and energy transfer processes in  $\text{LaPO}_4\text{-Ce}^{3+}/\text{Tb}^{3+}$  nanowires*, J. Phys. Chem. B 109 (2005), pp. 11450–11455.
- [5] L. Yu, H. Song, S. Lu, Z. Liu, and L. Yang, *Influence of shape anisotropy on photoluminescence characteristics in  $\text{LaPO}_4\text{:Eu}$  nanowires*, Chem. Phys. Lett. 399 (2004), pp. 384–388.
- [6] Z.G. Yan and C.H. Yan, *Controlled synthesis of rare earth nanostructures*, J. Mater. Chem. 18 (2008), pp. 5046–5059.
- [7] L. Ma, W.X. Chen, Y.F. Zheng, and Z.D. Xu, *Hydrothermal growth and morphology evolution of  $\text{CePO}_4$  aggregates by a complexing method*, Mater. Res. Bull. 43 (2008), pp. 2840–2849.

- 185 [8] C.R. Patra, G. Alexandra, S. Patra, D.S. Jacob, A. Gedanken, A. Landau, and Y. Gofer, *Microwave approach for the synthesis of rhabdophane-type lanthanide orthophosphate ( $Ln = La, Ce, Nd, Sm, Eu, Gd$  and  $Tb$ ) nanorods under solvothermal conditions*, *New J. Chem.* 29 (2005), pp. 733–739.
- [9] P. Yang, Z. Quan, C. Li, Z. Hou, W. Wang, and J. Lin, *Solvothermal synthesis and luminescent properties of monodisperse  $LaPO_4:Ln$  ( $Ln = Eu^{3+}, Ce^{3+}, Tb^{3+}$ ) particles*, *J. Solid State Chem.* 182 (2009), pp. 1045–1054.
- 190 [10] H.K. Jung, J.S. OH, S. Seok, and T.H. Lee, *Preparation and luminescence properties of  $LaPO_4:Er, Yb$  nanoparticles*, *J. Lumin.* 114 (2005), pp. 307–313.
- [11] C. Yu, M. Yu, C. Li, X. Liu, J. Yang, P. Yang, and J. Lin, *Facile sonochemical synthesis and photoluminescent properties of lanthanide orthophosphate nanoparticles*, *J. Solid State Chem.* 182 (2009), pp. 339–347.
- 195 [12] R. Wang, W. Pan, J. Chen, M. Fang, and J. Meng, *Effect of  $LaPO_4$  content on the microstructure and machinability of  $Al_2O_3/LaPO_4$  composites*, *Mater. Lett.* 57 (2002), pp. 822–827.
- [13] W.T. Yao and S.H. Yu, *Recent advances in hydrothermal syntheses of low dimensional nanoarchitectures*, *Int. J. Nanotechnology* 4 (2007), pp. 129–162.
- 200 [14] W. Ruigang, P. Wei, C. Jian, F. Minghao, C. Zhenzhu, and L. Yongming, *Synthesis and sintering of  $LaPO_4$  powder and its application*, *Mater. Chem. Phys.* 79 (2003), pp. 30–36.
- [15] W.J. Park, M.K. Jung, T. Masaki, S.J. Im, and D.H. Yoon, *Characterization of  $YVO_4:Eu^{3+}, Sm^{3+}$  red phosphor quick synthesized by microwave rapid heating method*, *Mater. Sci. Eng. B* 146 (2008), pp. 95–98.
- 205 [16] S. Cho, S.H. Jung, and K.H. Lee, *Morphology-controlled growth of ZnO nanostructures using microwave irradiation: From basic to complex structures*, *J. Phys. Chem. C* 112 (2008), pp. 12769–12776.
- [17] C.S. Riccardi, R.C. Linma, M.L. dos Santos, P.R. Bueno, J.A. Varela, and E. Longo, *Preparation of  $CeO_2$  by a simple microwave–hydrothermal method*, *Solid State Ionics* 180 (2009), pp. 288–291.
- 210 [18] G. Wang and C. Hao, *Fast synthesis and morphology control of lead tungstate microcrystals via a microwave-assisted method*, *Mater. Res. Bull.* 44 (2009), pp. 418–421.
- [19] C.O. Kappe, D. Dallinger, and S.S. Murphree, *Practical microwave synthesis for organic chemists: Strategies, instruments, and protocols*, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, 2009, pp. 1–9.
- 215 [20] Powder Diffract File, JCPDS-ICDD, 12 Campus Boulevard, Newtown Square, PA 19073-3273, USA, 2001.
- [21] C. Suryanarayana and M.G. Norton, *X-ray Diffraction, A Practical Approach*, Plenum Press, New York, 1998.
- 220 [22] K. Wang, J. Zhang, J. Wang, C. Fang, W. Yu, X. Zhao, and H. Xu, *Growth defects and infrared spectra analysis of  $CePO_4$  single crystals*, *J. Appl. Cryst.* 38 (2005), pp. 675–677.
- [23] Y. Zhang and H. Guan, *Hydrothermal synthesis and characterization of hexagonal and monoclinic  $CePO_4$  single-crystal nanowires*, *J. Cryst. Growth* 256 (2003), pp. 156–161.
- 225 [24] Z. Chai, L. Gao, C. Wang, H. Zhang, R. Zheng, P.A. Webley, and H. Wang, *Synthesis of mesoporous  $LaPO_4$  nanostructures with controllable morphologies*, *New J. Chem.* 33 (2009), pp. 1657–1662.

## Microwave-assisted synthesis and characterisation of uniform LaPO<sub>4</sub> nanorods

Nuengruethai Ekthammathat<sup>a</sup>, Titipun Thongtem<sup>a\*</sup>, Anukorn Phuruangrat<sup>b\*</sup> and Somchai Thongtem<sup>c</sup>

5 <sup>a</sup>Department of Chemistry and Center for Innovation in Chemistry, Faculty of Science, Chiang Mai University, Chiang Mai 50200, Thailand; <sup>b</sup>Department of Materials Science and Technology, Faculty of Science, Prince of Songkla University, Hat Yai, Songkhla 90112, Thailand; <sup>c</sup>Department of Physics and Materials Science, Faculty of Science, Chiang Mai University, Chiang Mai 50200, Thailand

10 (Received 25 September 2010; final version received 23 December 2010)

15 Lanthanum phosphate (LaPO<sub>4</sub>) phosphor materials with one-dimensional (1-D) nanorods and nanoparticles were successfully synthesised from LaCl<sub>3</sub>·7H<sub>2</sub>O and Na<sub>3</sub>PO<sub>4</sub>·12H<sub>2</sub>O with pH adjusted at the range 1–6 using 37% HNO<sub>3</sub> by the microwave radiation at 180 W for 60 min. X-ray diffraction patterns indicated that the as-synthesised products were hexagonal LaPO<sub>4</sub> nanostructures. Scanning electron microscopy and transmission electron microscopy analyses showed that these products were nanoparticles, short and long nanorods, controlled by pH of the precursor solutions. Asymmetric stretching and bending vibrations of the PO<sub>4</sub><sup>3-</sup> groups were detected using Fourier transform-infrared spectroscopy. A possible formation mechanism of LaPO<sub>4</sub> phosphor materials with 1-D nanorods and nanoparticles was also proposed according to the experimental results.

20 **Keywords:** LaPO<sub>4</sub>; 1-D nanorods; nanoparticles; microwave-assisted synthesis

### 1. Introduction

25 In recent years, scientists and researchers have focused on doing research on the properties of one-dimensional (1-D) nanomaterials, including nanorods, nanowires, nanobelts and nanotubes for use as phosphor materials, which have more efficient novel luminescent properties, due to their quantum size effect [1–3]. In comparison with 0-D structures, the space anisotropy of a 1-D structure provided a better model system to study the dependence of electronic transport, optical and mechanical properties on size confinement and dimensionality [4,5]. Their properties were controlled by the morphology and size which can be controlled by several parameters including temperature, holding reaction time, template/surfactant added, pH value, synthesised methods, starting materials and many others [6,7].

---

\*Corresponding author. Emails: [ttphongtem@yahoo.com](mailto:ttphongtem@yahoo.com) (T. Thongtem); [phuruangrat@hotmail.com](mailto:phuruangrat@hotmail.com) (A. Phuruangrat)

2 N. Ekthammathat et al.

35 Lanthanide orthophosphate ( $\text{LnPO}_4$ ) nanomaterials including lanthanum phosphate  
( $\text{LaPO}_4$ ),  $\text{CePO}_4$ ,  $\text{EuPO}_4$  and  $\text{GdPO}_4$  belong to the group of phosphor materials, which are  
very interesting for researchers due to their unique chemical and physical properties [1,2].  
They have a variety of potentially beneficial properties such as very high thermal stability  
( $\sim 2300^\circ\text{C}$ ), low solubility ( $K_{\text{sp}} = 10^{-25} - 10^{-27}$ ) in water, high refractive index ( $n \approx 1.5$ )  
40 and high concentration of lasing ions ( $\sim 1.8 \times 10^{21}$  ions  $\text{cm}^{-3}$ ). Because of these unique  
properties,  $\text{LnPO}_4$  is capable of being used in various applications, such as luminescent or  
laser materials, magnets, ceramics, catalysts, proton conductors, moisture sensors, heat-  
resistant materials, hosts for radioactive nuclear waste, green ( ${}^5\text{D}_4\text{-}{}^7\text{F}_5$  of  $\text{Tb}^{3+}$  at 543 nm)  
phosphor (for  $\text{Tb}^{3+}$  co-activated by bulk  $\text{LaPO}_4$ ) in fluorescent lamps, scintillators for  
45 X-ray and gamma-ray detection in medical science, biochemical probes and medical  
diagnostics [8]. Among them,  $\text{LaPO}_4$ , with a unique 4f shell of  $\text{La}^{3+}$  ions, has been widely  
used in optoelectronic devices high-performance luminescent devices, magnets, catalysts,  
time-resolved fluorescence labels for biological detection and other functional  
materials [1,8,9].

50 There are a number of reports on the synthesis of  $\text{LaPO}_4$  nanomaterials by various  
methods, such as liquid phase reaction [10], sonochemical method [11], precipitation [12],  
solvothermal/hydrothermal method [9,13] and solid-liquid reaction [14], but they are not  
advantageous due to the high-temperature consumption and long-reaction time. In the  
past decades, microwave radiation has been considered as a new candidate, and is capable  
of being applied for the synthesis of nanomaterials such as  $\text{YVO}_4$  [15],  $\text{ZnO}$  [16],  $\text{CeO}_2$  [17]  
55 and  $\text{PbWO}_4$  [18]. The microwave method consumes low power and has short-reaction  
time, and is able to produce highly purified products with controlled morphologies,  
compared to others [19].

60 In this research, hexagonal  $\text{LaPO}_4$  nanorods have been synthesised by microwave  
radiation method at the precursor pH range of 1–6. The products were characterised by  
X-ray diffraction (XRD), scanning electron microscopy (SEM) and transmission electron  
microscopy (TEM) and Fourier transform-infrared spectrometry (FT-IR).

## 2. Experiment

65 To synthesise  $\text{LaPO}_4$  nanostructures, chemical-grade reagents purchased from Merck  
Company,  $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$ ,  $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$  and 37%  $\text{HNO}_3$ , were used without further  
purification.

Each 0.003 mole of  $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$  and  $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$  was dissolved in 80 mL  
deionised (DI) water with vigorous stirring for 15 min, and followed by the addition of  
37%  $\text{HNO}_3$  to the precursor solutions for adjusting the pH to be in the range 1–6. Each of  
70 these solutions was continuously heated by a microwave oven (Electrolux, EMS 2820,  
2.45 GHz) at 180 W and 60 min at a time, and naturally cooled down to room temperature.  
Finally, white precipitates were produced, filtered, washed with DI water and 95% ethanol  
several times and dried at  $80^\circ\text{C}$  for 12 h. The final products were collected for further  
characterisation.

75 Phase, morphologies and vibration modes of the products were characterised by XRD  
(Philips X'Pert MPD) using  $\text{Cu-K}\alpha$  line ( $\lambda = 1.54056 \text{ \AA}$ ), and scanned at  $2\theta$  angle ranging  
from  $10^\circ$  to  $60^\circ$  with a scanning rate of  $0.04^\circ$  per step. The XRD data were analysed by  
X'Pert HighScore Plus program in combination with The Joint Committee on Powder

1

80 Diffraction Standards (JCPDS). Field emission scanning electron microscopy (FE-SEM, JEOL JSM-6335F) and TEM (JEOL JEM-2010) were operated at 15.0 and 200 kV with LaB<sub>6</sub> electron gun. FT-IR spectroscopy analysis (Perkin Elmer RX spectrophotometer) of the products with 40 times concentration diluted by KBr was performed over 400–4000 cm<sup>-1</sup> range with 4 cm<sup>-1</sup> resolution.

### 3. Results and discussion

85 Phase and crystalline structure of LaPO<sub>4</sub> synthesised by microwave radiation method with pH adjusted to be in the range 1–6 by the addition of 37% HNO<sub>3</sub> were investigated by XRD, as shown in Figure 1. These patterns were identified as purified hexagonal LaPO<sub>4</sub> phase, compared to the JCPDS No. 04-0635 (*a* = *b* = 7.0420 Å and *c* = 6.4490 Å) [20].  
 90 When the precursor pH values were lowered from 6 to 1, the XRD peaks became sharper, proving that the product crystal has improved. Therefore, it can be concluded that hexagonal LaPO<sub>4</sub> crystalline was influenced by the precursor pH. Lattice parameters of hexagonal LaPO<sub>4</sub> nanostructures were calculated from the equation of plane spacing for the hexagonal structure in combination with the Bragg's law for diffraction, as shown below.

$$\frac{1}{d^2} = \frac{4}{3a^2}(h^2 + hk + k^2) + \frac{1}{c^2}l^2 \quad (1)$$

$$\lambda = 2d \sin \theta \quad (2)$$




Figure 1. XRD patterns of LaPO<sub>4</sub> synthesised in the solutions with different pH values by microwave radiation at 180 W for 60 min.

4 N. Ekthammathat et al.

95 where  $a$  and  $c$  are the lattice parameters,  $h$ ,  $k$  and  $l$  the Miller indices,  $d$  the plane spacing and  $\theta$  the Bragg's angle [21]. The calculated lattice parameters of the hexagonal  $\text{LaPO}_4$  nanomaterials (pH = 1) are  $a = b = 7.0859 \text{ \AA}$  and  $c = 6.5016 \text{ \AA}$ , very close to those of the JCPDS standard values [20].

100 Consider the lanthanide phosphate compounds such as  $\text{CePO}_4$ ,  $\text{LaPO}_4$  and  $\text{GdPO}_4$ . Their different modes were originated from the vibration in the tetrahedral  $\text{PO}_4^{3-}$  units. The selection rule for the isolated  $\text{PO}_4^{3-}$  tetrahedrons shows different vibration modes as  $A_1(\text{R}) + E(\text{R}) + 2F_2(\text{IR} + \text{R})$ . The  $\nu_1(A_1)$  and  $\nu_2(E)$  corresponding to the symmetric stretching and bending modes are Raman active. The  $\nu_3(F_2)$  and  $\nu_4(F_2)$  are the asymmetric stretching and bending modes, specified as Raman and IR doubly active. The symmetry of  $\text{PO}_4^{3-}$  ions in the lanthanide phosphate compounds decreases from  $T_d$  to  $C_1$ . Thus, the non-IR modes become IR active [22]. FT-IR spectra of  $\text{LaPO}_4$  synthesised by the microwave-assisted synthesis at the pH levels of 1, 3 and 5 were recorded in the range  $400\text{--}4000 \text{ cm}^{-1}$  as shown in Figure 2. The broad bands at  $3440 \text{ cm}^{-1}$  and  $1644 \text{ cm}^{-1}$  were, respectively, assigned to be the O-H stretching and bending modes of absorbed water containing in the products. The other peaks at  $1046$ ,  $614$  and  $540 \text{ cm}^{-1}$  were seen in the vibrations in  $\text{PO}_4^{3-}$  of  $\text{LaPO}_4$ . The mode at  $1046 \text{ cm}^{-1}$  was ascribed as the asymmetric stretching vibration of P-O bonds. Those centred at  $614$  and  $540 \text{ cm}^{-1}$  were the P-O bending vibrations of the  $\text{PO}_4^{3-}$  groups [7,9,22]. There were no other functional groups, detected in these products.

115 The morphologies of  $\text{LaPO}_4$  nanostructures were characterised by SEM and TEM. From SEM analysis (Figure 3), it is observed that the morphologies of the as-synthesised  $\text{LaPO}_4$  products have different shapes (nanoparticles and nanorods), depending on the precursor pH of the system. At the pH range of 4–6, there were agglomerates of nanoparticles with size less than 50 nm. When the precursor pH was lowered to 3, the  $\text{LaPO}_4$  nanoparticles arranged themselves and diffused to form short nanorods.




Figure 2. FTIR spectra of  $\text{LaPO}_4$  synthesised in the solutions with pH values of 1, 3 and 5 by microwave radiation at 180 W for 60 min.

Finally, the short nanorods (~200 nm) and long nanorods (~600 nm) were, respectively, produced at the pH values of 2 and 1, under the microwave radiation. These results confirmed that pH is the key factor to control the LaPO<sub>4</sub> morphologies, by changing from nanoparticles to 1-D nanorods, due to the increase in the H<sup>+</sup> concentration of the solutions. The effect of pH on different morphologies of LaPO<sub>4</sub> nanostructures is illustrated in Figure 4.

The uniform shape of LaPO<sub>4</sub> nanorods was characterised by TEM, as shown in Figure 5. It indicates the true morphology of LaPO<sub>4</sub> at the pH values 1 and 2, showing that both these products are nanorods with different lengths and diameters. The LaPO<sub>4</sub> nanorods are 100–200 nm long with 10–12 nm diameter for pH value 2, and 600–1000 nm long, with 20–40 nm diameter for pH value 1 – in accordance with those of the SEM analysis. The lattice plane and growth direction of LaPO<sub>4</sub> nanorods were analysed by high-resolution transmission electron microscope (HRTEM), as shown in Figure 5(c) and (d). It shows lattice fringes, of which a number of planes are parallel to the LaPO<sub>4</sub> nanorods. These planes are 4.42 Å apart, corresponding to the (1 0 1) plane of hexagonal LaPO<sub>4</sub> structure (JCPDS No. 04-0635) [20]. This analysis demonstrated that the hexagonal LaPO<sub>4</sub> nanorods grew along the [-1 0 1] direction.

A possible formation mechanism of LaPO<sub>4</sub> phosphor nanomaterials is simply explained as follows:





Figure 3. SEM images of LaPO<sub>4</sub> synthesised in the solutions with pH values of (a)–(f) 1, 2, 3, 4, 5 and 6 by microwave radiation at 180 W for 60 min, respectively.

6 *N. Ekthammathat et al.*




Figure 4. Schematic diagram for the formation of  $\text{LaPO}_4$  products.




Figure 5. TEM and HRTEM images of  $\text{LaPO}_4$  synthesised in the solutions with the pH of (a), (c) and (d) 1, and (b) 2, by microwave radiation at 180 W for 60 min.

In this research,  $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$  and  $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$  dissolved in DI water with the addition of  $\text{HNO}_3$  (conc.). Thus,  $\text{H}^+$  ions reacted with  $\text{PO}_4^{3-}$  ions to form  $\text{H}_n\text{PO}_4^{(3-n)-}$ , which subsequently reacted with  $\text{La}^{3+}$  to produce  $\text{LaPO}_4$  white precipitates by the microwave radiation at 180 W for 60 min. The products have different morphologies for different pH values of the solutions. These implied that  $\text{H}^+$  ions induced the system to be at the highest chemical potential and led the product to grow in 1-D  $\text{LaPO}_4$  nanorods at pH value of 1 – in accordance with the report of Zhang and Guan [23]. Compared to the facile solution-precipitation process reported by Wang et al. [24],  $\text{LaPO}_4$  products with different morphologies were synthesised. The effect of the precursor pH on the different morphologies was explained above. In this research, microwave radiation as a heating source has more advantages than the conventional heating method, due to the rapid volumetric heating, resulting in higher reaction rate and selectivity, reduction in reaction time often by orders of magnitude, and increasing yields of the products [18]. It is a candidate for the synthesis of nanomaterials.

#### 4. Conclusions

Hexagonal  $\text{LaPO}_4$  nanorods were successfully synthesised from  $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$  and  $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$  in DI water at pH level 1 by the 180-W and 60-min microwave radiation. This method is simple and inexpensive, with short-reaction time and can be applied for the synthesis of other nanomaterials.

#### Acknowledgements

The research was supported by the National Nanotechnology Center (NANOTEC), a member of National Science and Technology Development Agency (NSTDA), Ministry of Science and Technology; Thailand Research Fund (TRF); and Center for Innovation in Chemistry (PERCH-CIC), Commission on Higher Education (CHE), Ministry of Education, Thailand.

#### References

- [1] L. Qian, W. Du, Q. Gong, and X. Qian, *Controlled synthesis of light rare earth phosphate nanowires via a simple solution route*, Mater. Chem. Phys. 114 (2009), pp. 479–484.
- [2] Y.S. Zhao, H. Fu, A. Peng, Y. Ma, D. Xiao, and J. Yao, *Low-dimensional nanomaterials based on small organic molecules: Preparation and optoelectronic properties*, Adv. Mater. 20 (2008), pp. 2859–2876.
- [3] X. Liu, Q. Wang, Z. Gao, J. Sun, and J. Shen, *Fabrication of lanthanide phosphate nanocrystals with well-controlled morphologies by layer-by-layer adsorption and reaction method at room temperature*, Cryst. Growth Des. 9 (2009), pp. 3707–3713.
- [4] L. Yu, H. Song, Z. Liu, L. Yang, and S.L.Z. Zheng, *Electronic transition and energy transfer processes in  $\text{LaPO}_4\text{:Ce}^{3+}/\text{Tb}^{3+}$  nanowires*, J. Phys. Chem. B 109 (2005), pp. 11450–11455.
- [5] L. Yu, H. Song, S. Lu, Z. Liu, and L. Yang, *Influence of shape anisotropy on photoluminescence characteristics in  $\text{LaPO}_4\text{:Eu}$  nanowires*, Chem. Phys. Lett. 399 (2004), pp. 384–388.
- [6] Z.G. Yan and C.H. Yan, *Controlled synthesis of rare earth nanostructures*, J. Mater. Chem. 18 (2008), pp. 5046–5059.
- [7] L. Ma, W.X. Chen, Y.F. Zheng, and Z.D. Xu, *Hydrothermal growth and morphology evolution of  $\text{CePO}_4$  aggregates by a complexing method*, Mater. Res. Bull. 43 (2008), pp. 2840–2849.

- 185 [8] C.R. Patra, G. Alexandra, S. Patra, D.S. Jacob, A. Gedanken, A. Landau, and Y. Gofer, *Microwave approach for the synthesis of rhabdophane-type lanthanide orthophosphate ( $Ln = La, Ce, Nd, Sm, Eu, Gd$  and  $Tb$ ) nanorods under solvothermal conditions*, New J. Chem. 29 (2005), pp. 733–739.
- [9] P. Yang, Z. Quan, C. Li, Z. Hou, W. Wang, and J. Lin, *Solvothermal synthesis and luminescent properties of monodisperse  $LaPO_4:Ln$  ( $Ln = Eu^{3+}, Ce^{3+}, Tb^{3+}$ ) particles*, J. Solid State Chem. 182 (2009), pp. 1045–1054.
- 190 [10] H.K. Jung, J.S. OH, S. Seok, and T.H. Lee, *Preparation and luminescence properties of  $LaPO_4:Er, Yb$  nanoparticles*, J. Lumin. 114 (2005), pp. 307–313.
- [11] C. Yu, M. Yu, C. Li, X. Liu, J. Yang, P. Yang, and J. Lin, *Facile sonochemical synthesis and photoluminescent properties of lanthanide orthophosphate nanoparticles*, J. Solid State Chem. 182 (2009), pp. 339–347.
- 195 [12] R. Wang, W. Pan, J. Chen, M. Fang, and J. Meng, *Effect of  $LaPO_4$  content on the microstructure and machinability of  $Al_2O_3/LaPO_4$  composites*, Mater. Lett. 57 (2002), pp. 822–827.
- [13] W.T. Yao and S.H. Yu, *Recent advances in hydrothermal syntheses of low dimensional nanoarchitectures*, Int. J. Nanotechnology 4 (2007), pp. 129–162.
- 200 [14] W. Ruigang, P. Wei, C. Jian, F. Minghao, C. Zhenzhu, and L. Yongming, *Synthesis and sintering of  $LaPO_4$  powder and its application*, Mater. Chem. Phys. 79 (2003), pp. 30–36.
- [15] W.J. Park, M.K. Jung, T. Masaki, S.J. Im, and D.H. Yoon, *Characterization of  $YVO_4:Eu^{3+}, Sm^{3+}$  red phosphor quick synthesized by microwave rapid heating method*, Mater. Sci. Eng. B 146 (2008), pp. 95–98.
- 205 [16] S. Cho, S.H. Jung, and K.H. Lee, *Morphology-controlled growth of ZnO nanostructures using microwave irradiation: From basic to complex structures*, J. Phys. Chem. C 112 (2008), pp. 12769–12776.
- [17] C.S. Riccardi, R.C. Linma, M.L. dos Santos, P.R. Bueno, J.A. Varela, and E. Longo, *Preparation of  $CeO_2$  by a simple microwave–hydrothermal method*, Solid State Ionics 180 (2009), pp. 288–291.
- 210 [18] G. Wang and C. Hao, *Fast synthesis and morphology control of lead tungstate microcrystals via a microwave-assisted method*, Mater. Res. Bull. 44 (2009), pp. 418–421.
- [19] C.O. Kappe, D. Dallinger, and S.S. Murphree, *Practical microwave synthesis for organic chemists: Strategies, instruments, and protocols*, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, 2009, pp. 1–9.
- 215 [20] Powder Diffraction File, JCPDS-ICDD, 12 Campus Boulevard, Newtown Square, PA 19073-3273, USA, 2001.
- [21] C. Suryanarayana and M.G. Norton, *X-ray Diffraction, A Practical Approach*, Plenum Press, New York, 1998.
- 220 [22] K. Wang, J. Zhang, J. Wang, C. Fang, W. Yu, X. Zhao, and H. Xu, *Growth defects and infrared spectra analysis of  $CePO_4$  single crystals*, J. Appl. Cryst. 38 (2005), pp. 675–677.
- [23] Y. Zhang and H. Guan, *Hydrothermal synthesis and characterization of hexagonal and monoclinic  $CePO_4$  single-crystal nanowires*, J. Cryst. Growth 256 (2003), pp. 156–161.
- 225 [24] Z. Chai, L. Gao, C. Wang, H. Zhang, R. Zheng, P.A. Webley, and H. Wang, *Synthesis of mesoporous  $LaPO_4$  nanostructures with controllable morphologies*, New J. Chem. 33 (2009), pp. 1657–1662.



