

ACKNOWLEDGEMENTS

This thesis was completed successfully through many valuable advices, helpful guidance, suggestion and intensive review from my advisor, Assistant Professor Dr. Thananya Thongtan, Department of Biochemistry, whom I would like to express my deepest gratitude.

I am also highly grateful to Assistant Professor Dr. Supang Maneesri le Grand for the valuable help, kindness, discussion and suggestion. My respect and gratitude are dedicated to Assistant Professor Dr. Phisit Prapunwattana, Assistant Professor Dr. Sunchai Payoongporn and Dr. Jeerang Wongtrakul for serving as committee and giving me valuable comments.

I would like to express my special thanks to all of my lovely colleagues - Miss Chattaporn Chunthong, Miss Chonlawan Sangcharoentum, Miss Waranurin Yingsarakun, Miss Benjawan Wongphrom, Miss Chonpitcha Chuayphen, and Mr. Krisada Kongnomnan for their help and friendship during my study. Mr. Chatikorn Boonkrai is acknowledged for his assistance in Fluorescence microscopy. Mr. Ekkachai Phrompetchra is acknowledged for his assistance in infectious lab instruments. In addition, I would like to express my sincere thanks to Department of Biochemistry, Faculty of Medicine Chulalongkorn University for accessibility to instruments.

This work was supported by grant no. RA55/29 from the Ratchadapiseksompoth Fund, Faculty of Medicine, Chulalongkorn University, Thailand.

Last but not least, I would like to give my whole hearted love and gratitude to my parents and my boyfriend for their kindness, understanding, and endless supports given to me through-out my graduate study.