

รายการอ้างอิง

ภาษาไทย

กิติกร มีทรัพย์ และไพบุลย์ ดวงจันทร์. (2541). พฤติกรรมความเครียดและการตอบสนองต่อ

ความเครียด. กรุงเทพฯ: กรมสุขภาพจิต กระทรวงสาธารณสุข.

เกียรติศักดิ์ อองกุลนะ. (2551). ผลของโปรแกรมการจัดการความเครียดโดยการคิดแบบอริยสัจสี่

และการบริหารร่างกายแบบโยคะต่อพฤติกรรมจัดการความเครียดและระดับความ

เครียดของนักศึกษาพยาบาล. วิทยานิพนธ์ปริญญาโทบริหารการพยาบาล, สาขาวิชาการพยาบาล

เวชปฏิบัติชุมชน คณะพยาบาลศาสตร์ มหาวิทยาลัยนเรศวร.

เกษม ดันติผลชีวะ. (2544). การบริหารความเครียดและสุขภาพจิต. นนทบุรี: สำนักพิมพ์สนุกอ่าน.

จรรย์รัตน์ ลิ้มพัฒนศิริ. (2547). ปัจจัยที่มีอิทธิพลต่อการรับประทานยาต่อเนื่องของผู้ป่วยจิตเภท.

วิทยานิพนธ์ปริญญาโทบริหารการพยาบาล, สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช

คณะ พยาบาลศาสตร์ มหาวิทยาลัยมหิดล.

จินตนา ยูนิพันธุ์. (2542). การพยาบาลเพื่อชีวิตที่ปกติสุข. วารสารพยาบาลจิตเวชและสุขภาพจิต

13 (มกราคม-มิถุนายน): 1-13.

จิราภรณ์ สรรพวิรวงศ์. (2544). ความเครียดและการเผชิญความเครียดของผู้ป่วยจิตเภทใน

ชีวิตประจำวัน กรณีศึกษาโรงพยาบาลสมเด็จพระเจ้าพระยา. วิทยานิพนธ์ปริญญาโทบริหารการ

สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช คณะพยาบาลศาสตร์ มหาวิทยาลัยมหิดล.

จำลอง ดิษยวณิช และพริ้มเพรา ดิษยวณิช. (2545). ความเครียด ความวิตกกังวล และสุขภาพ.

เชียงใหม่: โรงพิมพ์แสงศิลป์.

ฉวีวรรณ สัตยธรรม. (2541). การพยาบาลจิตเวชและสุขภาพจิต. พิมพ์ครั้งที่3. กรุงเทพฯ:

ยุทธรินทร์การพิมพ์.

ฐานิยา สุทะปา. (2553). ผลของโปรแกรมการจัดการอาการหูแว่วต่ออาการทางจิตของผู้ป่วยจิตเภท

โรงพยาบาลสวนปรุง จังหวัดเชียงใหม่. การศึกษาค้นคว้าแบบอิสระปริญญาโทบริหารการ

สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

- ทูลภา นุปผาสังข์. (2545). ภาวะและความสามารถในการดูแลของผู้ดูแลกับการกลับเป็นซ้ำของผู้ที่เป็นโรคจิตเภท. วิทยานิพนธ์ปริญญาโทบริหารธุรกิจ, สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- ธนา นิลชัยโกวิท และคณะ. (2550). Positive and Negative Syndrome Scale ฉบับภาษาไทย (PANSS-T). พิมพ์ครั้งที่ 2. กรุงเทพฯ : แจนเซน-ซีแลก.
- ธวัชชัย ถีพพานาจ. (2552). ตำราโรคจิตเภท. สงขลา: ชานเมืองการพิมพ์.
- บุญใจ ศรีสถิตยัณรากุล. (2553). ระเบียบวิธีวิจัยทางการพยาบาลศาสตร์. กรุงเทพฯ: ยูเออนด์ไอ อินเตอร์ มีเดีย.
- บุญเรือง ร่วมแก้ว. (2552). การบำบัดทางความคิดและพฤติกรรมสำหรับความคิดหลงผิดและประสาทหลอนทางหูในผู้ป่วยจิตเภท. การศึกษาค้นคว้าแบบอิสระปริญญาโทบริหารธุรกิจ, สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช คณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น.
- บุญกล ศุภอักษร. (2553). ผลของโปรแกรมการจัดการความเครียดต่อการทำหน้าที่ของผู้ป่วยจิตเภทในชุมชน. วิทยานิพนธ์ปริญญาโทบริหารธุรกิจ, สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช คณะพยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- ประเวศ วะสี. (2539). วิถีคล้ายเครียด. พิมพ์ครั้งที่ 10. กรุงเทพฯ : หมอชาวบ้าน.
- ปราโมทย์ สุคนิชย์ และมาโนช หล่อตระกูล. (2541). เกณฑ์การวินิจฉัยโรคทางจิตเวช DSM-IV ฉบับภาษาไทย (ใช้รหัส ICD-10). กรุงเทพฯ: โรงพิมพ์ ชวนพิมพ์.
- เปรมฤดี คำรักษ์. (2545). การศึกษาสุขภาพของผู้ป่วยจิตเวชในชุมชนตามจังหวัดชายแดนภาคใต้. วิทยานิพนธ์ปริญญาโทบริหารธุรกิจ, สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช คณะพยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- ผลทิพย์ ปานแดง. (2547). ผลของการเสริมสร้างพลังอำนาจต่อผู้ป่วยและผู้ดูแลต่อพฤติกรรมการใช้ยาตามเกณฑ์การรักษาในผู้ป่วยจิตเภท. วิทยานิพนธ์ปริญญาโทบริหารธุรกิจ, สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช คณะพยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- พิเชฐ อุดมรัตน์ และสรยุทธ วาสิกนันท์. (2552). ตำราโรคจิตเภท. พิมพ์ครั้งแรก. สงขลา : ชานเมืองการพิมพ์.

เพชร คันธสายบัว. (2544). การวิเคราะห์ตัวแปรจำแนกกลุ่มผู้ป่วยจิตเภทที่ป่วยซ้ำและไม่ป่วยซ้ำ.

วิทยานิพนธ์ปริญญาโทบริหารธุรกิจ, สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช คณะ
พยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.

เพียรดี เปี่ยมมงคล. (2553). การพยาบาลจิตเวชและสุขภาพจิต. กรุงเทพฯ : ธรรมสาร.

มรรยาท รุจิวิทย์. (2548). การจัดการความเครียดเพื่อสร้างเสริมสุขภาพจิต. พิมพ์ครั้งที่ 1.

ปทุมธานี: โรงพิมพ์มหาวิทยาลัยธรรมศาสตร์.

มานิต ศรีสุรภานนท์ และจำลอง ดิษขวณิช. (2542). ตำราจิตเวชศาสตร์. เชียงใหม่: แสงศิลป์.

มานิช หล่อตระกูล และปราโมทย์ สุนิษฐ์. (2555). จิตเวชศาสตร์รามาชิตี. พิมพ์ครั้งที่ 3.

กรุงเทพฯ: ภาควิชาจิตเวชศาสตร์ คณะแพทยศาสตร์โรงพยาบาลรามาชิตี
มหาวิทยาลัยมหิดล.

รวินันท์ นุชศิลป์. (2552). ผลของโปรแกรมการจัดการความเครียดโดยการประยุกต์ใช้การรับรู้

สมรรถนะตนเองร่วมกับแรงสนับสนุนทางสังคมต่อระดับความเครียด ของพนักงานสถาน
ประกอบการขนาดกลาง. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต, สาขาวิชาเอก
การพยาบาลสาธารณสุข คณะสาธารณสุขศาสตร์ มหาวิทยาลัยมหิดล.

รังสิมันต์ สุนทรไชยา. (2553). เอกสารประกอบการสอนการพยาบาลสุขภาพจิตและจิตเวชขั้นสูง

สำหรับผู้ป่วยโรคจิตเภทวัยผู้ใหญ่ในชุมชน. คณะพยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.

รัตน์ศิริ ทาโต. (2552). การวิจัยทางการพยาบาลศาสตร์ : แนวคิดสู่การประยุกต์ใช้. พิมพ์ครั้งที่ 2.

กรุงเทพฯ: สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

รัตน์ฤดี ลิ้มฉาย. (2552). การพัฒนาแนวปฏิบัติการพยาบาลทางคลินิกเพื่อส่งเสริมการเผชิญ

ความเครียดของผู้ป่วยจิตเภทเรื้อรัง. สารนิพนธ์ปริญญาโทบริหารธุรกิจ, สาขาวิชา
การพยาบาลสุขภาพจิตและจิตเวช คณะพยาบาลศาสตร์ มหาวิทยาลัยมหิดล.

เรณูการ์ ทองคำรอด. (2549). ผลของการจัดกระทำแบบหลายขั้นปัจจัยต่อการกำเริบของอาการทาง

จิตในผู้ป่วยที่เป็นโรคจิตเภทครั้งแรก. วิทยานิพนธ์ปริญญาโทบริหารธุรกิจ, สาขาวิชา
การพยาบาลสุขภาพจิตและจิตเวช คณะพยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.

วิมลพร เกียรติคุณินท์ และคณะ. (2551). ประสิทธิภาพของโปรแกรมการจัดการกับอาการหูแว่วต่อ

ลักษณะและความรุนแรงของอาการหูแว่ว และอาการทางจิตในผู้ป่วยจิตเภท. กรุงเทพฯ:

สถาบันจิตเวชศาสตร์ สมเด็จพระเจ้าพี่นางเธอฯ.

สมพร รุ่งเรืองกลกิจ. (2544). กรอบแนวคิดในการฟื้นฟูผู้ป่วยจิตเภท. วารสารพยาบาลจิตเวชและ

สุขภาพจิต 14(พฤษภาคม-สิงหาคม): 15-23.

สมพร รุ่งเรืองกลกิจ. (2546). พยาบาลกับการดูแลบุคคลที่เป็นโรคจิตเภท. ขอนแก่น: คลังนานา.

สมภพ เรืองตระกูล. (2549). จิตเวชศาสตร์พื้นฐาน และโรคทางจิตเวช. พิมพ์ครั้งที่ 1. กรุงเทพฯ:

เรือนแก้วการพิมพ์.

สุขภาพจิต, กรม. กระทรวงสาธารณสุข. (2541). คู่มือคลายเครียดด้วยตนเอง. กรุงเทพฯ:

โรงพิมพ์ชุมนุมชนสหกรณ์.

สุขภาพจิต, กรม. กระทรวงสาธารณสุข. (2543). คู่มือการดำเนินการในคลินิกคลายเครียด (ฉบับ

ปรับปรุง). พิมพ์ครั้งที่ 4. กรุงเทพฯ: โรงพิมพ์องค์การรับส่งสินค้าและพัสดุภัณฑ์.

สุขภาพจิต, กรม. กระทรวงสาธารณสุข. (2553). รายงานประจำปี. นนทบุรี: ศูนย์สุขภาพจิตและ

ศูนย์สารสนเทศ กรมสุขภาพจิต.

สุนีย์ เกียวกิ่งแก้ว. (2547). แนวคิดพื้นฐานการพยาบาลจิตเวช. พิษณุโลก: คณะพยาบาลศาสตร์

มหาวิทยาลัยนเรศวร.

สุวรรณ อนุสันติ. (2546). บริหารความเครียด. กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

อรพรรณ ลีอนุวัชชัย. (2554). การพยาบาลสุขภาพจิตและจิตเวช. พิมพ์ครั้งที่ 5. กรุงเทพฯ:

สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

อารีย์วรรณ อ่วมตานี. (2554). การพัฒนาเครื่องมือที่ใช้ในการวิจัยทางพยาบาลศาสตร์. คณะ

พยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.

อุมาพร ตรังคสมบัติ (2544). จิตบำบัดและการให้คำปรึกษารอบครัว. พิมพ์ครั้งที่ 5. กรุงเทพฯ:

เฟื่องฟ้าพรินต์.

ภาษาอังกฤษ

- Alan, S. et al. (2007). Assessment of Community Functioning in People with Schizophrenia and Other Severe Mental Illnesses : A write Paper Based on an NIMH-Sponsored Workshop. **Schizophrenia Bulletin** 33(3): 805-822.
- Andres, K., Pfammatter, M., Fries, A. and Brenner, H. D. (2003). The significance of coping as a therapeutic variable for the outcome of psychological therapy in schizophrenia. **European Psychiatry** 18(4): 149-154.
- Carpenter, WT. and Kirkpatrick, B. (1998). The heterogeneity of the long-term course of schizophrenia. **Schizophrenia Bulletin** 14: 645-652.
- Cohen, S., Kamarck, T., and Mermelstein, R. (1983). A global measure of perceived stress. **Journal of Health and Socail Behavior** 24(4): 385-396.
- Cook, M. et al. (2007). Insight, distress and coping styles in schizophrenia. **Schizophrenia Research** 94: 12-22.
- Cunningham, P.A. (2007). The role of psychiatric nurse in home care. **Home Healthcare Nurse** 25(10): 645-652.
- Duraiswamy, G., Thirthalli, J., Nagendra, H. R. and Gangadhar, B. N. (2007). Yoga therapy as An add-on treatment in the manangment of patients with schizophrenia-a randomized controlled trial. **Acta Psychiatrica scandinavica** 116(3): 226-232.
- Fuller, RML. and Schultz, SK. (2003). **The symptom of schizophrenia**. In : Hirsch RR, Weinberger D. eds. Schizophrenia. Massachusetts: Blackwell Publishing.
- Gispen-de Wied, C.C. (2000). Stress in Schizophrenia: an integrative view. **European Journal of Phamacology** 405(1-3): 375-348.
- Gray, R., Wykes, T., and Gournay, K. (2002). From compliance to conconcordance: A review of the literature on interventions to enhance compliance with antipsychotic medication. **Journal of psychiatric and Mental Health Nursing** 9: 277-284.

- Hayward et al. (1995). Predicting the revolving door phenomenon among patients with schizophrenia, schizoaffective and affective disorder. **American of psychiatry** 152(6): 856-861.
- Hedlund L. Nancy and Jeffy B. Finis. (1993). Overview of Psychiatric nursing. In Rawlins P. Ruth, Williams, R., Sophronia and Beck K. Cornelia (eds.), **Mental Health- Psychiatric Nursing A Holistic Life-Cycle Approach** (pp.2). St.Louis: Mosby-Year Book.
- Kaplan, H. I. and Sadock, B. J. (2000). **Kaplan and Sadock's synopsis of psychiatry: Behavioral sciences and clinical psychiatry** (8th ed.). Baltimore: Williams and Wikins.
- Kay, S.R., Fiszbein, A. and Opler, LA. (1987). The Positive and Negative Syndrome Scale (PANSS) for Schizophrenia. **Schizophrenia Bulletin** 13: 261-276.
- Lazarus, S., Richard and Folkman Susan. (1984). **Stress Appraisal and Coping**. New York : Springer Pulishing.
- Lecomte, T. (2005). The stress process perspective and adaptation of people with schizophrenia. **Soc psychiatry Epidemiology** 40(4): 139-148.
- Lee, H. L. et al. (2006). Effective of a work-Relate Stress Management Program in patients with chronic schizophrenia. **The American Journal of occupational Therapy** 50(4): 435-441.
- Leung, A. and Chue, P. (2000). Sex differences in schizophrenia, a review of literature. **Acta Psychiatrica scandinavica** 401: 3-38.
- Liberman, R. P., Eckman, T. A., and Marder, S. R. (2001). Training in social problem solving Among Persons with schizophrenia. **Psychiatric services** 52(2): 31-33.
- Lindenmayer, J.P. and Khan A. (2006). **Psychopathology**. In: Lieberman, JA. Stroup,. TS. Perkins, DO.eds. Textbook of Schizophrenia. Washington DC: American Psychiatric Publishing.
- Lindstrom, E. and Bingerfors, K. (2000). Patients compliance with drug therapy. **Schizophrenia phamacoeconomic** 18(2): 105-124.

- Lukoff, D., Synder, K., Ventura J. and Nuechterlein, K.H. (1984). Life events, familial stress, and coping in developmental course of schizophrenia. **Schizophrenia Bulletin** 10: 258-292.
- Lysaker, H.P. et al. (2004). Assessing Coping in schizophrenia a Rationally desired scoring scheme to assess coping in schizophrenia : Internal Consistency and association with work performance. **Journal Psychosocial Rehabilitation** 8(5): 73-83.
- Lysaker, H.P. et al. (2004). Coping style in schizophrenia : Association with neurocognitive deficits and personality. **Schizophrenia Bulletin** 5: 30-45.
- Lysaker, H.P. et al. (2005). Association of neurocognition, anxiety, positive and negative Symptoms with coping preference in schizophrenia sprectrum disorder. **Schizophrenia Research** 80: 163-171.
- Meijel, B.V., Gaag, M.V.D., Kahn, R.S. and Grypdonck, M.H.F. (2003). Relapse Prevention in Patients with Schizophrenia. **Archives of Psychiatric Nursing** 17: 117-125.
- Moller, M.D. and Murphy, M.F. (2001). **Neuro biological responses schizophreia and psychotic disorder**. St. Louis Missouri: In Stuart, G.W. and Lara, M.T. Principle and practice of psychiatric nursing.
- Moore, O., Cassidy, E., Carr, A. and O'Callaghan, E. (1999). Unawareness of illness and its relationship with depression and self-deception in schizophrenia. **European Psychiatry** 14: 264-269.
- Norman, Ross MG. et al. (2002). An evaluation of a stress management program for individual with schizophrenia. **Schizophrenia Research** 58: 293-303.
- Nuechterlein, H. K. et al. (1994). The Vulnerability-Stress model of schizophrenia relapse: A longitudinal study. **Acta Psychiatrica scandinavica** 89: 58-64.
- Overall, J.E., and Gorham, D.R. (1962). Brief Psychiatric Rating Scale. **Psychological Reports** 10: 799-812.
- Polit, D.F., and Hunger B.P. (1999). **Nursing Reseach : Principle and methods (6th.ed.)**. Phiadelphia: J.B. Lippincott.

- Ritsner, M. S. et al. (2006). Coping patterns as a valid presentation of the diversity of coping Responses in schizophrenia patients. **Psychiatry Research** 114: 139-152.
- Sadock, B.J., and Sadock, V.A. (2007). **Kaplan and Sadock's synopsis of psychiatry : Behavioral Sciences and clinical psychiatry (10th.ed.)**. Philadelphia : Williams and Willkins. NewYork.
- Takai, A. et al. (1990). Coping styles to basic disorder among schizophrenia. **Acta Psychiatrica scandinavica** 82: 289-294.
- Terrier, N. et al. (1993). A trial of two cognitive-behavioral methods of treating drug Resistant residual psychotic symptoms in schizophrenia patients: I Outcome. **The British Journal of Psychiatry** 162: 524-532.
- Vasile, D. et al. (2008). Coping mechanisms evaluation in chronic schizophrenia patients. **European Psychiatry** 23: 151-152.
- Ventura, J. et al. (2003). Self-efficacy and neurocognitive may be related to coping responses in recent-onset Schizophrenia. **Schizophrenia research** 69: 343-352.
- Vrdoljak, M., Ivezic, S., and Jukic, M.K. (2008). Social functioning and stress coping in schizophrenic patients. **European Psychiatry** 23(2): 90-91.
- Wiedl, K. H. (1992). Assessment of coping with schizophrenia : Stressor, appraisals and coping behavior. **The British Journal of Psychiatry** 161: 114-122.
- Wiedl, K. H. and Schottner B. (1991). Coping With Symptoms Related to Schizophrenia. **Schizophrenia Bulletin** 17(3): 525-538.
- World Health Organization. (2001). Mental Health Report 2001. **Mental Health: new understanding, new hope**. Geneva: World Health Organization.
- World Health Organization. (2006). ICD-10: **International Classification of Diseases and Relate Health Problems Tenth edition**. Geneva: World Health Organization.
- Zubin, J. and Spring, B. (1977). Vulnerability – a new view on schizophrenia. **Journal Abnormaly Psychology** 6: 103-126.