

LIST OF FIGURES

Figure	Page
LITERRATURES REVIEW	
1 The geographical distribution of <i>F. hepatica</i> and <i>F. gigantica</i>	8
2 The life cycle of <i>Fasciola</i> spp	12
3 The developmental stages of <i>Fasciola</i> spp	13
4 Diagram showing the fine structure organization of the tegument and related structures in <i>F. hepatica</i>	21
5 Tertiary structure of CASPASE-1	34
6 Scheme of the processing and activation of SmCB1pm	38
7 Comparison of the legumain-like superfamily	40
RESULTS	
8 Screening of an adult stage <i>F. gigantica</i> cDNA library	85
9 The recombinant pTriplEx2 phagemid containing full-length cDNAs of <i>F. gigantica</i> legumains	86
10 Full length nucleotide sequence with deduced amino acid sequence of legumain-1 FgLGGMN-1 from <i>F. gigantica</i>	87
11 Full length nucleotide sequence with deduced amino acid sequence of legumain-2 FgLGGMN-2 from <i>F. gigantica</i>	88
12 Predicted signal peptides of FgLGGMNs	94
13 The prediction of N-glycosylation sites in FgLGGMN-1 and FgLGGMN-2	95
14 Diagrams of FgLGGMN amino acid properties	96
15 Multiple sequence alignment of legumains	98
16 Multiple sequence alignment of legumains showing hydrophobic properties at the active site	99

LIST OF FIGURES (Cont.)

Figure	Page
17 Multiple sequence alignment of legumain orthologs as shown by CLUSTAL X at the active site	100
18 Phylogenetic tree of legumains	102
19 Cross-hybridization of <i>F. gigantea</i> legumain isoform-1 and isoform-2	104
20 Southern hybridization of <i>F. gigantea</i> genomic DNA	105
21 Northern hybridization of <i>F. gigantea</i> total RNA with FgLGMN-1 specific DIG-labeled RNA antisense probes	107
22 Northern hybridization of <i>F. gigantea</i> total RNA with FgLGMN-2 specific DIG-labeled RNA antisense probes	108
23 RT-PCR analysis of <i>F. gigantea</i> total RNAs from metacercariae, 1- 2- 4- 6-week old juveniles and adults	110
24 <i>In situ</i> hybridization of legumain-1 RNA in adult <i>F. gigantea</i>	112
25 <i>In situ</i> hybridization of FgLGMN-1 RNA showed specific localization in the gastrodermal epithelial cells but not in other organs of adult stage <i>F. gigantea</i>	113
26 <i>In situ</i> hybridization of legumain-1 RNA in 4-week old juvenile <i>F. gigantea</i>	114
27 <i>In situ</i> hybridization of legumain-2 RNA in adult stage <i>F. gigantea</i>	116
28 <i>In situ</i> hybridization of FgLGMN-2 RNA to different tissues of adult parasites	117
29 <i>In situ</i> hybridization of legumain-2 RNA in 4-week old juvenile <i>F. gigantea</i>	118
30 <i>In situ</i> hybridization of legumain-2 RNA in 6-week old juvenile <i>F. gigantea</i>	119

LIST OF FIGURES (Cont.)

Figure	Page
31 PCR amplification of FgLGMN-1 and -2 from colonies of transformed <i>E. coli</i> BL21pLysS carrying recombinant pET20b(+)	121
32 Digestion of purified recombinant pET20b(+)/FgLGMN-1 and -2 plasmids with <i>Hind</i> III and <i>Xho</i> I restriction endonuclease	122
33 Analysis of target protein solubility by SDS-PAGE	124
34 SDS-PAGE of time-course analysis showing the kinetics of expression of recombinant FgLGMN-1 proteins	125
35 SDS-PAGE of time-course analysis showing the kinetics of expression of recombinant FgLGMN-2 proteins	126
36 SDS-PAGE of recombinant FgLGMN-1 purified under denaturing conditions by Ni-NTA affinity chromatography	128
37 SDS-PAGE of recombinant FgLGMN-2 purified under denaturing conditions by Ni-NTA affinity chromatography	129
38 SDS-PAGE analysis of purified and dialyzed recombinant proteins...	130
39 Western blot analysis of recombinant FgLGMN-1 reacted with <i>F. gigantea</i> infected mouse sera obtained at different weeks after infection	133
40 Western blot analysis of recombinant FgLGMN-2 reacted with <i>F. gigantea</i> infected mouse sera obtained at different weeks after infection	134
41 Immunoblot analysis of the reaction of FgLGMN-specific antibodies against the recombinant proteins and their cross-reaction	136

LIST OF FIGURES (Cont.)

Figure	Page
42 Immunoblot analysis of native proteins in crude adult parasite extracts with rabbit anti-rFgLGMN polyclonal sera	137
43 Immunoblot analysis of native proteins in excretory-secretory (ES) products prepared by <i>in vitro</i> culture of adult parasites	138
44 SDS-PAGE of crude parasite antigens (CWA) after N-deglycosylation	140
45 Immunoblot analysis of native FgLGMNs after N-deglycosylation	141
46 Immunohistocalization of FgLGMN-1 in tissues of adult <i>F. gigantica</i>	143
47 Immunohistocalization of FgLGMN-1 in tissues of 4-week juveniles <i>F. gigantica</i>	144
48 Immunohistocalization of FgLGMN-2 in tissues of adult <i>F. gigantica</i>	145
49 Immunohistocalization of FgLGMN-2 in tissue of 4-week juvenile <i>F. gigantica</i>	146
50 12% SDS-PAGE and immunoblot of products generated after autoproccessing of recombinant FgLGMN-1	148
51 12%SDS-PAGE and immunoblot of products generated after autoproccessing of recombinant FgLGMN-2	149
52 Legumain activity in adult parasite extracts	152
53 Comparison of the effect of various protease inhibitor on the legumain activity of crude parasite extracts	154