

REFERENCES

- Abbas AK, Murphy KM, Sher A. Functional diversity of helper T lymphocytes. *Nature* 1996; 383: 787-93.
- Acosta D, Cristina J, Uriarte G, Lanzzeri S, Gama S. Estudio preliminary sobre la resistencia conferida a helmint por metacercarias irradiadas de *Fasciola hepatica* en Uruguay. *Veterinaria* 1989; 25: 12-20.
- Acosta D, Goñi F, Carmona C. Characterization and partial purification of a leucine aminopeptidase from *Fasciola hepatica*. *J Parasitol* 1998; 84: 1-17.
- Al-Habbib WMS. The effect of constant and changing temperatures on the development of larval stages of *Fasciola hepatica* (L.). Ph.D. thesis, University of Dublin, Ireland 1974.
- Altschul SF, Madden TL, Schaffer AA. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* 1997; 25: 3389-402.
- Alvarez-Fernandez M, Barrett AJ, Gerhartz B, Dando PM, Ni J, Abrahamson M. Inhibition of mammalian legumain by some cystatin is due to a novel second reactive site. *J Biol Chem* 1999; 274: 19195-203.
- Anderson PH, Berrett S, Patterson DSP. Resistance to *Fasciola hepatica* in cattle. II. Biochemical and morphological observations. *J Comp Pathol* 1978; 88: 245-51.
- Armour J, Dargie JD. Immunity to *Fasciola hepatica* in the rat. *Exp Parasitol* 1974; 35: 381-8.
- Baeza E, Poitou I, Boulard C. *In vitro* effects of *Fasciola hepatica* on the main functions of polymorphonuclear leukocytes: chemotaxis and free radical generation induced by phagocytosis. *Int J Parasitol* 1993; 23: 1077-81.
- Barrett AJ. Classification of peptidases. *Methods Enzymol* 1994; 244: 1-15
- Beckham SA, Law RHP, Smooker PM, Quisey NS, Caffrey CR, McKerrow JH, Pike RN, Spithill TW. Production and processing of a recombinant *Fasciola hepatica* cathepsin B-like enzyme (Fhcat B1) reveals potential processing mechanism in the parasite. *Biol Chem* 2006; 387(8): 1053-61.

- Bendtsen JD, Nielsen H, von Heijne G, Brunak S. Improved prediction of signal peptides: SignalP 3.0. *J Mol Biol* 2004; 340: 783-5.
- Bennett CE, Threadgold LT. Electron microscope studies of *Fasciola hepatica*. XIII. Fine structure of newly excysted juvenile. *Exp Parasitol* 1973; 34: 85-9.
- Bennett CE, Threadgold LT. *Fasciola hepatica*: development of tegument during migration in mouse. *Exp Parasitol* 1975; 38: 38-55.
- Berasain P, Goni F, McGonigle S, Dowd A, Dalton JP, Frangione B, Carmona C. Proteinases secreted by *Fasciola hepatica* degrade extracellular matrix and basement membrane components. *J Parasitol* 1997; 83: 1-5.
- Berasain P, Carmona C, Frangione B, Dalton JP, Goni F. *Fasciola hepatica*: parasite-secreted proteinases degrade all human IgG subclasses: determination of the specific cleavage sites and identification of the immunoglobulin fragments produced. *Exp Parasitol* 2000; 94: 99-110.
- Birnboim HC, Doly J. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acid Res* 1979; 7: 1513-23.
- Boray JC. The ecology of *Fasciola hepatica* with particular reference to its intermediate host in Australia. Proceedings of the 17th World Veterinary Congress, Hannover 1963: 709-15.
- Boray JC. Studies on experimental infection with *Fasciola hepatica*, with particular reference to acute fascioliasis in sheep. *Ann Trop Med Parasitol* 1967; 61: 439-50.
- Boray JC. Experimental fascioliasis in Australia. *Adv Parasitol* 1969; 7: 95-210.
- Boray JC, Crowfoot PD, Strong MB, Allison JR, Schellenbaum M, Von Orelli M, Sarasin G. Treatment of immature and mature *Fasciola hepatica* infections in sheep with triclabendazole. *Vet Res* 1983; 113: 315-7.
- Boray JC. Drug resistance in *Fasciola hepatica*. In: Boray JC, Martin PJ, and Roush RT (eds.). *Resistance of Parasites to Antiparasitic Drugs*. MSD AGVET, Rahway, New Jersey, 1990: pp. 51-60.
- Boray JC, Shuyter V, Campbell NJ, McKinnon A. Resistance of immature and adult *Fasciola hepatica* to triclabendazole in the field. In: Proceedings of the 16th International Conference of the WAAVP, Sun City, 1997: p. 10.
- Boyce WM, Courtney CH, Loggins PE. Resistance to experimental infection with

- Fasciola hepatica* in exotic and domestic breeds of sheep. *Int J Parasitol* 1987; 17: 1233-7.
- Bozas SE, Panaccio M, Creaney J, Dosen M, Parson JC, Vlasuk GV, Walker I, Spithill TW. Characterization of novel Kunitz-type molecule from the trematode *Fasciola hepatica*. *Mol Biochem Parasitol* 1995; 74: 19-24.
- Bozas SE, Spithill TW. Identification of 3-hydroxyproline residues in several proteins of *Fasciola hepatica*. *Exp Parasitol* 1996; 82: 69-72.
- Brady MT, O'Neill SM, Dalton JP, Mills KH. *Fasciola hepatica* suppresses a protective Th1 response against *Bordetella pertussis*. *Infect Immun* 1999; 67: 5372-8.
- Brophy PM, Crowley P, Barrett J. Detoxification reactions of *Fasciola hepatica* cytosolic glutathione S-transferases. *Mol Biochem Parasitol* 1990; 39: 155-61.
- Brown WC, Davis WC, Dobbelaere DA, Rice-Ficht AC. CD4+ T-cell clones obtained from cattle chronically infected with *Fasciola hepatica* and specific for adult worm antigen express both unrestricted and Th2 cytokine profiles. *Infect Immun* 1994; 62: 818-27.
- Brown WC, McElwain TF, Palmer GH, Chantler SE, Estes DM. Bovine CD4(+) T-lymphocyte clones specific for rhoptry-associated protein 1 of *Babesia bigemina* stimulate enhanced immunoglobulin G1 (IgG1) and IgG2 synthesis. *Infect Immun* 1999; 67: 155-64.
- Brunsdon RV. Principles of helminth control. *Vet Parasitol* 1980; 6: 185-215.
- Burden DJ, Bland AP, Hammet NC, Hughes DL. *Fasciola hepatica*: migration of newly excysted juveniles in resistant rats. *Exp Parasitol* 1983; 56: 277-88.
- Caffrey CR, Mathieu MA, Gaffney AM, Salter JP, Sajid M, Lucas KD, Franklin C, Bogyo M, McKerrow JH. Identification of a cDNA encoding an active asparaginyl endopeptidase of *Schistosoma mansoni* and its expression in *Pichia pastoris*. *FEBS Lett* 2000; 466: 244-8.
- Carmona C, Dowd AJ, Smith AM, Dalton JP. Cathepsin L proteinase secreted by *Fasciola hepatica* *in vitro* prevents antibody-mediated eosinophil attachment to newly excysted juveniles. *Mol Biochem Parasitol* 1993; 62: 9-18.
- Cervi L, Rossi G, Cejas H, Masih DT. *Fasciola hepatica*-induced immune suppression of spleen mononuclear cell proliferation: role of nitric oxide. *Clin*

- Immunol Immunopathol 1998; 87: 145-54.
- Cervi L, Rossi G, Masih DT. Potential role for excretory-secretory forms of glutathione-S-transferase (GST) in *Fasciola hepatica*. Parasitology 1999; 119: 627-33.
- Chacón N, Losada S, Bermúdez H, Cesari IM, Hoebeke J, Noya O. Immunogenicity of polymerizable synthetic peptides derived from a vaccine candidate against schistosomiasis: the asparaginyl endopeptidase (Sm32). Immunol Lett 2003; 88: 199-210.
- Chapman CB, Rajasekariah GR, Mitchell GF. Clonal parasites in the analysis of resistance to reinfection with *Fasciola hepatica*. Am J Trop Med Hyg 1981; 30: 1039-42.
- Chen J, Dando PM, Rawlings ND, Brown MA, Young NE, Steven RA, Hewitt E, Watts C, Barrett AJ. Cloning, isolation, and characterization of mammalian legumain, an asparaginyl endopeptidase. J Biol Chem 1997; 272(12): 8090-8.
- Chen JM, Rawling ND, Stevens RAE, Barrett AJ. Identification of the active site of legumain links it to caspases, clostripain and gingipains in a new clan of cysteine endopeptidases. FEBS Lett 1998; 441: 361-5.
- Chlichlia K, Bahgat M, Ruppel A, Schirmmacher V. DNA vaccination with asparaginyl endopeptidase (Sm32) from the parasite *Schistosoma mansoni*: anti-fecundity effect induced in mice. Vaccine 2002; 20: 439-47.
- Clamp M, Cuff J, Searle SM, Barton GJ. The Jalview Java alignment editor. Bioinformatics 2004; 20: 426-7.
- Clery D, Torgerson P, Mulcahy G. Immune responses of chronically infected adult cattle to *Fasciola hepatica*. Vet Parasitol 1996; 62: 71-82.
- Corba J, Armour J, Roberts RJ, Urquhart GM. Transfer of immunity to *Fasciola hepatica* infection by lymphoid cells. Res Vet Sci 1971; 12: 292-5.
- Creaney J, Wijffels GL, Sexton JL, Sandeman RM, Spithill TW, Parson JC. *Fasciola hepatica*: localization of glutathione S-transferase isoenzymes in adult and juvenile fluke. Exp Parasitol 1995; 81: 106-16.
- Creaney J, Wilson L, Dosen M, Sandeman RM, Spithill TW, Parsons JC. *Fasciola hepatica*: irradiation-induced alteration in carbohydrate and cathepsin-B protease expression in newly excysted juvenile liver fluke. Exp Parasitol 1996;

83: 202-15.

- Dalton JP, Heffernan M. Thiol proteases released *in vitro* by *Fasciola hepatica*. *Mol Biochem Parasitol* 1989; 35: 161-6.
- Dalton JP, Smith AM, Clough KA, Brindley PJ. Digestion of haemoglobin by schistosomes: 35 years on. *Parasitol Today* 1995; 11: 299-303.
- Dalton JP, Brindley PJ. *Schistosoma* asparaginyl endopeptidase SM32 in hemoglobin degradation. *Parasitol Today* 1996; 12: 125.
- Dalton JP, McGonigle S, Rolph TP, Andrews SJ. Induction of protective immunity in cattle against infection with *Fasciola hepatica* by vaccination with cathepsin L proteinases and hemoglobin. *Infect Immun* 1996; 64: 5066-74.
- Dargie JD, Armour J, Rushton B, Murray M. Immune mechanisms and hepatic fibrosis in fascioliasis. In: Soulsby EJJ (ed.). *Proceedings of the Sixth International Conference of the World Association for the Advancement of Veterinary Parasitology*. Academic Press, New York, 1974: pp. 119-22.
- Dawes B, Hughes DL. Fascioliasis: the invasive stages in mammals. *Adv Parasitol* 1970; 8: 259-74.
- Delcroix M, Sajid M, Caffrey CR, Lim K, Dvořák J, Hsieh I, Bahgat M, Dissous C, McKerrow JH. A multienzyme network functions in intestinal protein digestion by a platyhelminth parasite. *J Biol Chem* 2006; 281(51): 39316-29.
- Dinnik JA, Dinnik NN. Effect of the seasonal variations of temperature on the development of *Fasciola gigantica* in the snail host in the Kenya highlands. *Bull of Epizoo Dis Africa* 1963; 11: 197-207.
- Doy TG, Hughes DL, Harness E. Resistance of the rat to reinfection with *Fasciola hepatica* and the possible involvement of intestinal eosinophil leucocytes. *Res Vet Sci* 1978; 25: 41-4.
- Doy TG, Hughes DL. *Fasciola hepatica*: site of resistance to reinfection in cattle. *Exp Parasitol* 1984; 57: 274-8.
- Doyle JJ. Acquired immunity to experimental infection with *Fasciola hepatica* in cattle. *Res Vet Sci* 1971; 12: 527-34.
- Doyle JJ. Evidence of an acquired resistance in calves to a single experimental infection with *Fasciola hepatica*. *Res Vet Sci* 1972; 13: 456-9.
- Doyle JJ. The relationship between the duration of a primary infection and the

- subsequent development of an acquired resistance to experimental infection with *Fasciola hepatica* in calves. Res Vet Sci 1973a; 14: 97-103.
- Doyle JJ. Homocytotropic antibodies induced in calves by infection with *Fasciola hepatica*. Int Arch Allergy Appl Immunol 1973b; 45: 744-51.
- Duffus WPH, Franks D. *In vitro* effect of immune serum and bovine granulocytes on juvenile *Fasciola hepatica*. Clin Exp Immunol 1980; 41: 430-40.
- Duffus WPH, Thorne K, Oliver R. Killing of juvenile *Fasciola hepatica* by purified bovine eosinophil proteins. Clin Exp Immunol 1980; 40: 336-44.
- El Ghaysh A, Turner RJ, Brophy PM, Barrett J. Effect of *Fasciola gigantica* somatic extracts and excretory/secretory products on superoxide production by activated neutrophils. Vet Parasitol 1999; 84: 91-100.
- Espino AM, Hillyer GV. Molecular cloning of a member of the *Fasciola hepatica* saposin-like protein family. J Parasitol 2003; 89: 545-52.
- Estuningsih SE, Smooker PM, Wiedosari E, Widjajanti S, Vaiano S, Partoutomo S, Spithill TW. Evaluation of antigens of *Fasciola gigantica* as vaccines against tropical fasciolosis in cattle. Int J Parasitol 1997; 27: 1419-28.
- Estes DM, Brown WC. Type 1 and type 2 responses in regulation of Ig isotype expression in cattle. Vet Immunol Immunopathol 2002; 90: 1-10.
- Estuningsih SE, Stevenson P, Beriajaya, Knox MR. Triclabendazole in the treatment of *Fasciola gigantica* infection in swamp buffalo (*Bubalus bubalis*). Aus Vet J 1990; 67: 234-5.
- Fabiyi JP. Production losses and control of helminthes in ruminants of tropical regions. Int J Parasitol 1987; 17: 435-42.
- Fagbemi BO, Hillyer GV. Partial purification and characterization of the proteolytic enzymes of *Fasciola gigantica* adult worms. Vet Parasitol 1991; 40: 217-26.
- Fagbemi BO, Hillyer GV. The purification and characterization of cysteine protease of *Fasciola gigantica* adult worms. Vet Parasitol 1992; 43: 223-32.
- Fairweather I, Threadgold LT, Hanna REB. Development of *Fasciola hepatica* in the mammalian host. In: Dalton JP (ed.). Fasciolosis. CABI publishing, Oxon, UK. 1999: pp. 47-111.
- Flanigan TP, King CH, Lett RR, Nanaduri J, Mahmoud AA. Induction of resistance to *Schistosoma mansoni* infection in mice by purified parasite paramyosin. J

- Clin Invest 1989; 83: 1010-4.
- Götz B, Klinkert M. Expression and partial characterization of a cathepsin B-like enzyme (Sm31) and proposed haemoglobinase (Sm32) from *Schistosoma mansoni*. Biochem J 1993; 290: 801-6.
- Grams R, Grams SV, Sobhon P, Upatham ES, Viyanant V. Molecular cloning and characterization of cathepsin L encoding genes from *Fasciola gigantica*. Parasitol Int 2001; 50: 105-14.
- Gupta SC, Prasad A, Chandra R. Studies on the predatory behaviour of *Channa punctatus* towards *Lymnaea auricularia*, the intermediate host of *Fasciola gigantica*. Indian J Parasitol 1986; 10: 123-5.
- Hanna REB. *Fasciola hepatica*: autoradiography of protein synthesis, transport and secretion by the tegument. Exp Parasitol 1980a; 50: 297-304.
- Hanna REB. *Fasciola hepatica*: glycocalyx replacement in the juvenile as a possible mechanism for protection against host immunity. Exp Parasitol 1980b; 50: 103-14.
- Haroun EM, Hillyer GV. Resistance to fascioliasis-a review. Vet Parasitol 1986; 20: 63-93.
- Harrison LJS, Hammonnd JA, Sewell MMH. Studies on helminthosis at the Centre for Tropical Veterinary Medicine (CTVM). Trop Anim Health Prod 1996; 28: 23-39.
- Hayes TJ, Bailer J, Mitrovic M. Acquired immunity and age resistance in rats with chronic fascioliasis. J Parasitol 1974a; 60: 247-50.
- Hayes TJ, Bailer J, Mitrovic M. Serum transfer of immunity to *Fasciola hepatica* in rats. J Parasitol 1974b; 60: 722-3.
- Hayes TJ, Bailer J, Mitrovic M. Studies on the serum transfer of immunity to *Fasciola hepatica* in the rat. J Parasitol 1974c; 60: 930-4.
- Hayes TJ, Mitrovic M. The early expression of protective immunity to *Fasciola hepatica* in rats. J Parasitol 1977; 63: 584-7.
- Heussler VT, Dobbelaere DA. Cloning of a protease gene family of *Fasciola hepatica* by the polymerase chain reaction. Mol Biochem Parasitol 1994; 64: 11-23.
- Hilley JD, Zawadzki JL, McConvile MJ, Coombs GH, Motram JC. *Leishmania*

- mexicana* mutants lacking glycosylphosphatidylinositol (GPI): protein transamidase provide insights into the biosynthesis and functions of GPI-anchored proteins. *Mol Biol Cell* 2000; 11(4): 1183-95.
- Hillyer GV. Induction of immunity in mice to *Fasciola hepatica* with a *Fasciola/Schistosoma* cross-reactive defined immunity antigen. *Am J Trop Med Hyg* 1985; 34: 1127-31.
- Hillyer GV, Haroun EM, Hernandez A, De Galanes MS. Acquired resistance to *Fasciola hepatica* in cattle using a purified adult worm antigen. *Am J Trop Med Hyg* 1987; 37: 363-9.
- Hillyer GV, Soler De Galanes M, Battisti G. *Fasciola hepatica*: host responders and nonresponders to parasite glutathione S-transferases. *Exp Parasitol* 1992; 75: 176-86.
- Hope Cawdery MJ, Gettinby G, Grainger JNR. Mathematical methods for predicting the prevalence of liver-fluke disease and its control from biological and meteorological data. In: *Weather and Parasitic Animal Disease*, World Meteorological Organisation Technical Note No. 159, 1978: pp. 21-38.
- Howell MJ, Board PG, Boray JC. Glutathione S-transferases in *Fasciola hepatica*. *J Parasitol* 1988; 74: 715-8.
- Hughes DL, Harness E, Doy TG. The establishment and duration of *Fasciola hepatica* infections in two strains of rats and the development of acquired resistance. *Res Vet Sci* 1976; 20: 207-11.
- Hughes DL, Harness E, Doy TG. Loss of ability to kill *Fasciola hepatica* in sensitized rats. *Nature (Lond.)* 1977; 267: 517-8.
- Hughes DL. *Fasciola* and fascioloides. Immune responses in parasitic infections: immunology, and immunoprophylaxis. Vol II. Trematodes and cestodes. In: Soulsby EJJ (ed). *CRC Press*. Boca Raton, Fla. 1987: pp 91-114.
- James KE, Gotz MG, Caffrey CR, Hansell E, Carter W, Barrett AJ, McKerrow JH, Powers JC. Aza-peptide epoxides: potent and selective inhibitors of *Schistosoma mansoni* and pig kidney legumains (asparaginyl endopeptidases). *Biol Chem* 2003; 384: 1613-8.
- Jefferies JR, Turner RJ, Barrett J. Effect of *Fasciola hepatica* excretory-secretory products on the metabolic burst of sheep and human neutrophils. *Int J Parasitol*

- 1997; 27: 1025-9.
- Jepps MW. Miracidia of the liver fluke for laboratory work. *Nature* 1993; 132: 171.
- Kendall SB, Sinclair IJ, Everett G, Parfitt JW. Resistance to *Fasciola hepatica* in cattle. I. Parasitological and serological observations. *J Comp Pathol* 1978; 88: 115-22.
- Khawsuk W, Soonklang N, Grams R, Grams SV, Wanichanon C, Meepool A, Chaithirayanon K, Ardseungneon P, Viyanant V, Upathum ES, Sobhon P. Production and characterization of a monoclonal antibody against recombinant glutathione S-transferase (GST) of *Fasciola gigantica*. *Asian Pac J Allergy Immunol* 2002; 20: 257-66.
- Knight RA. Relationship of globule leukocytes to infections with *Fasciola hepatica* in sheep. *J Parasitol* 1980; 66: 844-5.
- Kolzer M, Ferlinz K, Bartelsen O, Hoops SL, Lang F, Sandhoff K. Functional characterization of the postulated intramolecular sphingolipid activator protein domain of human acid sphingomyelinase. *Biol Chem* 2004; 385: 1193-5.
- Kondoh K, Hineno T, Sano A, Kakimoto Y. Isolation and characterization of prosaposin from human milk. *Biochem Biophys Res Commun* 1991; 181: 286-92.
- León-Félix J, Ortega-López J, Orozco-Solis R, Arroyo R. Two novel asparaginyl endopeptidase-like cysteine proteinases from the protest *Trichomonas vaginalis*: their evolutionary relationship within the clan CD cysteine proteinases. *GENE* 2004; 335, 25-35.
- Li DN, Matthew SP, Antoniou AN, Mazzeo D, Watts C. Multistep autoactivation of asparaginyl endopeptidase *in vitro* and *in vivo*. *J Biol Chem* 2003; 278(40): 38980-90.
- Lucía P, Daniel A, Isabel B, John PD, Carlos C. Vaccination with cathepsin L proteinases and with leucine aminopeptidase induces high levels of protection against fascioliasis in sheep. *Infect Immun* 1999; 64: 5066-74.
- Maes L, Monbaliu J, Michiels M, Desplenter L. Closantel in the control of *Fasciola hepatica* in sheep. *Ann Soc Belg Méd Trop* 1985; 65: 390-1.
- Maes L, Vanparijs O, Lawers H, Deckers W. Comparative efficacy of closantel and triclabendazole against *Fasciola hepatica* in experimentally infected sheep. *Vet*

- Rec 1990; 127: 450-2.
- Malone JB, Ramsy RT, Loyacano AF. Efficacy of clorsulon for treatment of mature naturally acquired and 8-week-old experimentally induced *Fasciola hepatica* infections in cattle. *Am J Vet Res* 1984; 45: 851-4.
- Manoury B, Hewitt EW, Morrice N, Dando PM, Barrett AJ, Watts C. An asparaginyl endopeptidase processes a microbial antigen for class II MHC presentation. *Nature* 1998; 396(6712): 695-9.
- Marley SE, Corwin RM, Hutcheson DP. Effect of *Fasciola hepatica* on productivity of beef steers from pasture through feed lot. *Agri-Practice* 1996; 17: 18-23.
- McCarthy E, Stack C, Donnelly SM, Doyle S, Mann VH, Brindley J, Stewart M, Day TA, Maule AG, Dalton JP. Leucine aminopeptidase of human blood fluke, *Schistosoma mansoni* and *Schistosoma japonicum*. *Int J Parasitol* 2004; 34: 703-14.
- McGonigle S, Dalton JP. Isolation of *Fasciola hepatica* hemoglobin. *Parasitology* 1995; 111: 209-15.
- McGonigle S, Curley GP, Dalton JP. Cloning of peroxiredoxin, a novel antioxidant enzyme, from the helminth parasite *Fasciola hepatica*. *Parasitology* 1997; 115: 101-4.
- Meemon K, Grams R, Grams SV, Hofmann A, Korge G, Viyanant V, Upatham ES, Habe S, Sobhon P. Molecular cloning and analysis of stage and tissue-specific expression of cathepsin B encoding genes from *Fasciola gigantica*. *Mol Biochem Parasitol* 2004; 136: 1-10.
- Meeusen E, Lee CS, Rickard MD, Brandon MR. Cellular responses during liver fluke infection in sheep and its evasion by the parasite. *Parasite Immunol (Oxf)* 1995; 17: 37-45.
- Mitchell GBB, Armour J, Ross JG, Halliday WG. Successful passive transfer of resistance to *Fasciola hepatica* infection in rats by immune serum and transfer factor. *Res Vet Sci* 1981; 30: 246-7.
- Morphew RM, Wright HA, Lacourse EJ, Wods DJ, Brophy PM. Comparative proteomics of excretory-secretory proteins released by the liver fluke *Fasciola hepatica* in sheep host bile and during *in vitro* culture ex-host. *Mol Cell Proteomics* 2007

- Movsesijan M, Jovanovic B, Aalund O, Nansen P. Immune response of sheep to *Fasciola hepatica* infection. *Res Vet Sci* 1975; 18: 171-4.
- Mulcahy G, Dalton JP. Cathepsin L proteinases as vaccines against infection with *Fasciola hepatica* liver fluke in ruminants. *Res Vet Sci* 2001; 70: 83-6.
- Munn EA. Rational design of nematode vaccines: hidden antigens. *Int J Parasitol* 1997; 27: 359-66.
- Mzembe SAT, Chaughry MA. The epidemiology of fascioliasis in Malawi: Part II. Epidemiology in the definitive host. *Trop Anim Health Prod* 1981; 13: 27-33.
- Nansen P. Resistance in cattle to *Fasciola hepatica* induced by γ -ray attenuated larvae: Results from a controlled field trial. *Res Vet Sci* 1975; 19: 278-83.
- Nguma JF, McCullough FS, Masha E. Elimination of *Biomphalaria pfeiferi*, *Bulinus tropicus* and *Lymnaea natalensis* by the ampullarid snail, *Marissa cornuarietis*, in a man-made dam in northern Tanzania. *Acta Tropica* 1982; 39: 85-90.
- O'Neill SM, Brady MT, Callanan JJ, Mulcahy G, Joyce P, Mills KH, Dalton JP. *Fasciola hepatica* infection downregulates Th1 responses in mice. *Parasite Immunol (Oxf.)* 2000; 22: 147-155.
- O'Neill SM, Mills KH, Dalton JP. *Fasciola hepatica* cathepsin L cysteine proteinase suppresses *Bordetella pertussis*-specific interferon-gamma production *in vivo*. *Parasite Immunol (Oxf.)* 2001; 23: 541-7.
- Okamoto T, Minamikawa T. Molecular cloning and characterization of *Vigna mungo* processing enzyme 1 (VmPE-1), an asparaginyl endopeptidase possibly involved in post-translational processing of a vacuolar cysteine endopeptidase (SH-EP). *Plant Mol Biol* 1999; 39: 63-73.
- Oliver EM, Skuce PJ, McNair CM, Knox DP. Identification and characterization of an asparaginyl proteinase (legumain) from the parasitic nematode, *Haemonchus contortus*. *Parasitology* 2006; 133(Pt 2): 237-44.
- Outchkourov NS, Rogelj B, Strukkelj B, Jongsma A. Expression of sea anemone equistatin in potato. Effects of plant proteases on heterologous protein production. *Plant Physiol* 2003; 133: 379-390.
- Overend DJ, Bowen FL. Resistance of *Fasciola hepatica* to triclabendazole. *Aus Vet J* 1995; 72: 275-6.
- Paykari H, Dalimi A, Madani R. Immunization of sheep against *Fasciola gigantica*

- with glutathione S-transferase. *Vet Parasitol* 2002; 105: 153-9.
- Pearce EJ, James SL, Hieny S, Lanar DE, Sher A. Induction of protective immunity against *Schistosoma mansoni* by vaccination with schistosome paramyosin (Sm97), a nonsurface parasite antigen. *Proc Natl Acad Sci* 1988; 85: 5678-82.
- Piedrafita D, Spithill TW, Dalton JP, Brindley PJ, Sandeman MR, Wood PR, Parsons JC. Juvenile *Fasciola hepatica* are resistant to killing *in vitro* by free radicals compared with larvae of *Schistosoma mansoni*. *Parasite immunol (Oxf.)* 2000; 22: 287-95.
- Piedrafita D, Parsons JC, Sandeman RM, Wood PR, Estuningsih SE, Partoutomo S, Spithill TW. Antibody-dependent cell-mediated cytotoxicity to newly excysted juvenile *Fasciola hepatica in vitro* is mediated by reactive nitrogen intermediates. *Parasite Immunol (Oxf.)* 2001; 23: 473-82.
- Piedrafita D, Raadsma HW, Spithill TW. Immunology of the host-parasite relationship in fasciolosis (*Fasciola hepatica* and *Fasciola gigantica*). *Can J Zoo* 2004; 82: 233-50.
- Preston JM, Castelino JB. A study of the epidemiology of bovine fascioliasis in Kenya and its control using *N*-tritylmorpholine. *Br Vet J* 1977; 155: 600-8.
- Prowse RK, Chaplin P, Robinson HC, Spithill TW. *Fasciola hepatica* cathepsin L suppresses sheep lymphocyte proliferation *in vitro* and modulated surface CD4 expression on human and ovine T cells. *Parasite Immunol (Oxf.)* 2002; 24: 57-66.
- Rai RB, Senai S, Ahlawat SPS, Kumar BV. Studies on the control of fascioliasis in Andaman and Nicobar Islands. *Ind Vet J* 1996; 73: 822-5.
- Rajasekariah GR, Howell MJ. *Fasciola hepatica* in rats: effects of age and infective dose. *Int J Parasitol* 1977a; 7: 119-21
- Rajasekariah GR, Howell MJ. The fate of *Fasciola hepatica* metacercariae following challenge infection of immune rats. *J Helminthol* 1977b; 51: 289-94.
- Rajasekariah GR, Howell MJ. *Fasciola hepatica* in rats: transfer of immunity by serum and cells from infected to *F. hepatica* naïve animals. *J Parasitol* 1979; 65: 481-7.
- Rajasekariah GR, Howell MJ. Age-associated responses in susceptible and resistant rats to infection with *Fasciola hepatica*. *Int J Parasitol* 1981; 11: 59-65.

- Ramirez BL, Kurtis JD, Wiest PM, Arias P, Aligui F, Acosta L, Peters P, Olds GR. Paramyosin-a candidate vaccine antigen against *Schistosoma japonicum*. *Parasite Immunol* 1996; 18: 49-52.
- Rawlings ND, and Barrett AJ. Evolutionary families of peptidases. *Biochem J* 1993; 290(1): 205-18.
- Rice P, Longden I, Bleasby, A. EMBOSS: the European Molecular Biology Open Software Suite. *Trends Genet* 2000; 16: 276-7.
- Rickard MD, Howell MJ. Comparative aspects of immunity in fascioliasis and cysticercosis in domesticated animals. In: Symons LEA, Donald AD, and Dineen JK (eds.). *Biology and Control of Ectoparasites*. Academic Press, Sydney, 1982:343-74.
- Roberts JA, Suhardono. Approaches to the control of fasciolosis in ruminants. *Int J Parasitol* 1996; 26: 971-81.
- Roberts JA, Widjajanti S, Estuningsih E, Hetzel DJ. Evidence for a major gene determining the resistance of Indonesian Thin Tail sheep against *Fasciola gigantica*. *Vet Parasitol* 1997; 68: 309-14.
- Rodriguez-Perez J, Rodriguez-Medina JR, Garcia-Blanco MA, Hillyer GV. *Fasciola hepatica*: Molecular cloning, nucleotide sequence and expression of a gene encoding a polypeptide homologous to a *Schistosoma mansoni* fatty acid binding protein. *Exp Parasitol* 1992; 74: 400-7.
- Ross JG, Dow C, Todd JR. A study of *Fasciola hepatica* infections in sheep. *Vet Rec* 1967; 80: 543-6.
- Saitou N, Nei M. The neighbor-joining method: a new method for reconstruction of phylogenetic trees. *Mol Biol Evol* 1987; 4: 406-25.
- Sajid M, McKerrow JH. Cysteine proteases of parasitic organism. *Mol Biochem Parasitol* 2002; 120: 1-21.
- Sajid M, McKerrow JH, Hansell E, Mathieu MA, Lucus KD, Hsieh I, Greenbaum D, Bogyo M, Salter JP, Lim KC, Franklin C, Kim JH, Caffrey CR. Function expression and characterization of *Schistosoma mansoni* cathepsin B and its *trans*-activation by an endogenous asparaginyl endopeptidase. *Mol Biochem Parasitol* 2003; 131: 65-75.
- Sanchez-Moreno M, Leon P, Salas-Peregrin JM, Garcia-Ruiz MA, Monteoliva M.

- Superoxide dismutase in trematodes. Isoenzymatic characterization and studies on inhibition by a series of benzimidazoles and by pyrimidines of recent syntheses. *Arzne im-Forsch* 1987; 37: 903-5.
- Sandeman RM, Howell MJ. *In vitro* studies of the response of sheep to infection with *Fasciola hepatica*. *Vet Parasitol* 1980a; 6: 347-57.
- Sandeman RM, Howell MJ. An attempt to vaccinate sheep against *Fasciola hepatica* using a juvenile fluke antigen sheep antibody complex. *Res Vet Sci* 1980b; 29: 255-9.
- Sanyal PK. Kinetic disposition of triclabendazole in buffalo compared to cattle. *J Vet Phar Therapeutics* 1995; 30: 294-7.
- Schillhorn van Veen TW. Fascioliasis (*Fasciola gigantica*) in West Africa: a review. *Vet Bull* 1980; 50: 529-33.
- Sexton JL, Milner AR, Panaccio M, Waddington J, Wijffels GL, Chandler D, Thompson C, Wilson L, Spithill TW, Mitchell GF, Campbell NJ. Glutathione S-transferase. Novel vaccine against *Fasciola hepatica* infection in sheep. *J Immunol* 1990; 145: 3905-10.
- Sharma DK, Hilley JD, Bang JD, Coombs GH, Mottram JC, Menon AK. Soluble GPI8 restores glycosylphosphatidylinositol anchoring in a trypanosome cell-free system depleted of luminal endoplasmic reticulum proteins. *Biochem J* 2000; 351(Pt3): 717-22.
- Sher A, Coffman RL. Regulation of immunity to parasites by T cells and T cell-derived cytokines. *Ann Rev Immunol* 1992; 10: 385-409.
- Shirahama-Noda K, Yamamoto A, Sugihara K, Hashimoto N, Asano M, Nishimura M, Hara-Nishimura I. Biosynthetic processing of cathepsins and lysosomal degradation are abolished in asparaginyl endopeptidase-deficient mice. *J Biol Chem* 2003; 29: 33194-9.
- Shoda LK, Rice-Ficht AC, Zhu D, McKown RD, Brown WC. Bovine T cell responses to recombinant thioredoxin of *Fasciola hepatica*. *Vet Parasitol* 1999; 82: 35-47.
- Shutov AD, Vaintraub IA. Degradation of storage proteins in germinating seeds. *Phytochem* 1987; 26: 1557-66
- Sinclair KB. Observations on the clinical pathology of ovine fascioliasis. *Br Vet J*

- 1962; 118: 37-53.
- Sinclair KB. The effect of corticosteroid on the pathogenicity and development of *Fasciola hepatica* in lambs. *Br Vet J* 1968; 124: 133-9.
- Sinclair KB. The pathogenicity of *Fasciola hepatica* in previously infected, corticosteroid-treated lambs. *Res Vet Sci* 1970; 11: 209-16.
- Sinclair KB. Acquired resistance to *Fasciola hepatica* in sheep. *Br Vet J* 1971; 127: 125-136.
- Sinclair KB. The resistance of sheep to *Fasciola hepatica*: studies on the development and pathogenicity of challenge infection. *Br Vet J* 1973; 129: 236-50.
- Sinclair KB. The resistance of sheep to *Fasciola hepatica*: studies on the pathophysiology of challenge infections. *Res Vet Sci* 1975; 19: 296-303.
- Skelly PJ, Shoemaker CB. *Schistosoma mansoni* proteases Sm31 (cathepsin B) and Sm32 (legumain) are expressed in the cecum and protonephridia of cercaria. *J Parasitol* 2001; 87(5): 1218-21.
- Sloan T, Dooge D, Joyce P. Identification of phosphorylcholine containing antigens of *Fasciola hepatica*-successful tolerization against this epitope in experimental animals. *Parasite Immunol* 1991; 13: 447-55.
- Smith AM, Dowd AJ, Heffernan M, Robertson CD, Dalton JP. *Fasciola hepatica*: a secreted cathepsin L-like proteinase cleaves host immunoglobulin. *Int J Parasitol* 1993; 23: 977-83.
- Smooker PM, Hickford DE, Vaiano S, Spithill TW. Isolation, characterization and expression of a cDNA encoding a *Fasciola gigantica* fatty acid binding protein. *Exp Parasitol* 1997; 85: 86-91.
- Spithill TW, Piedrafita D, Smooker PM. Immunological approaches for the control of fasciolosis. *Int J Parasitol* 1997; 27: 1221-35.
- Spithill TW, Smooker PM, Sexton JL, Bozas E, Morrison CA, Creaney J, Parson JC. Development of vaccines against *Fasciola hepatica*. In: Dalton JP(ed.). *Fasciolosis*. CABI publishing, Oxon, UK. 1999a: pp. 377-410.
- Spithill TW, Smooker PM, Copeman DB. *Fasciola gigantica*: epidemiology, control, immunology and molecular biology. In: Dalton JP (ed.). *Fasciolosis*. CABI publishing, Oxon, UK. 1999b: pp. 465-525.

- Suhardono, Widjajanti S, Stevenson P, Carmichael IH. Control of *Fasciola gigantica* with triclabendazole in Indonesian cattle. *Trop Anim Health Prod* 1991; 23: 217-20.
- Sukhapesna V, Sarataphan N, Tuntasuvan D, Sangiamluksana S. A study on epidemiology of liver fluke infection in buffaloes. *Thai J Vet Med* 1990; 20: 527-34.
- Thomas AP. The natural history of the liver-fluke and the prevention of rot. *Journal of the Royal Agricultural Society of England* 1883a; 19: 276-305.
- Thomas AP. The life history of the liver-fluke (*Fasciola hepatica*). *Quarterly Journal of Microscopical Science* 1883b; 23:99-133.
- Thompson JD, Higgins DG, Gibson TJ. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res* 1994; 22: 4673-80.
- Threadgold LT. The tegument and associated structures of *Fasciola hepatica*. *L Q J Microsc Sci* 1963; 104: 505-12.
- Threadgold LT. Electron-microscope studies of *Fasciola hepatica*. III. Further observations on the tegument and associated structures. *Parasitology* 1967; 57: 633-7.
- Tkalcevic J, Ashman K, Meeusen E. *Fasciola hepatica*: rapid identification of newly excysted juvenile proteins. *Biochem Biophys Res Commun* 1995; 213: 169-74.
- Torgerson P, Claxton J. Epidemiology and control. In: Dalton JP (ed.). *Fasciolosis*. CABI Publishing, Oxon, UK 1999: pp. 113-49.
- Touratier L. Note on the role of nitroxinil in an integrated campaign against *Fasciola gigantica* infection of cattle in Madagascar. *Revue d'Élevage et de Médecine Vétérinaire des Pays Tropicaux* 1988; 41: 181-9
- van Milligen FJ, Cornelissen JBWJ, Bokhout BA. Location of induction and expression of protective immunity against *Fasciola hepatica* at the gut level: a study using an *ex vivo* infection model with ligated gut segments. *J Parasitol* 1998; 84: 771-7.
- van Milligen FJ, Cornrlissen JBWJ, Bokhout BA. *Fasciola hepatica*: an antigen fraction derived from newly excysted juveniles, containing an immunoreactive

- 32-kDa protein, induces strong protective immunity in rats. *Exp Parasitol* 2000; 94: 163-71.
- Wedrychowicz H, Turner K, Pfister K, Holmes PH, Armour J. Local antibody responses in the bile and faeces of sheep infected with *Fasciola hepatica*. *Res Vet Sci* 1984; 37: 44-51.
- Wiedosari E, Copeman DB. High resistance to experimental infection with *Fasciola gigantica* in Javanese thin-tailed sheep. *Vet Parasitol* 1990; 37: 101-11.
- Wijffels GL, Sexton JL, Salvatore L, Pettitt JM, Humphris DC, Panaccio M, Spithill TW. Primary sequence heterogeneity and tissue expression of glutathione S-transferases of *Fasciola hepatica*. *Exp Parasitol* 1992; 74: 87-99.
- Wijffels GL, Salvatore L, Dosen M, Waddington J, Wilson L, Thompson C, Campbell N, Sexton J, Wicker J, Bowen F, Friedel T, Spithill TW. Vaccination of sheep with purified cysteine proteinases of *Fasciola hepatica* decreases worm fecundity. *Exp Parasitol* 1994; 78: 132-48.
- Willadsen P, Bird P, Cobon S, Hungerford J. Commercialisation of a recombinant vaccine against *Boophilus microplus*. *Parasitology* 1995; 110: S43-50.
- Wilson LR, Good RT, Panaccio M, Wijffel GL, Sandeman RM, Spithill TW. *Fasciola hepatica*: characterization and cloning of the major cathepsin B protease secreted by newly excysted juvenile liver fluke. *Exp Parasitol* 1998; 88: 85-94.
- Yazwinski T, Featherstone H, Preston B, Greenway T, Pote L, Holzen H. Efficacy of injectable clorsulon in the treatment of immature bovine *Fasciola hepatica* infections. *Agri-Practice* 1985; 6: 6-8.
- Zhang WY, Moreau E, Hope JC, Howard CJ, Huang WY, Chauvin A. *Fasciola gigantica*: Comparison of cellular response to experimental infection in sheep. *Exp Parasitol* 2005; 111: 154-9.
- Zhang WY, Moreau E, Yang BZ, Li ZQ, Hope JC, Howard CJ, Huang WY, Chauvin A. Humoral and cellular immune responses to *Fasciola gigantica* experimental infection in buffaloes. *Res Vet Sci* 2006; 80(3): 299-307.