REFFERENCES

Bhattacharyya, N. and Sarma, S. (2008). Assessment of availability, ecological feature, and habitat preference of the medicinal herb *Houttuynia cordata* Thunb. in the Brahmaputra Valley of Assam, India. Springer Science +Business Media. 34:243-248.

Biopanax. (2013). "Fatty acid" [*Online*]. Available: http://www.biopanax.com/shopping/index.php?route=information/article&article_id=22 [2013, January 25]

Chakraborti, S., Sinha, S. and Sinha, R. (2006). High-frequency induction of shoots and clonal propagation from rhizomatous nadal segments of *Houttuynia cordata* Thunb. – An ethnomedicinal herbs of india. *In Vitro* Cell. Dev. Biol.-Plant.42:394-398.

Chatsiriwej, N. (2004). Anthraquinone production in tissue cultures of *Senna alata* (L.) Roxb. M.S. Thesis. Songkla University.

ChemDrug. (2010). "Houttuynine, 3-Oxododecanal,Houttuynin, Decanoyl acetaldehyde, Dodecanal" [*Online*]. Available: http://www.chemdrug.com/databases/10_1_dclaauiqnlifpind.html [2013, January 5]

Chemweb. (2003). "Flavonoidy" [*Online*]. Available: http://canov.jergym.cz/alkaloid/prirlatk/f.html [2013, January 5]

Cheng-Jiang, R., Xi, Z., Jaime, A., Teixeira, d. S, and Pei Q. (2008). Callus induction and plant regeneration from embryonic axes of *Kosteletzkya virginica*. Journal of Scientae horticulturea. In press.

Cordell, G. (1981). Introduction to Alkaloids. A biogenetic Approach (Wiley-Interscience). New York.

Eun, H. H., Jin, H. P., Ji, Y. K. and Hye, G. J. (2009). *Houttuynia cordata* water extract suppresses anaphylactic reaction and IgE-mediated allergic response by inhibiting multiple steps of FceRI signaling in mast cells. Food and Chemical Toxicology. 47 : 1659-1666.

Gamborg, O. L. (2002). Plant tissue culture. Biotechnology. Milestones. *In vitro* Cellular and Developmental Biology - Plant. 38 : 84-92.

George, E. F., Michael, A. H. and Geert-Jan D. K. (2001). Plant propagation by tissue culture volume 1. The background. 3rd ed. Springer, Nertherland. 501 pp.

Global Invasive Species Database. (2009). "*Houttuynia cordata* Thunb." [*Online*]. Available: http://www.issg.org/database/species/ecology.asp?si=854 [2009, August16]

Ganfyd. (2008). "Caryophyllene" [*Online*]. Available: http://www.ganfyd.org/index.php?title=Caryophyllene [2013, January 5]

Heike, D. and Dietrich, K. (1994). Strategies secondary for the improvement of metabolite production in plant cell cultures. Department of Food Technology, Berlin University of Technology, Berlin, Germany.

Herbal wine. (2006). Science name : *Houttuynia cordata* Thunb. [*Online*]. Avialable : http://wineantivirus.webs.com/ [2010, March 26]

Herbarium of National Taiwan University Digital Archives. (No date). Flora of Taiwan. [*Online*]. Avialable : http://140.112.8.149/tai2/flora/flora2?page=31 [2010, March 26]

Lu, H. M., Liang, Y. Z. and Chen, S. (2006). Identification and quality assessment of *Houttuynia cordata* injection using GC–MS fingerprint: A standardization approach. Journal of Ethnopharmacology. 105 : 436–440.

Hobman J. L., Wilson, J. R., Leang, C. and Brown, N. L. (1997). Bacterial mercury transport. Proceedings of SEB Annual Meeting, Animal and cell biology Abstracts. 92: 82-88.

International Journal of Nutrition, Pharmacology and Neurological Diseases. (2010). "β - Sitosterol" [*Online*]. http://www.ijnpnd.com/viewimage.asp?img=IntJNutr PharmacolNeurolDis_2011_1_2_90_84188_f7.jpg [2013, January 5]

Jiesheng, Y. (2009). Application of gas chromatography-mass spectrometry in research of traditional Chinese medicine. Versita. 63(5) : 506-511.

Joe, A. V., Bryan, R. B. and Mysore, V. N. (2012). Randomized, double-blind, placebo-controlled, linear dose, crossover study to evaluate the efficacy and

safety of a green coffee bean extract in overweight subjects. National Institutes of Health. 5: 21–27.

Kulkarni, K. R. and D'Souza, L. (2000). Control of *in vitro* shoot tip necrosis in *Butea monosperma*. Current Science. 28(2) : 125-126.

Kim, S. K. Ryu, S. Y., No, J., Choi, S. U., and Kim, Y.S. 2001. Cytotoxic alkaloids from *Houttuynia cordata*. Arch Pharm Res. 24(6): 518-521.

Liang, Y., Yi, L. and Xu, Q. (2008). Chemometrics and modernization of traditional Chinese medicine. Sci China Ser B-Chem. 51(8) : 718-728.

Lingfei, X., FengWang, M. and Dong, L. (2008). Plant regeneration *in vitro* from cultured leaves of Lanzhou lily (*Lilium davidii* var. unicolor). Journal for Horticulture. in press.

Lingmin, T., Yan, Z., Chao, G. and Xingbin, Y. (2011). A comparative study on the antioxidant activities of an acidic polysaccharide and various solvent extracts derived from herbal *Houttuynia cordata*. Elsevier. 83 : 537-544.

Lua, H. M., Liang, Y. Z., Yi, L. Z. and Wu, X. J. (2006). Anti-inflammatory effect of *Houttuynia cordata* injection. Journal of Ethnopharmacology. 104 : 245-249.

Papafotiou, M. and Martini, A. N. (2008). Effect of position and orientation of leaflet explants with respect to plant growth regulators on micropropagation of *Zamioculcas zamiifolia* Engl. Scientia Horticulturae. 120(1) : 115-120.

Maria, P. and Aekaterini. N. M. (2008). Effect of position and orientation of leaflet explants with respect to plant growth regulators on micropropagation of *Zamioculcas zamiifolia* Engl. (ZZ). Scientia Horticulturae. 6 : 325-331.

Medicinal Plant Research Institute. (2003). *Houttuynia cordata* Thunb. The War Weterans Oganization of Thailand publishing . Nontabury, pp. 3-14.

Mineo, L. (1990). Plant tissue culture techniques. In tested studies for laboratory teaching. 11: 151 - 174.

Minmin, L., Meiling Q., Ruonong F., Changbin, Z., Shan, Z., Junxiong, H. (2005). Gas chromatography–mass spectrometry analysis of volatile compounds from *Houttuynia cordata* Thunb. after extraction by solid-phase microextraction, flash evaporation and steam distillation. Analytica Chimica Acta. 531 : 97-104.

Phurimsak, C. and Leatdkamolkarn, V. (2005). Screening for antiviral effect of Thai herbs; *Kaemferia parviflora*, *Ellipeiopsis cherrevesis* and *Stemona tuberose*

against Dengue virus type-2. *In:* 31st Congress on Science and Technology of Thailand at Suranaree University of Technology.

Prayoonrat, P. (1993). Weeds and weed controls. Srinakharinwirot University. 385 pp.

Rai Foundation Colleges. (2008). "Advantage plant tissue culture." [*Online*]. Available: http://www.rocw.raifoundation.org/biotechnology/BTechbiotech/lifescience-II/lecture-notes/lecture-14.pdf [2010, March 15)

Ramachandra, R. S. and Ravishankar, G. A. (2002). Plant cell culture: Chemical factories of secondary metabolite. Biotechnology Advances. 20: 101 - 153.

Robert, N. T. and Dennis, J. G. (2000). Plant tissue culture concepts and laboratory exercises. Second Edition. CRC Press. Washington D.C., USA.

Robert, N. T. and Dennis, J. G.(2005). Plant development and biotechnology. CRC Press. Washington D.C., USA.

Rozanski, H. (2012). "Fragariae Folium" [*Online*]. Available: http://rozanski.li/?p=2746 [2013, January 5]

Sandhya, G. and Mahalaxmi, V. (2009). *In vitro* high frequency direct plant regeneration from whole leaves of blackberry. journal for Scientia Horticulturae. 120 : 22-26.

Sarlamp, P., Chakul, W., Temsiririrkkul, R. and Clayton, T. (1996). Medicinal Plant in Thailand. 1: 217-221.

Saswati, C., Sangram S. and Rabindra, K. S. (2006). High-Frequency Induction of Multiple Shoots and Clonal Propagation from Rhizomatous nodal segments of *Houttuynia cordata* Thunb. – An Ethnomedicinal Herb. *In Vitro* Cell. Dev. Biol.-Plant. 42 : 394-398.

Somkanea, U. (2007). Somaclonal variation of caladium [*Caladium bicolor* (Ait.) Vent.] and [*C. humboldtii* Schott.] from *in vitro* propagation. International conference on Quality management in Supply Chains of Onamentals. Radission Hotel, Bankok, Thailand, 3-6 December, (Abstract). P8.

Tang, W. and Eisenbrand, G. (1992). Chinese Drugs of Plant Origin. Springer-Verlag. Germany. p.589-591.

Texas Tech University. (2009). "MS media." [*Online*]. Available: http://genetics.biol.ttu.edu/Agbiotech_files/Lab%204/media.htm [2009, March10]

Trevor, A. T. (1981). Plant tissue culture : Methods and applications in agriculture. Academic Press, Inc., New York.

Tutupalli, L. V. and Chaubal, M. G. (1975). Saururaceae. V. Composition of essential oil from foliage of *Houttuynia cordata* and chemosystematics of Soururaceae. Lloydia. 38 : 92-96.

Weifeng, L., Ping, Z., Yanmin, Z. and Langchong H. (2011). *Houttuynia cordata*, a novel and selective COX-2 inhibitor with anti-inflammatory activity. Journal of Ethnopharmacology. 133 : 922-927.

Wikimedia. (2012). "Thymol" [*Online*]. Available: http://en.wikipedia.org/wiki/ Thymol [2013, January 5]

Wikipedia. (2009). "*Houttuynia cordata* Thunb." [*Online*]. Available: http://en. wikipedia.org/wiki/Houttuynia [2009, August 16]

Wikipedia. (2013). "1,8-Cineol" [*Online*]. Available: http://commons.wikimedia.org /wiki/File:1,8-Cineol.svg [2013, January 5]

Wildflower. (No date). "FISH PLANT" [*Online*]. Available: http://wildflowerfinder. org.uk/Flowers/C/Chameleon/Chameleon.htm [2013, January 5]

Wongsriwiwat, T. (2007). *In vitro* Propagation of Black Kwao Keur. Thesis for Master of Science. Mae Fahluang University.

Xuejun, Y., Zhiyong, W., Jianxiu, L. and Jianming, S. (2009). Development of a plant regeneration system from seed-derived calluses of centipedegrass [*Eremochloa ophiuroides* (Munro.) Hack]. Scientia Horticulturae 120:96–100.

Zamora, A. (2013). "Normalize your Cholesterol through diet and lifestyle changes" [*Online*]. Available: http://www.scientificpsychic.com/health/cholesterol2. html [2013, January 5]

Zhong-Da, Z., Yi-Zeng, L. and Cheng-Jian, X. (2004). Comparing chemical fingerprints of herbal medicines using modified window target-testing factor analysis. Anal Bioanal Chem. 381: 913-924.