

บรรณานุกรม

- [1] สนั่น สุขวัจน์ และคณะ, 2523, *การวิภาคศาสตร์ และสรีระวิทยา*, โรงพิมพ์อักษรสัมพันธ์
- [2] ดร.จินตมัย สุวรรณประทีป, 2547 การทดสอบคุณสมบัติทางกลของพลาสติก
- [3] Georg N. Duda, Markus Heller, Juergen Albinger, Olaf Schulz, Erich Schneider, Lutz Claes^b, 1998. Influence of muscle forces on femoral strain distribution. *Journal of Biomechanics* 31 841-846
- [4] J.A. Simoes, M.A. Vaz , S. Blatcher , M. Taylor , 2000. Influence of head constrain and muscle force on the strain distribution within the intact femur. *Medical Engineering & Physics* 22 453–459
- [5] Charalampos Bitsakos, Jan Kerner, Ian Fisher, Andrew A. Amis, 2005. The effect of muscle loading on the simulation of bone remodelling in the proximal femur. *Journal of Biomechanics* 38 133–139
- [6] A.W.L. Turner, R.M. Gillies, R. Sekel, P. Morris, W. Bruce, W.R. Walsh, 2005. Computational bone remodelling simulations and comparisons with DEXA results. *Journal of Orthopaedic Research* 23 705–712
- [7] Andrew D. Speirs, Markus O. Heller, William R. Taylor, Georg N. Duda *, Carsten Perka, 2007. Influence of changes in stem positioning on femoral loading after THR using a short-stemmed hip implant. *Clinical Biomechanics* 22 431–439
- [8] Andrew D. Speirs, Markus O. Heller, Georg N. Duda*, William R. Taylor, 2007. Physiologically based boundary condition in finite element modeling. *J. Biomechanics* Volume 40, Issue 10, Pages 2318-2323
- [9] Nail A. Sharkey, Tait s. Smith and David C. Lundmark, 1995. Freeze clamping musculo-tendinous junctions for in vitro simulation of joint mechanics. *J. Biomechanics*, Vol.28, No.5 pp.631-635
- [10] William P. Silver, R. Alexander Creighton, Ioannis K. Triantafillopoulos, Aaditya C. Devkota, Paul S. Weinhold and Spero G. Karas, 2004. Thermal Microdebridement does not affect the time zero biomechanical properties of human patellar tendons. *Am. J. Sports Med.* 2004; 32; 1946 originally published online Nov 23

- [12] Nanthan Ramachandra, Yoichi Koike, Philippe Poitras 2005. Dual cryogenic fixation for mechanical testing of soft musculoskeletal tissues. *IEEE transactions on biomedical engineering*
- [13] J. Lepetit, R. Favier, A. Grajales, P.O. Skjervold, 2004. A simple cryogenic holder for tensile testing of soft biological tissue. *Journal of Biomechanics* 37 557-562
- [14] Tishaya A.L. Wren, Scott A. Yerby, Gary S. Beaupre', Dennis R. Carter 2001. Mechanical properties of the human Achilles tendon. *Clinical Biomechanics* 16 245-251
- [15] S.C. Montgomery, J.D. Moorehead, J.S. Davidson, D.Lowe, P.H. Dangerfield 1998. A new techque for measuring the rotational axis pathway of a moving knee. *The Knee* 5 289-295
- [16] Wokf Petersen, Thore Zantop 2006. Anatomy of the anterior cruciate ligament with regard to its two bundles. *Clinical Orthopaedics and Related Research* Number 454 35-47
- [17] Chad S. Conner, Randal P, Santaram Vallurupalli. Tensioning of anterior cruiate ligament hamstring graft : comparing equal tension versus equal stress
- [18] John C. Gardar, Jeffrey A. Weiss Subject-specific finite element analysis of human medial collateral ligament during valgus knee loading 2003. *Journal of Orthopaedic Research* 21 1098-1106
- [19] รพีภัทร์ วีระชาติพิทักษ์ชน, บรรพต หอบั่นลือกิจ. 2549. “การวิเคราะห์พฤติกรรมทางกลของ วัสดุไฮเปอร์วิสโคอีลาสติก โดยวิธีการไฟไนต์เอลิเมนต์”. สถาบันเทคโนโลยีพระจอมเกล้าพระนครเหนือ. คณะวิศวกรรมศาสตร์. ภาควิชาวิศวกรรมเครื่องกล
- [18] <http://metal.eng.chula.ac.th>
- [19] <http://getbodysmart.com>
- [20] <http://thaigojukai.com>
- [21] <http://ptkrobot.blogspot.com>