

ภาคผนวก

ตารางภาคผนวก ก.1

ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 1

ความลึก ซม.	นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.15	18.08333	0.361667	0.000361667	0.000595217	5.95217E-07	2.9761E-07	1215.24375
	4	0.142	17.13095	0.342619	0.000342619	0.001547598	1.5476E-06	3.869E-07	885.550723
	6	0.137	16.53571	0.330714	0.000330714	0.002142836	2.14284E-06	3.5714E-07	926.00926
	8	0.133	16.05952	0.32119	0.00032119	0.002619026	2.61903E-06	3.2738E-07	981.098936
	10	0.13	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	2.9762E-07	1055.2076
20 - 60	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.152	18.32143	0.366429	0.000366429	0.000357121	3.57121E-07	3.5712E-07	1026.06156
	2	0.149	17.96429	0.359286	0.000359286	0.000714264	7.14264E-07	3.5713E-07	1006.03018
	4	0.14	16.89286	0.337857	0.000337857	0.001785693	1.78569E-06	4.4642E-07	756.809082
	6	0.133	16.05952	0.32119	0.00032119	0.002619026	2.61903E-06	4.365E-07	735.824202
	8	0.13	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	3.7202E-07	844.166078
	10	0.125	15.10714	0.302143	0.000302143	0.003571407	3.57141E-06	3.5714E-07	846.005076

ตารางภาคผนวก ก.2
ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 2

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.152	18.32143	0.366429	0.000366429	0.000357121	3.57121E-07	3.5712E-07	1026.06156
	2	0.151	18.20238	0.364048	0.000364048	0.000476169	4.76169E-07	2.3808E-07	1529.06881
	4	0.145	17.4881	0.349762	0.000349762	0.001190455	1.19045E-06	2.9761E-07	1175.22115
	6	0.136	16.41667	0.328333	0.000328333	0.002261883	2.26188E-06	3.7698E-07	870.95562
	8	0.131	15.82143	0.316429	0.000316429	0.002857121	2.85712E-06	3.5714E-07	886.006645
	10	0.125	15.10714	0.302143	0.000302143	0.003571407	3.57141E-06	3.5714E-07	846.005076
20 - 60	0.5	0.154	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	4.7615E-07	774.569711
	1	0.154	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.151	18.08333	0.361667	0.000361667	0.000595217	5.95217E-07	2.9761E-07	1215.24375
	4	0.146	17.4881	0.349762	0.000349762	0.001190455	1.19045E-06	2.9761E-07	1175.22115
	6	0.138	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	3.9682E-07	821.407393
	8	0.135	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	3.7202E-07	844.166078
	10	0.132	14.9881	0.299762	0.000299762	0.003690455	3.69045E-06	3.6905E-07	812.262781

ตารางภาคผนวก ก.3
ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 3

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	4.7615E-07	774.569711
	1	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.151	18.20238	0.364048	0.000364048	0.000476169	4.76169E-07	2.3808E-07	1529.06881
	4	0.142	17.13095	0.342619	0.000342619	0.001547598	1.5476E-06	3.869E-07	885.550723
	6	0.135	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	3.9682E-07	821.407393
	8	0.13	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	3.7202E-07	844.166078
	10	0.124	14.9881	0.299762	0.000299762	0.003690455	3.69045E-06	3.6905E-07	812.262781
20 - 60	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.15	18.08333	0.361667	0.000361667	0.000595217	5.95217E-07	2.9761E-07	1215.24375
	4	0.144	17.36905	0.347381	0.000347381	0.001309502	1.3095E-06	3.2738E-07	1061.10827
	6	0.138	16.65476	0.333095	0.000333095	0.002023788	2.02379E-06	3.373E-07	987.539868
	8	0.136	16.41667	0.328333	0.000328333	0.002261883	2.26188E-06	2.8274E-07	1161.27416
	10	0.129	15.58333	0.311667	0.000311667	0.003095217	3.09522E-06	3.0952E-07	1006.93005

ตารางภาคผนวก ก.4
ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 4

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.152	18.32143	0.366429	0.000366429	0.000357121	3.57121E-07	3.5712E-07	1026.06156
	2	0.151	17.96429	0.359286	0.000359286	0.000714264	7.14264E-07	3.5713E-07	1006.03018
	4	0.144	17.13095	0.342619	0.000342619	0.001547598	1.5476E-06	3.869E-07	885.550723
	6	0.137	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	3.9682E-07	821.407393
	8	0.135	15.82143	0.316429	0.000316429	0.002857121	2.85712E-06	3.5714E-07	886.006645
	10	0.132	15.10714	0.302143	0.000302143	0.003571407	3.57141E-06	3.5714E-07	846.005076
20 - 60	0.5	0.153	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.153	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	1.1903E-07	3118.56134
	2	0.15	18.20238	0.364048	0.000364048	0.000476169	4.76169E-07	2.3808E-07	1529.06881
	4	0.145	17.60714	0.352143	0.000352143	0.001071407	1.07141E-06	2.6785E-07	1314.69296
	6	0.135	16.65476	0.333095	0.000333095	0.002023788	2.02379E-06	3.373E-07	987.539868
	8	0.13	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	2.9762E-07	1095.20986
	10	0.124	15.94048	0.31881	0.00031881	0.002738074	2.73807E-06	2.7381E-07	1164.35694

ตารางภาคผนวก ก.5
ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 5

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.149	17.96429	0.359286	0.000359286	0.000714264	7.14264E-07	3.5713E-07	1006.03018
	4	0.144	17.36905	0.347381	0.000347381	0.001309502	1.3095E-06	3.2738E-07	1061.10827
	6	0.135	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	3.9682E-07	821.407393
	8	0.13	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	3.7202E-07	844.166078
	10	0.125	15.10714	0.302143	0.000302143	0.003571407	3.57141E-06	3.5714E-07	846.005076
20 - 60	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.152	18.32143	0.366429	0.000366429	0.000357121	3.57121E-07	3.5712E-07	1026.06156
	2	0.146	17.60714	0.352143	0.000352143	0.001071407	1.07141E-06	5.357E-07	657.34648
	4	0.144	17.36905	0.347381	0.000347381	0.001309502	1.3095E-06	3.2738E-07	1061.10827
	6	0.136	16.41667	0.328333	0.000328333	0.002261883	2.26188E-06	3.7698E-07	870.95562
	8	0.13	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	3.7202E-07	844.166078
	10	0.126	15.22619	0.304524	0.000304524	0.00345236	3.45236E-06	3.4524E-07	882.07444

ตารางภาคผนวก ก.6
ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 6

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.151	18.20238	0.364048	0.000364048	0.000476169	4.76169E-07	2.3808E-07	1529.06881
	4	0.14	16.89286	0.337857	0.000337857	0.001785693	1.78569E-06	4.4642E-07	756.809082
	6	0.136	16.41667	0.328333	0.000328333	0.002261883	2.26188E-06	3.7698E-07	870.95562
	8	0.131	15.82143	0.316429	0.000316429	0.002857121	2.85712E-06	3.5714E-07	886.006645
	10	0.127	15.34524	0.306905	0.000306905	0.003333312	3.33331E-06	3.3333E-07	920.720205
20 - 60	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.152	18.32143	0.366429	0.000366429	0.000357121	3.57121E-07	3.5712E-07	1026.06156
	2	0.151	18.20238	0.364048	0.000364048	0.000476169	4.76169E-07	2.3808E-07	1529.06881
	4	0.143	17.25	0.345	0.000345	0.00142855	1.42855E-06	3.5714E-07	966.01449
	6	0.135	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	3.9682E-07	821.407393
	8	0.133	16.05952	0.32119	0.00032119	0.002619026	2.61903E-06	3.2738E-07	981.098936
	10	0.13	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	2.9762E-07	1055.2076

ตารางภาคผนวก ก.7
ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 7

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.151	18.20238	0.364048	0.000364048	0.000476169	4.76169E-07	2.3808E-07	1529.06881
	4	0.142	17.13095	0.342619	0.000342619	0.001547598	1.5476E-06	3.869E-07	885.550723
	6	0.136	16.41667	0.328333	0.000328333	0.002261883	2.26188E-06	3.7698E-07	870.95562
	8	0.135	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	2.9762E-07	1095.20986
	10	0.13	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	2.9762E-07	1055.2076
20 - 60	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.15	18.08333	0.361667	0.000361667	0.000595217	5.95217E-07	2.9761E-07	1215.24375
	4	0.148	17.84524	0.356905	0.000356905	0.000833312	8.33312E-07	2.0833E-07	1713.18691
	6	0.136	16.41667	0.328333	0.000328333	0.002261883	2.26188E-06	3.7698E-07	870.95562
	8	0.134	16.17857	0.323571	0.000323571	0.002499979	2.49998E-06	3.125E-07	1035.43745
	10	0.13	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	2.9762E-07	1055.2076

ตารางภาคผนวก ก.8
ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 8

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.154	18.32143	0.366429	0.000366429	0.000357121	3.57121E-07	3.5712E-07	1026.06156
	2	0.151	18.20238	0.364048	0.000364048	0.000476169	4.76169E-07	2.3808E-07	1529.06881
	4	0.142	17.36905	0.347381	0.000347381	0.001309502	1.3095E-06	3.2738E-07	1061.10827
	6	0.136	16.53571	0.330714	0.000330714	0.002142836	2.14284E-06	3.5714E-07	926.00926
	8	0.134	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	2.9762E-07	1095.20986
	10	0.129	15.94048	0.31881	0.00031881	0.002738074	2.73807E-06	2.7381E-07	1164.35694
20 - 60	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	1.1903E-07	3118.56134
	2	0.152	18.32143	0.366429	0.000366429	0.000357121	3.57121E-07	1.7856E-07	2052.12313
	4	0.145	17.4881	0.349762	0.000349762	0.001190455	1.19045E-06	2.9761E-07	1175.22115
	6	0.139	16.77381	0.335476	0.000335476	0.00190474	1.90474E-06	3.1746E-07	1056.76189
	8	0.135	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	2.9762E-07	1095.20986
	10	0.132	15.94048	0.31881	0.00031881	0.002738074	2.73807E-06	2.7381E-07	1164.35694

ตารางภาคผนวก ก.9
ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 9

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.15	18.08333	0.361667	0.000361667	0.000595217	5.95217E-07	2.9761E-07	1215.24375
	4	0.142	17.13095	0.342619	0.000342619	0.001547598	1.5476E-06	3.869E-07	885.550723
	6	0.136	16.41667	0.328333	0.000328333	0.002261883	2.26188E-06	3.7698E-07	870.95562
	8	0.132	15.94048	0.31881	0.00031881	0.002738074	2.73807E-06	3.4226E-07	931.485551
	10	0.127	15.34524	0.306905	0.000306905	0.003333312	3.33331E-06	3.3333E-07	920.720205
20 - 60	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.153	18.44048	0.36881	0.00036881	0.000238074	2.38074E-07	2.3807E-07	1549.13942
	2	0.149	17.96429	0.359286	0.000359286	0.000714264	7.14264E-07	3.5713E-07	1006.03018
	4	0.142	17.13095	0.342619	0.000342619	0.001547598	1.5476E-06	3.869E-07	885.550723
	6	0.137	16.53571	0.330714	0.000330714	0.002142836	2.14284E-06	3.5714E-07	926.00926
	8	0.135	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	2.9762E-07	1095.20986
	10	0.128	15.46429	0.309286	0.000309286	0.003214264	3.21426E-06	3.2143E-07	962.228637

ตารางภาคผนวก ก.10
ค่าการดูดซับฟอสฟอรัสของดินกรรมวิธีที่ 10

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.152	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	1.1903E-07	3118.56134
	2	0.149	18.20238	0.364048	0.000364048	0.000476169	4.76169E-07	2.3808E-07	1529.06881
	4	0.142	17.13095	0.342619	0.000342619	0.001547598	1.5476E-06	3.869E-07	885.550723
	6	0.135	16.41667	0.328333	0.000328333	0.002261883	2.26188E-06	3.7698E-07	870.95562
	8	0.131	16.17857	0.323571	0.000323571	0.002499979	2.49998E-06	3.125E-07	1035.43745
	10	0.125	15.58333	0.311667	0.000311667	0.003095217	3.09522E-06	3.0952E-07	1006.93005
20 - 60	0.5	0.154	18.55952	0.37119	0.00037119	0.000119026	1.19026E-07	2.3805E-07	1559.28067
	1	0.152	18.32143	0.366429	0.000366429	0.000357121	3.57121E-07	3.5712E-07	1026.06156
	2	0.149	17.96429	0.359286	0.000359286	0.000714264	7.14264E-07	3.5713E-07	1006.03018
	4	0.142	17.13095	0.342619	0.000342619	0.001547598	1.5476E-06	3.869E-07	885.550723
	6	0.135	16.29762	0.325952	0.000325952	0.002380931	2.38093E-06	3.9682E-07	821.407393
	8	0.13	15.70238	0.314048	0.000314048	0.002976169	2.97617E-06	3.7202E-07	844.166078
	10	0.125	15.10714	0.302143	0.000302143	0.003571407	3.57141E-06	3.5714E-07	846.005076

ตารางภาคผนวก ก.11
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 1

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.147	4.537688	0.090754	9.07538E-05	7.54E-05	7.54E-08	7.54E-08	1204.245
	2	0.143	4.437186	0.088744	8.87437E-05	0.000176	1.76E-07	8.79E-08	1009.231
	4	0.135	4.236181	0.084724	8.47236E-05	0.000377	3.77E-07	9.42E-08	899.2366
	6	0.13	4.110553	0.082211	8.22111E-05	0.000502	5.02E-07	8.37E-08	981.6299
	8	0.126	4.01005	0.080201	8.0201E-05	0.000603	6.03E-07	7.54E-08	1064.027
	10	0.12	3.859296	0.077186	7.71859E-05	0.000754	7.54E-07	7.54E-08	1024.021
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.147	4.537688	0.090754	9.07538E-05	7.54E-05	7.54E-08	7.54E-08	1204.245
	2	0.144	4.462312	0.089246	8.92462E-05	0.000151	1.51E-07	7.54E-08	1184.12
	4	0.135	4.236181	0.084724	8.47236E-05	0.000377	3.77E-07	9.42E-08	899.2366
	6	0.131	4.135678	0.082714	8.27136E-05	0.000477	4.77E-07	7.96E-08	1039.612
	8	0.126	4.01005	0.080201	8.0201E-05	0.000603	6.03E-07	7.54E-08	1064.027
	10	0.122	3.909548	0.078191	7.8191E-05	0.000704	7.04E-07	7.04E-08	1111.453

ตารางภาคผนวก ก.12
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 2

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.142	4.41206	0.088241	8.82412E-05	0.000201	2.01E-07	1E-07	878.067
	4	0.137	4.286432	0.085729	8.57286E-05	0.000327	3.27E-07	8.17E-08	1049.895
	6	0.132	4.160804	0.083216	8.32161E-05	0.000452	4.52E-07	7.54E-08	1104.037
	8	0.126	4.01005	0.080201	8.0201E-05	0.000603	6.03E-07	7.54E-08	1064.027
	10	0.12	3.859296	0.077186	7.71859E-05	0.000754	7.54E-07	7.54E-08	1024.021
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.142	4.41206	0.088241	8.82412E-05	0.000201	2.01E-07	1E-07	878.067
	4	0.135	4.236181	0.084724	8.47236E-05	0.000377	3.77E-07	9.42E-08	899.2366
	6	0.132	4.160804	0.083216	8.32161E-05	0.000452	4.52E-07	7.54E-08	1104.037
	8	0.129	4.085427	0.081709	8.17085E-05	0.000528	5.28E-07	6.6E-08	1238.893
	10	0.126	4.01005	0.080201	8.0201E-05	0.000603	6.03E-07	6.03E-08	1330.034

ตารางภาคผนวก ก.13
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 3

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.144	4.462312	0.089246	8.92462E-05	0.000151	1.51E-07	7.54E-08	1184.12
	4	0.135	4.236181	0.084724	8.47236E-05	0.000377	3.77E-07	9.42E-08	899.2366
	6	0.133	4.18593	0.083719	8.37186E-05	0.000427	4.27E-07	7.12E-08	1176.042
	8	0.126	4.01005	0.080201	8.0201E-05	0.000603	6.03E-07	7.54E-08	1064.027
	10	0.124	3.959799	0.079196	7.9196E-05	0.000653	6.53E-07	6.53E-08	1212.336
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.144	4.462312	0.089246	8.92462E-05	0.000151	1.51E-07	7.54E-08	1184.12
	4	0.136	4.261307	0.085226	8.52261E-05	0.000352	3.52E-07	8.79E-08	969.1851
	6	0.134	4.211055	0.084221	8.42211E-05	0.000402	4.02E-07	6.7E-08	1257.048
	8	0.131	4.135678	0.082714	8.27136E-05	0.000477	4.77E-07	5.97E-08	1386.15
	10	0.129	4.085427	0.081709	8.17085E-05	0.000528	5.28E-07	5.28E-08	1548.616

ตารางภาคผนวก ก.14
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 4

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.146	4.462312	0.089246	8.92462E-05	0.000151	1.51E-07	7.54E-08	1184.12
	4	0.139	4.361809	0.087236	8.72362E-05	0.000251	2.51E-07	6.28E-08	1388.885
	6	0.132	4.110553	0.082211	8.22111E-05	0.000502	5.02E-07	8.37E-08	981.6299
	8	0.126	4.035176	0.080704	8.07035E-05	0.000578	5.78E-07	7.22E-08	1117.247
	10	0.122	3.959799	0.079196	7.9196E-05	0.000653	6.53E-07	6.53E-08	1212.336
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.145	4.487437	0.089749	8.97487E-05	0.000126	1.26E-07	6.28E-08	1428.974
	4	0.137	4.286432	0.085729	8.57286E-05	0.000327	3.27E-07	8.17E-08	1049.895
	6	0.134	4.211055	0.084221	8.42211E-05	0.000402	4.02E-07	6.7E-08	1257.048
	8	0.131	4.135678	0.082714	8.27136E-05	0.000477	4.77E-07	5.97E-08	1386.15
	10	0.128	4.060302	0.081206	8.1206E-05	0.000553	5.53E-07	5.53E-08	1469.132

ตารางภาคผนวก ก.15
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 5

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.143	4.437186	0.088744	8.87437E-05	0.000176	1.76E-07	8.79E-08	1009.231
	4	0.136	4.261307	0.085226	8.52261E-05	0.000352	3.52E-07	8.79E-08	969.1851
	6	0.132	4.160804	0.083216	8.32161E-05	0.000452	4.52E-07	7.54E-08	1104.037
	8	0.125	3.984925	0.079698	7.96985E-05	0.000628	6.28E-07	7.85E-08	1015.065
	10	0.121	3.884422	0.077688	7.76884E-05	0.000729	7.29E-07	7.29E-08	1066.229
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.145	4.487437	0.089749	8.97487E-05	0.000126	1.26E-07	6.28E-08	1428.974
	4	0.138	4.311558	0.086231	8.62312E-05	0.000301	3.01E-07	7.54E-08	1144.058
	6	0.133	4.18593	0.083719	8.37186E-05	0.000427	4.27E-07	7.12E-08	1176.042
	8	0.126	4.01005	0.080201	8.0201E-05	0.000603	6.03E-07	7.54E-08	1064.027
	10	0.124	3.959799	0.079196	7.9196E-05	0.000653	6.53E-07	6.53E-08	1212.336

ตารางภาคผนวก ก.16
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 6

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.147	4.537688	0.090754	9.07538E-05	7.54E-05	7.54E-08	7.54E-08	1204.245
	2	0.146	4.512563	0.090251	9.02513E-05	0.0001	1E-07	5.02E-08	1796.274
	4	0.138	4.311558	0.086231	8.62312E-05	0.000301	3.01E-07	7.54E-08	1144.058
	6	0.131	4.135678	0.082714	8.27136E-05	0.000477	4.77E-07	7.96E-08	1039.612
	8	0.127	4.035176	0.080704	8.07035E-05	0.000578	5.78E-07	7.22E-08	1117.247
	10	0.121	3.884422	0.077688	7.76884E-05	0.000729	7.29E-07	7.29E-08	1066.229
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.145	4.487437	0.089749	8.97487E-05	0.000126	1.26E-07	6.28E-08	1428.974
	4	0.137	4.286432	0.085729	8.57286E-05	0.000327	3.27E-07	8.17E-08	1049.895
	6	0.133	4.18593	0.083719	8.37186E-05	0.000427	4.27E-07	7.12E-08	1176.042
	8	0.131	4.135678	0.082714	8.27136E-05	0.000477	4.77E-07	5.97E-08	1386.15
	10	0.128	4.060302	0.081206	8.1206E-05	0.000553	5.53E-07	5.53E-08	1469.132

ตารางภาคผนวก ก.17
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 7

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.146	4.512563	0.090251	9.02513E-05	0.0001	1E-07	5.02E-08	1796.274
	4	0.139	4.336683	0.086734	8.67337E-05	0.000276	2.76E-07	6.91E-08	1255.342
	6	0.135	4.160804	0.083216	8.32161E-05	0.000452	4.52E-07	7.54E-08	1104.037
	8	0.126	4.01005	0.080201	8.0201E-05	0.000603	6.03E-07	7.54E-08	1064.027
	10	0.12	3.909548	0.078191	7.8191E-05	0.000704	7.04E-07	7.04E-08	1111.453
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.147	4.537688	0.090754	9.07538E-05	7.54E-05	7.54E-08	7.54E-08	1204.245
	2	0.146	4.512563	0.090251	9.02513E-05	0.0001	1E-07	5.02E-08	1796.274
	4	0.139	4.336683	0.086734	8.67337E-05	0.000276	2.76E-07	6.91E-08	1255.342
	6	0.133	4.18593	0.083719	8.37186E-05	0.000427	4.27E-07	7.12E-08	1176.042
	8	0.126	4.01005	0.080201	8.0201E-05	0.000603	6.03E-07	7.54E-08	1064.027
	10	0.12	3.859296	0.077186	7.71859E-05	0.000754	7.54E-07	7.54E-08	1024.021

ตารางภาคผนวก ก.18
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 8

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.143	4.437186	0.088744	8.87437E-05	0.000176	1.76E-07	8.79E-08	1009.231
	4	0.139	4.336683	0.086734	8.67337E-05	0.000276	2.76E-07	6.91E-08	1255.342
	6	0.132	4.160804	0.083216	8.32161E-05	0.000452	4.52E-07	7.54E-08	1104.037
	8	0.125	3.984925	0.079698	7.96985E-05	0.000628	6.28E-07	7.85E-08	1015.065
	10	0.122	3.909548	0.078191	7.8191E-05	0.000704	7.04E-07	7.04E-08	1111.453
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.145	4.487437	0.089749	8.97487E-05	0.000126	1.26E-07	6.28E-08	1428.974
	4	0.138	4.311558	0.086231	8.62312E-05	0.000301	3.01E-07	7.54E-08	1144.058
	6	0.132	4.160804	0.083216	8.32161E-05	0.000452	4.52E-07	7.54E-08	1104.037
	8	0.125	3.984925	0.079698	7.96985E-05	0.000628	6.28E-07	7.85E-08	1015.065
	10	0.121	3.884422	0.077688	7.76884E-05	0.000729	7.29E-07	7.29E-08	1066.229

ตารางภาคผนวก ก.19
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 9

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.144	4.512563	0.090251	9.02513E-05	0.0001	1E-07	5.02E-08	1796.274
	4	0.14	4.336683	0.086734	8.67337E-05	0.000276	2.76E-07	6.91E-08	1255.342
	6	0.13	4.236181	0.084724	8.47236E-05	0.000377	3.77E-07	6.28E-08	1348.855
	8	0.127	4.01005	0.080201	8.0201E-05	0.000603	6.03E-07	7.54E-08	1064.027
	10	0.124	3.859296	0.077186	7.71859E-05	0.000754	7.54E-07	7.54E-08	1024.021
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.147	4.537688	0.090754	9.07538E-05	7.54E-05	7.54E-08	7.54E-08	1204.245
	2	0.143	4.437186	0.088744	8.87437E-05	0.000176	1.76E-07	8.79E-08	1009.231
	4	0.137	4.286432	0.085729	8.57286E-05	0.000327	3.27E-07	8.17E-08	1049.895
	6	0.131	4.135678	0.082714	8.27136E-05	0.000477	4.77E-07	7.96E-08	1039.612
	8	0.125	3.984925	0.079698	7.96985E-05	0.000628	6.28E-07	7.85E-08	1015.065
	10	0.123	3.934673	0.078693	7.86935E-05	0.000678	6.78E-07	6.78E-08	1160.026

ตารางภาคผนวก ก.20
ค่าการดูดซับแอมโมเนียไนโตรเจนของดินกรรมวิธีที่ 10

ความลึก ซม.	m=นน.ดิน(g)	abs	ug/l	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.148	4.562814	0.091256	9.12563E-05	5.02E-05	5.02E-08	5.02E-08	1816.554
	2	0.144	4.462312	0.089246	8.92462E-05	0.000151	1.51E-07	7.54E-08	1184.12
	4	0.139	4.336683	0.086734	8.67337E-05	0.000276	2.76E-07	6.91E-08	1255.342
	6	0.135	4.236181	0.084724	8.47236E-05	0.000377	3.77E-07	6.28E-08	1348.855
	8	0.124	3.959799	0.079196	7.9196E-05	0.000653	6.53E-07	8.17E-08	969.8689
	10	0.12	3.859296	0.077186	7.71859E-05	0.000754	7.54E-07	7.54E-08	1024.021
20 - 60	0.5	0.149	4.58794	0.091759	9.17588E-05	2.51E-05	2.51E-08	5.02E-08	1827.115
	1	0.147	4.537688	0.090754	9.07538E-05	7.54E-05	7.54E-08	7.54E-08	1204.245
	2	0.146	4.512563	0.090251	9.02513E-05	0.0001	1E-07	5.02E-08	1796.274
	4	0.137	4.286432	0.085729	8.57286E-05	0.000327	3.27E-07	8.17E-08	1049.895
	6	0.132	4.160804	0.083216	8.32161E-05	0.000452	4.52E-07	7.54E-08	1104.037
	8	0.127	4.035176	0.080704	8.07035E-05	0.000578	5.78E-07	7.22E-08	1117.247
	10	0.125	3.984925	0.079698	7.96985E-05	0.000628	6.28E-07	6.28E-08	1268.831

ตารางภาคผนวก ก.21
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 1

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.102	0.399701	0.0004	0.001909	1.91E-06	0.003818	0.104681
	1	0.105	0.414671	0.000415	0.001535	1.53E-06	0.001535	0.270164
	2	0.098	0.362275	0.000362	0.002845	2.84E-06	0.001422	0.254696
	4	0.076	0.19012	0.00019	0.007149	7.15E-06	0.001787	0.106381
	6	0.069	0.152695	0.000153	0.008084	8.08E-06	0.001347	0.113327
	8	0.052	0.017964	1.8E-05	0.011453	1.15E-05	0.001432	0.012549
	10	0.05	0.010479	1.05E-05	0.01164	1.16E-05	0.001164	0.009003
20 - 60	0.5	0.105	0.414671	0.000415	0.001535	1.53E-06	0.00307	0.135082
	1	0.101	0.384731	0.000385	0.002283	2.28E-06	0.002283	0.168491
	2	0.097	0.35479	0.000355	0.003032	3.03E-06	0.001516	0.234039
	4	0.076	0.197605	0.000198	0.006962	6.96E-06	0.00174	0.113541
	6	0.071	0.16018	0.00016	0.007897	7.9E-06	0.001316	0.121699
	8	0.062	0.092814	9.28E-05	0.009581	9.58E-06	0.001198	0.077496
	10	0.051	0.010479	1.05E-05	0.01164	1.16E-05	0.001164	0.009003

ตารางภาคผนวก ก.22
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 2

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.103	0.399701	0.0004	0.001909	1.91E-06	0.003818	0.104681
	1	0.102	0.392216	0.000392	0.002096	2.1E-06	0.002096	0.187102
	2	0.098	0.362275	0.000362	0.002845	2.84E-06	0.001422	0.254696
	4	0.076	0.197605	0.000198	0.006962	6.96E-06	0.00174	0.113541
	6	0.068	0.137725	0.000138	0.008459	8.46E-06	0.00141	0.097694
	8	0.052	0.017964	1.8E-05	0.011453	1.15E-05	0.001432	0.012549
	10	0.052	0.017964	1.8E-05	0.011453	1.15E-05	0.001145	0.015686
20 - 60	0.5	0.109	0.444611	0.000445	0.000786	7.86E-07	0.001573	0.282694
	1	0.107	0.429641	0.00043	0.001161	1.16E-06	0.001161	0.370178
	2	0.095	0.33982	0.00034	0.003406	3.41E-06	0.001703	0.199534
	4	0.08	0.227545	0.000228	0.006213	6.21E-06	0.001553	0.146495
	6	0.072	0.167665	0.000168	0.00771	7.71E-06	0.001285	0.130478
	8	0.072	0.167665	0.000168	0.00771	7.71E-06	0.000964	0.17397
	10	0.068	0.137725	0.000138	0.008459	8.46E-06	0.000846	0.162823

ตารางภาคผนวก ก.23
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 3

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.105	0.414671	0.000415	0.001535	1.53E-06	0.00307	0.135082
	1	0.103	0.399701	0.0004	0.001909	1.91E-06	0.001909	0.209362
	2	0.093	0.32485	0.000325	0.00378	3.78E-06	0.00189	0.171861
	4	0.085	0.26497	0.000265	0.005277	5.28E-06	0.001319	0.200834
	6	0.073	0.17515	0.000175	0.007523	7.52E-06	0.001254	0.139693
	8	0.053	0.025449	2.54E-05	0.011265	1.13E-05	0.001408	0.018072
	10	0.05	0.002994	2.99E-06	0.011827	1.18E-05	0.001183	0.002532
20 - 60	0.5	0.105	0.414671	0.000415	0.001535	1.53E-06	0.00307	0.135082
	1	0.104	0.407186	0.000407	0.001722	1.72E-06	0.001722	0.23646
	2	0.093	0.32485	0.000325	0.00378	3.78E-06	0.00189	0.171861
	4	0.085	0.26497	0.000265	0.005277	5.28E-06	0.001319	0.200834
	6	0.072	0.167665	0.000168	0.00771	7.71E-06	0.001285	0.130478
	8	0.057	0.055389	5.54E-05	0.010517	1.05E-05	0.001315	0.042133
	10	0.056	0.047904	4.79E-05	0.010704	1.07E-05	0.00107	0.044753

ตารางภาคผนวก ก.24
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 4

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.108	0.437126	0.000437	0.000974	9.74E-07	0.001947	0.224511
	1	0.103	0.399701	0.0004	0.001909	1.91E-06	0.001909	0.209362
	2	0.095	0.33982	0.00034	0.003406	3.41E-06	0.001703	0.199534
	4	0.088	0.287425	0.000287	0.004716	4.72E-06	0.001179	0.243786
	6	0.077	0.20509	0.000205	0.006774	6.77E-06	0.001129	0.181645
	8	0.055	0.040419	4.04E-05	0.010891	1.09E-05	0.001361	0.029689
	10	0.056	0.047904	4.79E-05	0.010704	1.07E-05	0.00107	0.044753
20 - 60	0.5	0.106	0.437126	0.000437	0.000974	9.74E-07	0.001947	0.224511
	1	0.102	0.392216	0.000392	0.002096	2.1E-06	0.002096	0.187102
	2	0.098	0.32485	0.000325	0.00378	3.78E-06	0.00189	0.171861
	4	0.081	0.287425	0.000287	0.004716	4.72E-06	0.001179	0.243786
	6	0.063	0.272455	0.000272	0.00509	5.09E-06	0.000848	0.321148
	8	0.053	0.115269	0.000115	0.00902	9.02E-06	0.001127	0.102236
	10	0.058	0.13024	0.00013	0.008646	8.65E-06	0.000865	0.150641

ตารางภาคผนวก ก.25
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 5

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.103	0.422156	0.000422	0.001348	1.35E-06	0.002696	0.156614
	1	0.105	0.399701	0.0004	0.001909	1.91E-06	0.001909	0.209362
	2	0.098	0.32485	0.000325	0.00378	3.78E-06	0.00189	0.171861
	4	0.075	0.272455	0.000272	0.00509	5.09E-06	0.001273	0.214099
	6	0.07	0.167665	0.000168	0.00771	7.71E-06	0.001285	0.130478
	8	0.052	0.115269	0.000115	0.00902	9.02E-06	0.001127	0.102236
	10	0.051	0.047904	4.79E-05	0.010704	1.07E-05	0.00107	0.044753
20 - 60	0.5	0.108	0.437126	0.000437	0.000974	9.74E-07	0.001947	0.224511
	1	0.104	0.407186	0.000407	0.001722	1.72E-06	0.001722	0.23646
	2	0.091	0.30988	0.00031	0.004155	4.15E-06	0.002077	0.149173
	4	0.085	0.26497	0.000265	0.005277	5.28E-06	0.001319	0.200834
	6	0.079	0.22006	0.00022	0.0064	6.4E-06	0.001067	0.206301
	8	0.065	0.115269	0.000115	0.00902	9.02E-06	0.001127	0.102236
	10	0.055	0.040419	4.04E-05	0.010891	1.09E-05	0.001089	0.037112

ตารางภาคผนวก ก.26
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 6

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.105	0.414671	0.000415	0.001535	1.53E-06	0.00307	0.135082
	1	0.104	0.407186	0.000407	0.001722	1.72E-06	0.001722	0.23646
	2	0.095	0.33982	0.00034	0.003406	3.41E-06	0.001703	0.199534
	4	0.084	0.257485	0.000257	0.005465	5.46E-06	0.001366	0.188478
	6	0.072	0.167665	0.000168	0.00771	7.71E-06	0.001285	0.130478
	8	0.063	0.100299	0.0001	0.009394	9.39E-06	0.001174	0.085414
	10	0.054	0.032934	3.29E-05	0.011078	1.11E-05	0.001108	0.029729
20 - 60	0.5	0.109	0.444611	0.000445	0.000786	7.86E-07	0.001573	0.282694
	1	0.092	0.317365	0.000317	0.003968	3.97E-06	0.003968	0.079991
	2	0.086	0.272455	0.000272	0.00509	5.09E-06	0.002545	0.107049
	4	0.079	0.22006	0.00022	0.0064	6.4E-06	0.0016	0.137534
	6	0.068	0.137725	0.000138	0.008459	8.46E-06	0.00141	0.097694
	8	0.058	0.062874	6.29E-05	0.01033	1.03E-05	0.001291	0.048694
	10	0.059	0.070359	7.04E-05	0.010143	1.01E-05	0.001014	0.06937

ตารางภาคผนวก ก.27
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 7

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.106	0.392216	0.000392	0.002096	2.1E-06	0.004193	0.093551
	1	0.103	0.414671	0.000415	0.001535	1.53E-06	0.001535	0.270164
	2	0.093	0.362275	0.000362	0.002845	2.84E-06	0.001422	0.254696
	4	0.086	0.197605	0.000198	0.006962	6.96E-06	0.00174	0.113541
	6	0.072	0.14521	0.000145	0.008271	8.27E-06	0.001379	0.105334
	8	0.065	0.017964	1.8E-05	0.011453	1.15E-05	0.001432	0.012549
	10	0.056	0.002994	2.99E-06	0.011827	1.18E-05	0.001183	0.002532
20 - 60	0.5	0.108	0.422156	0.000422	0.001348	1.35E-06	0.002696	0.156614
	1	0.102	0.392216	0.000392	0.002096	2.1E-06	0.002096	0.187102
	2	0.093	0.362275	0.000362	0.002845	2.84E-06	0.001422	0.254696
	4	0.088	0.23503	0.000235	0.006026	6.03E-06	0.001506	0.156013
	6	0.086	0.100299	0.0001	0.009394	9.39E-06	0.001566	0.064061
	8	0.065	0.025449	2.54E-05	0.011265	1.13E-05	0.001408	0.018072
	10	0.067	0.062874	6.29E-05	0.01033	1.03E-05	0.001033	0.060867

ตารางภาคผนวก ก.28
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 8

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.105	0.414671	0.000415	0.001535	1.53E-06	0.00307	0.135082
	1	0.102	0.392216	0.000392	0.002096	2.1E-06	0.002096	0.187102
	2	0.097	0.35479	0.000355	0.003032	3.03E-06	0.001516	0.234039
	4	0.075	0.19012	0.00019	0.007149	7.15E-06	0.001787	0.106381
	6	0.068	0.137725	0.000138	0.008459	8.46E-06	0.00141	0.097694
	8	0.053	0.025449	2.54E-05	0.011265	1.13E-05	0.001408	0.018072
	10	0.051	0.010479	1.05E-05	0.01164	1.16E-05	0.001164	0.009003
20 - 60	0.5	0.103	0.399701	0.0004	0.001909	1.91E-06	0.003818	0.104681
	1	0.1	0.377246	0.000377	0.002471	2.47E-06	0.002471	0.152699
	2	0.097	0.35479	0.000355	0.003032	3.03E-06	0.001516	0.234039
	4	0.087	0.27994	0.00028	0.004903	4.9E-06	0.001226	0.228376
	6	0.078	0.212575	0.000213	0.006587	6.59E-06	0.001098	0.193623
	8	0.053	0.025449	2.54E-05	0.011265	1.13E-05	0.001408	0.018072
	10	0.05	0.002994	2.99E-06	0.011827	1.18E-05	0.001183	0.002532

ตารางภาคผนวก ก.29
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 9

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.104	0.407186	0.000407	0.001722	1.72E-06	0.003444	0.11823
	1	0.102	0.392216	0.000392	0.002096	2.1E-06	0.002096	0.187102
	2	0.098	0.362275	0.000362	0.002845	2.84E-06	0.001422	0.254696
	4	0.077	0.20509	0.000205	0.006774	6.77E-06	0.001694	0.121097
	6	0.069	0.14521	0.000145	0.008271	8.27E-06	0.001379	0.105334
	8	0.052	0.017964	1.8E-05	0.011453	1.15E-05	0.001432	0.012549
	10	0.05	0.002994	2.99E-06	0.011827	1.18E-05	0.001183	0.002532
20 - 60	0.5	0.104	0.407186	0.000407	0.001722	1.72E-06	0.003444	0.11823
	1	0.102	0.392216	0.000392	0.002096	2.1E-06	0.002096	0.187102
	2	0.099	0.36976	0.00037	0.002658	2.66E-06	0.001329	0.278262
	4	0.09	0.302395	0.000302	0.004342	4.34E-06	0.001085	0.278592
	6	0.087	0.27994	0.00028	0.004903	4.9E-06	0.000817	0.342564
	8	0.06	0.077844	7.78E-05	0.009956	9.96E-06	0.001244	0.062554
	10	0.058	0.062874	6.29E-05	0.01033	1.03E-05	0.001033	0.060867

ตารางภาคผนวก ก.30
ค่าการดูดซับไนเตรตไนโตรเจนของดินกรรมวิธีที่ 10

ความลึก ซม.	m=นน.ดิน(g)	abs	Ce (mg/l)	Ce (g/l)	x(mg)	x(g)	Cs=x/m	ce/cs (g/l)
0 - 20	0.5	0.105	0.414671	0.000415	0.001535	1.53E-06	0.00307	0.135082
	1	0.102	0.392216	0.000392	0.002096	2.1E-06	0.002096	0.187102
	2	0.098	0.362275	0.000362	0.002845	2.84E-06	0.001422	0.254696
	4	0.076	0.197605	0.000198	0.006962	6.96E-06	0.00174	0.113541
	6	0.069	0.14521	0.000145	0.008271	8.27E-06	0.001379	0.105334
	8	0.052	0.017964	1.8E-05	0.011453	1.15E-05	0.001432	0.012549
	10	0.05	0.002994	2.99E-06	0.011827	1.18E-05	0.001183	0.002532
20 - 60	0.5	0.102	0.392216	0.000392	0.002096	2.1E-06	0.004193	0.093551
	1	0.099	0.36976	0.00037	0.002658	2.66E-06	0.002658	0.139131
	2	0.092	0.317365	0.000317	0.003968	3.97E-06	0.001984	0.159982
	4	0.086	0.272455	0.000272	0.00509	5.09E-06	0.001273	0.214099
	6	0.074	0.182635	0.000183	0.007336	7.34E-06	0.001223	0.149379
	8	0.058	0.062874	6.29E-05	0.01033	1.03E-05	0.001291	0.048694
	10	0.055	0.040419	4.04E-05	0.010891	1.09E-05	0.001089	0.037112

