

1. Agus, J., Kahar, P., Abe, H., Doi, Y. and Tsuge, T. (2006) Altered expression of polyhydroxyalkanoate synthase gene and its effect on poly[(R)-3-hydroxybutyrate] synthesis in recombinant *Escherichia coli*. Polym. Degrade. Stab. 91(8): 1645-1650.
2. Carlozzi, P. and Sacchi, A. (2001) Biomass production and studies on *Rhodospseudomonas palustris* grown in an outdoor, temperature controlled, underwater tubular photobioreactor. J. Biotechnol. 239-249.
3. Capon, R. J., Dunlop, R. W., Ghisalberti, E. L. and Jefferies, P. R. (1983) Poly-3-hydroxyalkanoates from marine and freshwater cyanobacteria. Phytochemistry. 22, 1181-1184.
4. Clemente, T., Shah, D., Tran, M., Stark, D., Padgett, S., Dennis, D., Bruckener, K., Steinbuchel, A. and Mitsky, T. (2000) Sequence of PHA synthase gene from two strains of *Rhodospirillum rubrum* and in vivo substrate specificity of four PHA synthases across two heterologous expression. Appl. Microbiol. Biotechnol. 53(4): 420-429.
5. Dai, D., and Reusch, R. N. 2008. Poly-3-hydroxybutyrate synthase from the periplasm of *Escherichia coli*. BBRC. 374: 485-489.
6. de Philippis, R., Ena, A., Guastiini, M., Sili, C. and Vincenzini, M. (1992) Factors affecting poly- $\beta$ -hydroxybutyrate accumulation in cyanobacteria and in purple non-sulfur bacteria. FEMS Microbiol. Lett. 103, 187-194.
7. Eraso, J.M. and Kaplan, S. (2001) Photoautotrophy Encyclopedia of Life Sciences. Nature Publishing Group/www.els.net.
8. Esteve, I., Mas, J., Gaju, N. and Guerrero, R. (1996) Cellular content of storage inclusions in purple sulfur bacteria determined by ultrathin sections. Microbiologia. 12, 563-570.
9. Freeman, C., Lock, M. A. and Marxsen, J. (1993) Poly-beta-hydroxyalkanoates and the support of river biofilm metabolism following radical changes in environmental conditions. Hydrobiologia. 271, 159-164.
10. Fukui, T., Yoshimoto, A., Matsumoto, M., Hosokawa, S., Saito, T., Nishikawa, H. and Tomita, K. (1976) Enzymatic synthesis of poly- $\beta$ -hydroxybutyrate in *Zoogloea ramigera*. Arch. Microbiol. 110: 149-156.

11. Guerrero, R., Montesinos, E., Pedros-Alio, C., Esteve, I., Mas, J., van Gernerden, H., Hofman, P. A. G. and Bakker, J. F. (1985) Phototrophic sulfur bacteria in two Spanish Lakes: vertical distribution and limiting factors. *Limnol. Oceanogr.* 30, 919-931.
12. Guezennec, J., Rocchiccioli, F., Maccaron-Gomez, B., Khelifa, N., Dussauze, J. and Rimbault, A. (1998) Occurrence of 3-hydroxyalkanoic acids in sediments from the Guaymas basin (Gulf of California). *FEMS Microbiol. Ecol.* 26, 335-344.
13. Haywood, G. W., Anderson, A. J., Chu, L. and Dawes, E. A. (1988) The role of NADH- and NADPH-linked acetoacetyl-CoA reductases in the poly-3-hydroxybutyrate synthesizing organism *Alcaligenes eutrophus*. *FEMS Microbiol. Lett.* 52, 259-264.
14. Hezayen, F. F., Steinbuchel, A. and Rehm, B. H. A. (2002) Biochemical and enzymological properties of the polyhydroxybutyrate synthase from the extremely halophilic archaeon strain 56. *Arch. Biochem. Biophys.* 403, 284-291.
15. Hustede, E., Steinbuchel, A. and Schlegel, H. G. (1992) Cloning of poly(3-hydroxybutyric acid) synthase genes of *Rhodococcus sphaeroides* and *Rhodospirillum rubrum* and heterologous expression in *Alcaligenes eutrophus*. *FEMS Microbiol. Lett.* 93, 73-80.
16. Imhoff, J. F. and Truper, H. G. (1989) Anoxygenic phototrophic bacteria. In: *Bergey's Manual of Systematic Bacteriology* (Staley, J. T., Bryant, M. P., Pfennig, N. and Holt, J. G. (Eds.)), Vol. 3, pp. 1678-1682, Williams and Wilkins, Baltimore, MD.
17. Janes, B., Hollar, J. and Dennis, D. (1990) Molecular characterization of the polyhydroxybutyrate biosynthetic pathway of *Alcaligenes eutrophus*. In: *Novel biodegradable microbial polymers* (Dawes, E. A. (Ed.)), Kluwer Academic, Dordrecht, the Netherlands.
18. Jendrossek, D. (1998) Microbial degradation of polyesters: a review on extracellular poly(hydroxyalkanoic acid) depolymerases. *Polym. Degrad. Stab.* 59, 317-325.
19. Karr, D. B., Waters, J. K. and Emerich, D. W. (1983) Analysis of poly- $\beta$ -hydroxybutyrate in *Rhizobium japonicum* bacteroids by ion-exclusion high-pressure liquid chromatography and UV detection. *Appl. Environ. Microbiol.* 46, 1339-1344.
20. Kessler, B. and Witholt, B. (2001) Factors involved in the regulatory network of polyhydroxyalkanoate metabolism. *J. Biotechnol.* 86, 97-104.
21. Khanna, S. and Srivastava, A. K. (2005) Recent advances in microbial polyhydroxyalkanoates. *Process Biochem.* 40, 607-619.
22. Kim, B. S., Lee, S. Y. and Chang, H. N. (1992) Production of poly- $\beta$ -hydroxybutyrate by fed-batch culture of recombinant *Escherichia coli*. *Biotechnol. Lett.* 14, 811-816.

23. Kranz, R. G., Gabbert, K. K., Locke, T. A. and Madigan, M. T. (1997) Polyhydroxyalkanoate production in *Rhodobacter capsulatus*: genes, mutants, expression, and physiology. *Appl. Environ. Microbiol.* 63(8) 3003-3009.
24. Lee, S. Y. (1996) High cell-density culture of *Escherichia coli*. *Trends Biotechnol.* 14, 98-105.
25. Lee, S. Y., Chang, H. N., Chang, Y. K. (1994a) Production of poly( $\beta$ -hydroxybutyrate) by recombinant *Escherichia coli*. *Ann. NY Acad. Sci.* 721, 43-53.
26. Lee, S. Y., Lee, K. M., Chang, H. N. and Steinbuchel, A. (1994b) Comparison of *Escherichia coli* strains for synthesis and accumulation of poly(3-hydroxybutyric acid), and morphological changes. *Biotechnol. Bioeng.* 44, 1337-1347.
27. Lee, S. Y., Yim, K. S., Chang, H. N. and Chang, Y. K. (1994c) Construction of plasmids, estimation of plasmid stability, and use of stable plasmids for the production of poly(3-hydroxybutyric acid) in *Escherichia coli*. *J. Biotechnol.* 32, 203-211.
28. Lemoigne, M. (1926) Products of dehydration and of polymerization of hydroxybutyric acid. *Bull Soc Chem Biol.* 8, 770-782.
29. Liebergesell, M., Mayer, F. and Steinbuchel, A. (1993) Analysis of polyhydroxyalkanoic acid-biosynthesis genes of anoxygenic phototrophic bacteria reveals synthesis of a polyester exhibiting an unusual composition. *Appl. Microbiol. Biotechnol.* 40(2-3), 292-300.
30. Lopez, N. I., Floccari, M. E., Steinbuchel, A., Garcia, A. F. and Mendez, B. S. (1995) Effect of poly(3-hydroxybutyrate)(PHB) content on the starvation-survival of bacteria in natural waters. *FEMS Microbiol. Ecol.* 16, 95-102.
31. Madison, L. L. and Huisman, G. W. (1999) Metabolic engineering of poly(3-hydroxyalkanoates): from DNA to plastic. *Microbiol. Mol. Rev.* 63, 21-53.
32. Mahishi, L. H., Tripathi, G. and Rawal, S. K. (2003) Poly(3-hydroxybutyrate) (PHB) synthesis by recombinant *Escherichia coli* harbouring *Streptomyces aureofaciens* PHB biosynthesis genes: effect of various carbon and nitrogen sources. *Microbiol. Res.* 158(1) 19-27.
33. Mas-Castella, J. and Guerrero, R. (1995) Poly( $\beta$ -hydroxyalkanoate) accumulation in bacterioplankton from Lake Ciso (Spain) *Can. J. Microbiol.* 41(Suppl. 1), 80-83.
34. Matin, A., Veldhuis, C., Stegeman, V. and Veenhuis, M. (1979) Selective advantage of a *Spirillum* sp. in a carbon-limited environment. Accumulation of poly- $\beta$ -hydroxybutyric acid and its role in starvation. *J. Gen. Microbiol.* 112, 349-355.

35. Mino T., van Loosdrecht M.C.M. and Heijnen J.J. (1998) "Review : Microbiology and Biochemistry of Enhanced Biological Phosphate Removal Process", Water Research, Vol.32, No.11, 3193-3207.
36. Mothes, G., Rivera, I. S. and Babel, W. (1997) Competition between  $\beta$ -ketothiolase and citrate synthase during poly( $\beta$ -hydroxybutyrate) synthesis in *Methylobacterium rhodesianum*. Arch. Microbiol. 166, 405-410.
37. Mukhopadhyay, M., Patra, A. and Paul, A. K. (2005) Production of poly(3-hydroxybutyrate) and poly(3-hydroxybutyrate-co-3-hydroxyvalerate) by *Rhodopseudomonas palustris* SP5212. World J. Microbiol. Biotechnol. 21, 765-769.
38. Ndoye, I., Debilly, S. F., Vasse, J., Dreyfus, B. and Truchet, G. (1994) Root nodulation of *Sesbania rostrata*. J. Bacteriol. 176, 1060-1068.
39. Nicholas, K. B. and Nicholas, H. B. (1997) GeneDoc: a tool for editing and annotating multiple sequence alignments. Available from: URL: <http://www.psu.edu/biomed/genedoc>.
40. Oda, Y., Meijer, W. G., Gibson, J. L., Gottschal, J. C. and Forney, L. J. (2004) Analysis of diversity among 3-chlorobenzoate-degrading strains of *Rhodopseudomonas palustris*. Microb. Ecol. 47(1), 68-79.
41. Pedros-Alio, C., Mas-Castella, J., Mas, J. and Guerrero, R. (1990) Polyhydroxyalkanoate accumulation in planktonic and anaerobic environments. pp. 263-274. In: Novel biodegradable microbial polymers (Dawes, E. A. (Ed.)). Kluwer Academic Publishers, Dordrecht, the Netherlands.
42. Peoples, O. P. and Sinskey, A. J. (1989) Poly- $\beta$  hydroxybutyrate biosynthesis in *Alcaligenes eutrophus* H16. Identification and characterization of the PHB polymerase gene (*phbC*). J. Biol. Chem. 264, 15298-15303.
43. Rehm, B. H. A. (2003) Polyester synthases: natural catalysis for plastics. Biochem. J. 376, 15-33.
44. Rehm, B. H. A. and Steinbüchel, A. (1999) Biochemical and genetic analysis of PHA synthases and other proteins required for PHA synthesis. Int. J. Biol. Macromol. 25, 3-19.
45. Rehm, B. H. A. and Steinbüchel, A. (2001) PHA synthases: key enzymes of PHA biosynthesis. In: Biopolymers (Steinbüchel, A. and Doi, Y. (Eds)) Polyesters I. 3a. pp. 173-215. Wiley-VCH, Weinheim.
46. Rutkowska, M., Krasowska, K., Heimowska, A. and Kowalczyk, M. (2003) Degradation of the blends of natural and synthetic copolyesters in different natural environments. Macromol Symp. 197, 421-429.

47. Sambrook, J., Fritsch, E. F. and Maniatis, T. (1989) Molecular cloning: A laboratory manual. 2<sup>nd</sup> ed. Cold Spring Harbor Laboratory, New York.
48. Sanger, F., Nicklen, S. and Coulson, A. R. (1977) DNA sequencing with chain-terminating inhibitors. Proc. Natl. Acad. Sci. USA. 74, 5463-5467.
49. Sawayama, S., Hanada, S. and Kamagata, Y. (2000) Isolation and characterization of phototrophic bacteria growing in lighted upflow anaerobic sludge blanket reactor. J. Biosci. Bioeng. 89 (4), 396-399.
50. Sawayama, S., Tsukahara, K., Yagishita, T. and Hanada, S. (2001) Characterization of lighted upflow anaerobic sludge blanket (LUASB) method under sulfate-rich conditions. J. Biosci. Bioeng. 91 (2), 195-201.
51. Schubert, P., Steinbuchel, A. and Schlegel, H. G. (1988) Cloning of the *Alcaligenes eutrophus* poly- $\beta$ -hydroxybutyrate synthetic pathway and synthesis of PHB in *Escherichia coli*. J. Bacteriol. 170, 5837-5847.
52. Senior, P. J. and Dawes, E. A. (1971) Poly- $\beta$ -hydroxybutyrate biosynthesis and the regulation of glucose metabolism in *Azotobacter beijerinckii*. Biochem. J. 125, 55-66.
53. Shiloach, J. and Fass, R. (2005) Growing *E. coli* to high cell density-a historical perspective on method development. Biotechnol. Adv. 23, 345-357.
54. Slater, S. C., Voige, W. H. and Dennis, D. E. (1988) Cloning and expression in *Escherichia coli* of the *Alcaligenes eutrophus* H16 poly- $\beta$ -hydroxybutyrate biosynthetic pathway. J. Bacteriol. 170, 4431-4436.
55. Steinbuchel, A. and Schlegel, H. G. (1991) Physiology and molecular genetics of poly(beta-hydroxy-alkanoic acid) synthesis in *Alcaligenes eutrophus*. Mol. Microbiol. 5, 535-542.
56. Tanskul, S., Janpet, A. and Talek, A. (2007) Screening of photosynthetic bacterium *Rhodopseudomonas palustris* NCIB 8288 producing polyhydroxybutyrate under microaerobic condition. (in preparation)
57. van Gemerden, H., Montesinos, E., Mas, J. and Guerrero, R. (1985) Diel cycle of metabolism of phototrophic purple sulfur bacteria in Lake Ciso (Spain). Limnol. Oceanogr. 30, 932-943.
58. Wentzel, M.C., Lotter, L.H., Ekama, G.A., Loewenthal, R.E. and Marais, G.v.R. (1991)
59. Evaluation of biochemical models for biological excess phosphorus removal. Wat. Sci. Tech. 23, 567-581.

60. Yang, M. -K., Lin, Y. -C and Shen, C. -H. (2006) Identification of two gene loci involved in poly-beta-hydroxybutyrate production in *Rhodobacter sphaeroides* FJ1. J. Microbiol. Immunol. Infect. 39, 18-27.
61. Yang, H, S., Yoon, J. S. and Kim, M. N. (2004) Effects of storage of a mature compost on its potential for biodegradation of plastics. Polymer Degradation and Stability. 84, 411-417.
62. Zhang, S., Kolvek, S., Goodwin, S. and Lenz, R. W. (2004) Poly(hydroxyalkanoic acid) biosynthesis in *Ectothiorhodospira shaposhnikovii*: Characterization and Reactivity of a Type III PHA Synthase. Biomacromolecules. 5, 40-48.

กิตติกรรมประกาศ

ขอขอบคุณ มหาวิทยาลัยสงขลานครินทร์ วิทยาเขตหาดใหญ่ ที่ให้เงินทุนสนับสนุนการวิจัยจาก  
งบประมาณแผ่นดินปี 2551 และ 2553 มา ณ ที่นี้



