

## เอกสารอ้างอิง

1. Iqbal, J., Hasany, F. and Ahmad, F., 2012, "Characterization of Phases in an As-Cast Copper-Manganese-Aluminum Alloy", **Journal of Materials Science and Technology**, Vol. 22, pp. 779-784.
2. Dawson, R.J.C., 1978, "Aluminum Bronze", **Engineering Material and Design**, Vol. 12, pp. 25-28.
3. Meigh, H.J., 2000, "Cast and Wrought Aluminum Bronze-Properties, Process and Structure", **Institute of Materials**, pp. 404.
4. ศิริชัย ต่อสกุล และอนุชา วัฒนาภา, 2554, **พื้นฐานเทคโนโลยีการขึ้นรูปโลหะ**, พิมพ์ครั้งที่ 1, ซีเอ็ดยูเคชั่น, กรุงเทพฯ, หน้า 11-309.
5. ทีดีซี, n.d., **Fact-Link** [Online], Available : <https://www.fact-link.com> [2014, November 5].
6. Aibaba, n.d., **Alibaba Group** [Online], Available : <https://www.alibaba.com> [2014, November 5].
7. Bluehost, n.d., **The library of manufacturing** [Online], Available : <https://thelibraryofmanufacturing.com> [2014, November 5].
8. จิรสุข ศรีราช, n.d., **การศึกษาการออกแบบแม่พิมพ์อัดรีดโลหะโดยใช้ระเบียบวิธีไฟไนต์เอลิเมนต์**, [Online], Available : <https://mis.en.kku.ac.th> [2014, November 5].
9. สิทธิชัย แสงอาทิตย์, n.d., **การทดสอบวัสดุ** [Online], Available : <https://www.ird.sut.ac.th> [2014, November 5].

10. Penny Colton, n.d., **Recorder** [Online], Available : <https://csegrecorder.com> [2014, November 5].
11. แสงระวี แซ่เฮ้า, n.d., **สมาคมส่งเสริมเทคโนโลยี** [Online], Available : <https://www.tpa.or.th> [2014, November 5].
12. พิมพ์เพ็ญ พรเฉลิมพงศ์, n.d., **ความเค้น (Stress) และความเครียด (Strain) ของโลหะ** [Online], Available : [https://www.elecnet.chandra.ac.th/courses/ELEC2101/chapter\\_6/stress.doc](https://www.elecnet.chandra.ac.th/courses/ELEC2101/chapter_6/stress.doc) [2014, November 5].
13. School of material science and engineering, n.d., **stress and strain 4** [Online], Available : <https://www.materials.unsw.edu.au/tutorials/online-tutorials/stress-and-strain-0> [2014, November 5].
14. ชาญชัย ศุภกิจอมรพันธุ์, n.d., **การวัดแรงทางการแพทย์** [Online], Available : [https://www.4shared.com/web/preview/doc/-mm62\\_z6?locale=ru](https://www.4shared.com/web/preview/doc/-mm62_z6?locale=ru) [2014, November 5].
15. Robert, K., 1989, Materials Testing for the Metal Forming Industry, **Springer**, New York, pp. 21-36.
16. Leonard, J., 2001, **NDT Resource Center** [Online], Available : <https://www.nde-ed.org> [2014, November 5].
17. Tom Esposito, n.d., **Industrial Heating** [Online], Available : <https://www.industrialheating.com> [2014, November 5].
18. Guo-Zheng, Q., 2013, “Characterization for Dynamic Recrystallization Kinetics Based on Stress-Strain Curves”, **In:Peter Wilson(ed)**, Intech, chapter 2, pp.1111-2222.

19. Yang, H., Li Z.H. and Zhang Z.L., 2006, “Investigate on Zener-Hollomon parameter in the warm-hot deformation behavior of 20CrMnTi”, **Journal of Zhejiang University Science A**, Vol. 8, pp. 1453-1460.
20. Chen, F., 2014, “Mathematical Modeling of Critical Condition for Dynamic Recrystallization”, **Procedia Engineering**, Vol. 81, pp. 486-491.
21. Wang, Z.J., Qiang, H.F., Wang, X.R. and Wang G., 2012, “Constitutive Model for a New Kind of Metastable  $\beta$  Titanium Alloy during Hot Deformation”, **Transactions of Nonferrous Metals Society of China**, Vol. 22, pp. 634-641.
22. Yazdani, M., Abbasi, S.M., Taheri, A.K. and Momeni, A., 2013, “Hot Deformation Behavior of Fe-29Ni-17Co Alloy”, **Transfer Nonferrous Material Society**, Vol. 23, pp. 3271-3279.
23. Dieter G.E., Kuhn H.A. and Semiatin S.L., 2003, “Handbook of Workability and Process Design”, ASM International, Materials Park, pp. 17-19.
24. ชศกร ประทุมวัลย์, n.d., การเลือกใช้ชนิดเอลิเมนต์ (Element type) ให้เหมาะสมกับปัญหาการกลศาสตร์ของแข็ง [Online], Available : <https://www.vcharkarn.com/varticle/41926> [2014, November 5].
25. Shyalee, W. and Yeh, G.W., 1997, “The Plastic Deformation Behaviour of AISI 4340 Alloy Steel Subjected to High Temperature and High Strain Rate Loading Conditions”, **Journal of Materials Processing Technology**, Vol. 71, pp. 224-234.
26. Mirzadeh, H., Cabrera, J.M., Prado, J.M. and Najafizadeh, A., 2011, “Hot Deformation Behavior of a Medium Carbon Microalloyed Steel”, **Materials Science and Engineering A**, Vol. 528, pp. 3876-3882.

27. Lin, Y.C., Chen, M.S. and Zhong, J., 2008, "Constitutive Modeling for Elevated Temperature Flow Behavior of 42CrMo Steel", **Computational Materials Science**, Vol. 42, pp. 470-477.
28. Lin, Y.C., Chen, M.S. and Zhong, J., 2008, "Prediction of 42CrMo Steel Flow Stress at High Temperature and Strain Rate", **Mechanics Research Communications**, Vol. 35, pp. 142-50.
29. Banerjee, S., Robi, P.S., Srinivasan, A. and Lakavath, P.K., 2010, "High Temperature Deformation Behavior of Al-Cu-Mg Alloys Micro-alloyed with Sn", **Materials Science and Engineering A**, Vol. 527, pp. 2498-2503.
30. Wanjara, P., Jahazi, M., Monajati, H. and Yue, S., 2005, "Immarigeon J.P. Hot Working Behavior of Near-alpha Alloy IMI834", **Materials Science and Engineering A**, Vol. 396, pp. 50-60.
31. Zhang, F., Di, H., Wang, X., Cao, Y., Zhang, J. and Ma, T., 2013, "Constitutive Analysis of the Hot Deformation Behavior of Fe-23Mn-2Al-0.2C Twinning Induced Plasticity Steel in Consideration of Strain", **Material and Design**, Vol. 44, pp. 354-364.
32. Cai, J., Li, F., Liu, T., Chen, B. and He, M., 2011, "Constitutive Equation for Elevated Temperature Flow Stress of Ti-6Al-4V Alloy Considering the Effect of Strain", **Material and Design**, Vol. 32, pp. 1144-1151.
33. Haghdad, N., Zarei-Hanzaki, A. and Abedi, H.R., 2012, "The Flow Behavior Modeling of Cast A356 Aluminum Alloy at Elevated Temperature Considering the Effect of Strain", **Materials Science and Engineering A**, Vol. 535, pp. 252-257.
34. Zhang, F., Shen, J., Yan, X.D., Sun, J.L., Yang, Y. and Liu, Y., 2014, "High-temperature Flow Behavior Modeling of 2099 Alloy Considering Strain Effect", **Transactions of Nonferrous Metals Society of China**, Vol. 24, pp. 798-805.

35. Cingara, A., McQueen, H.J. and Avramovic-Cingara, G., 1994, "Modeling of Multistage Rolling with Difference Equations", **Scripta Metallurgica et Materialia**, Vol. 30, pp. 1437-1442.
36. Wang, M.H., Li, Y.F., Wang, W.H., Zhou, J. and Chiba, A., 2013, "Quantitative Analysis of Work Hardening and Dynamic Softening Behavior", **Material and Design**, Vol. 45, pp. 384-392.
37. Jia, J., Zhang, K. and Lu, Z., 2014, "Dynamic Recrystallization Kinetics of a Powder Metallurgy Ti-22Al-25Nb Alloy during Hot Compression", **Materials Science and Engineering A**, Vol. 607, pp. 630-639.
38. Quan, Z.Q., Li, G.S., Chen, T., Wang, Y.X., Zhang, Y.W. and Z, J., 2011, "Dynamic Recrystallization Kinetics of 42CrMosteel during Compression at Different Temperature and Strain Rates", **Materials Science and Engineering A**, Vol. 528, pp. 4643-4651.
39. Reyes-Calderon, F., Mejia, L., Boulaajaj, A. and Cabrera, J.M., 2013, "Effect of Microalloying Element (Nb, V and Ti) on the Hot Flow Behavior of high-Mn Austenitic Twinning Induced Plasticity (TWIP) Steel", **Materials Science and Engineering A**, Vol. 560, pp. 552-560.
40. Mirzadeh, H. and Najafizadeh, A., 2010, "Prediction of the Critical Conditions for Initiation of Dynamic Recrystallization", **Material and Design**, Vol. 31, pp. 1174-1179.
41. Wang, L., Liu, F., Zuo, Q. and Chen, C.F., 2013, "Prediction of Flow Stress for NO8028 Alloy under Hot Working Conditions", **Material and Design**, Vol. 47, pp. 737-745.

42. Qin, Y.J., Pan, Q.L., He, Y.B., Li, W.B., Liu, X.Y. and Fan, X., 2010, “Modeling of Flow Stress for Magnesium Alloy during Hot Deformation”, **Materials Science and Engineering A** , Vol. 527, pp. 2790-2797.
43. Zhou, H.T., Peng, Q.Z., Yang, H.X., Zhou, X., Liu, R.R., Peng, Y. and Zhong, F.H., 2014, “Dynamic Recrystallization during Hot Deformation of GH690 Alloy: A Study using Processing Maps”, **Journal of Nuclear Materials**, Vol. 448, pp. 153-162.
44. Luo, J., Li, M.Q. and Wu, B., 2011, “The Correlation between Flow Behavior and Microstructural Evolution of 7050 Aluminum Alloy”, **Materials Science and Engineering A**, Vol. 530, pp. 559-564.
45. Xu, Y., Hu, L., Deng, T. and Ye, L., 2013, “Hot Deformation Behavior and Processing Map of As-cast AZ61 Magnesium Alloy”, **Materials Science and Engineering A**, Vol. 559, pp.528-533.
46. Park, N.K., Yeom, J.T. and Na, Y.S., 2002, “Characterization of Deformation Stability in Hot Forging of Conventional Ti-6Al-4V using Processing Maps”, **Journal of Materials Processing Technology**, Vol. 130-131, pp. 540-545.
47. Venugopal, S., Venugopal, P. and Mannan, S.L., 2008, “Optimisation of Cold and Warm Workability of Commercially Pure Titanium using Dynamic Material Model (DMM) Instability Maps”, **Journal of Materials Processing Technology**, Vol. 202, pp. 201-215.
48. วีระพงษ์ สัจจาวาลิ, n.d., **Dilatometer (Thermal expansion coefficient - COE)** [Online], Available : <https://www.mfu.ac.th> [2014, November 5].

49. Yin, F., Hua, L., Mao, H. and Xinghui, 2013, "Constitutive Modeling for Flow Behavior of GCr15 Steel under Hot Compression Experiments", **Material and Design**, Vol. 43, pp. 393-401.
50. Yu, D.H., 2013, "Modeling High-temperature Tensile Deformation Behavior of AZ31B Magnesium Alloy Considering Strain Effects", **Material and Design**, Vol. 51, pp. 323-330.
51. Jia, J., Zhang, K. and Lu, Z., 2014, "Dynamic Recrystallization Kinetics of a Power Metallurgy Ti-22Al-25Nb Alloy during Hot Compression" **Materials Science and Engineering A**, Vol. 607, pp. 630-639.
52. Thossatheppitak, B., Uthaisangsuk, V., Mungsuntisuk, P., Suranuntchai, S. and Manonukul, A., 2014, "Flow Behavior of Nickel Aluminum Bronze under Hot Deformation" **Materials Science and Engineering A**, Vol. 604, pp. 183-190.
53. Jiang, F., Zhang, H., Ji, X., Meng, X. and Li, L., 2014, "Comparative Hot Deformation Characters of Al-Mn-Mg-RE Alloy and Al-Mn-Mg-RE-Ti Alloy", **Materials Science and Engineering A**, Vol. 595, pp. 10-17.
54. Zhang, T., Tao, Y.R. and Wang, X.Y., 2014, "Constitutive Behavior, Microstructural Evolution and Processing Map of Extruded Al-1.1Mn-0.3Mg-0.25RE Alloy during Hot Compression", **Transactions of Nonferrous Metals Society of China**, Vol. 24, pp. 1337-1345.
55. Gao, L. and Luo, A., 2013, "Hot Deformation Behavior of As-cast Mg-Zn-Mn-Ce Alloy in Compression", **Materials Science and Engineering A**, Vol. 560, pp. 492-499.

56. Doherty, R.D., Hughes, D.A., Humphreys, F.J., Jonas, J., Juul, J., Jensen, D., Kassnerf, M.E., King, W.E., McNelley, T.R., McQueen, H.J. and Rollett, A.D., 1997, "Current Issues in Recrystallization: A Review", **Materials Science and Engineering A**, Vol. 238, pp. 219-274.
57. Zhang, H., Konopleva, E.V. and McQueen, H.J., 2001, "Effect of Mn Dispersoid on Hot Working of Al-1Mn", **Materials Science and Engineering A**, Vol. 319-321, pp. 711-715.
58. Jia, J., Zhang, K. and Lu, Z., 2014, "Dynamic Recrystallization Kinetics of a Powder Metallurgy Ti-22Al-25Nb Alloy during Hot Compression", **Materials Science and Engineering A**, Vol. 607, pp. 630-639.
59. Mirzadeh, H. and Najafizadeh, A., 2010, "Prediction of the Critical Conditions for Initiation of Dynamic Recrystallization", **Materials and design**, Vol. 31, pp. 1174-1179.
60. Zhang, J., Di, H., Mao, K., Wang, X., Han, Z. and Ma, T., 2013, "Processing Maps for Hot Deformation of a High-Mn TWIP Steel: A Comparative Study of Various Criteria Based on Dynamic Materials Model", **Materials Science and Engineering A**, Vol. 587, pp. 110-122.
61. Xu, Y., Hu, L., Deng, T. and Ye, L., 2013, "Hot Deformation Behavior and Processing Map of As-cast AZ61 Magnesium Alloy", **Materials Science and Engineering A**, Vol. 559, pp. 528-533.
62. Lu, B.J., Peng, J., Shi, D.W., Tang, A.T. and Pan, F.S., 2013, "Constitutive Modeling of Dynamic Recrystallization Kinetics and Processing Maps of Mg-2.0Zn-0.3Zr Alloy Based on True Stress-strain Curves", **Material Science and Engineering A**, Vol. 560, pp. 727-733.

63. Park, N.K., Yeom, J.T. and Na, Y.S., 2002, "Characterization of Deformation Stability in Hot Forging of Conventional Ti-6Al-4V using Processing Maps", **Journal of Materials Processing Technology**, Vol. 130-131, pp. 540-545.
64. Gegal, H.I., Malas, J.C. and Doraivelu, S.M., 1988, "Shende VA. Metals Handbook, Forming and Forging", **ASM International**, Vol. 14, pp. 417-438.