

เอกสารและสิ่งอ้างอิง

- นิธิยา รัตนาปนนท์. 2551. **เคมีอาหาร**. พิมพ์ครั้งที่ 3. โอดี้ียนสโตร์, กรุงเทพฯ.
- ปราณี อินประโคน. 2552. เนื้อในเมล็ดมะม่วง ของดีที่ถูกมองข้าม. **วิทยาศาสตร์เพื่อการพัฒนา**. รวมบทความวิชาการ ฉลองครบรอบ 50 ปีแห่งการสถาปนาคณะวิทยาศาสตร์ มหาวิทยาลัยมหิดล. บริษัท เอเว็นท์ ออฟฟิศ เอ็กซ์เพรส, กรุงเทพฯ.
- ประจักษ์ วงศ์ประภาส. 2545. **เคมีกายภาพของอาหาร: คอลลอยด์ อิมัลชัน และเจล**. สำนักพิมพ์แห่ง จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพฯ.
- ศูนย์วิจัยกสิกรไทย. 2009. **ตลาดอาหารเพื่อสุขภาพของโลก**. แหล่งที่มา:
<http://ksmecare.wordpress.com/2009/09/15/food/> เมื่อวันที่ 3 ตุลาคม 2554.
- Abadio, F.D.B., A.M. Domingues, S.V. Borges and V.M. Oliveira. 2004. Physical properties of powdered pineapple (*Ananas comosus*) juice effect of maltodextrin concentration and atomization speed. **J. Food Eng.** 64: 285–287.
- Abdalla, A.E.M., S.M. Darwish, E.H.E. Ayad and R.M. El-Hamahmy. 2007. Egyptian mango by-product 1. compositional quality of mango seed kernel. **Food Chem.** 103: 1134-1140.
- Adhikari B, T. Howes, B.R. Bhandari and V.Truong. 2003. Characterization of the surface stickiness of fructose-maltodextrin solutions during drying. **Drying Technol.** 21: 17–20.
- Administration on Aging. 2011. **Aging Statistics**. Available Source:
http://translate.googleusercontent.com/translate_c?anno=2&hl=th&rurl=translate.google.com&sl=en&tl=th&u=http://www.aoa.gov/AoARoot/Aging_Statistics/index.aspx&usg=ALKJrhjxbTi8lYanvVZ0M8xADkBwKTP3AA. Retrieved on October 3, 2011.
- Al-asheh, S., R. Jumah, F. Banat and S. Hammad. 2003. The use of experimental factorial design for analysing the effect of spray dryer operating variables on the production of tomato powder. **Food Bioprod. Process.** 81: 81–88.
- Anderson, R.A., H.F. Conway, V.F. Pfeifer and J.R. Griffin. 1969. Gelatinization of corn grits by roll and extrusion cooking. **Cereal Sci. Today**. 14: 4–11.

- AOAC. 2000. **Official Method of Analysis of AOAC International**. 18th ed. The Association of Official Analytical Chemists, Virginia.
- Arogba, S.S. 1997. Physical, chemical and functional properties of nigerian mango (*Mangifera indica*) kernel and its processed flour. **J. Sci. Food Agric.** 73: 321-328.
- Arogba, S.S., O.L. Ajiboye, L.A. Ugboko, S.Y. Essiennette and P.O. Afolabi. 1998. Properties of polyphenol oxidase in mango (*Mangifera indica*) kernel. **J. Sci. Food Agric.** 77: 459-462.
- Bertolini, A.C., A.C. Siani and C.R.F. Grossi. 2001. Stability of monoterpenes encapsulated in gum arabic by spray-drying. **J. Agric. Food Chem.** 49: 780-785.
- Bhandari, B.R., A. Senoussi, E.D. Dumoulin and A. Lebert. 1993. Spray drying of concentrated fruit juices. **Drying Technol.** 11: 33-41.
- Botrel, D.A., S.V. Borges, R.V.B. Fernandes, A.D. Viana, J.M.G. Costa and G.R. Marques. 2012. Evaluation of spray drying conditions on properties of microencapsulated oregano essential oil. **Int. J. Food Sci. Technol.** 47: 2289-2296.
- Caliakan, G. and S.N. Dirim. 2013. The effects of the different drying conditions and amounts of maltodextrin addition during spray drying of sumac extract. **Food Bioprod. Process.** 91: 539-548.
- Cano-Chauca, M., P.C. Stringheta, A.M. Ramos and J. Cal-Vidal. 2005. Effect of the carriers on the microstructure of mango powder obtained by spray drying and its functional characterization. **Innovative Food Sci. Emerg. Technol.** 6: 420-428.
- Chunng, F.L., J. Schwartz, C.R. Herzog and Y.M. Yang. 2003. Tea and cancer: studies in animals and humans. **J. Nutrition.** 133: 3268-3274.
- Desai, K.G.H and H. J. Park. 2005. Recent developments in microencapsulation of food ingredients. **Drying Technol.** 23: 1361-1394.
- Dickinson, E. 1992. **An Introduction to Food Colloids**. Oxford University Press. Oxford.
- Dickinson, E. 2003. Hydrocolloids at interfaces and the influence on the properties of dispersed systems. **Food Hydrocoll.** 17: 25-39.
- Dickinson, E. 1994. Protein-stabilized emulsions. **J. Food Eng.** 22: 59-74.

- Dickinson, E. 2008. Emulsification and emulsion stabilization with protein polysaccharide complexes. pp. 221–232. In P.A. Williams and G.O. Phillips, eds. **Gums and Stabilizers for the Food Industry**. Royal Society, Cambridge, UK.
- Dickinson, E. 2009. Hydrocolloids as emulsifiers and emulsion stabilizers. **Food Hydrocoll.** 23: 1473–1482.
- Dickinson, E and D.J. McClements. 1995. **Advances in Food Colloids**. Blackie Academic & Professional. London.
- Duan, X.-J., W.-W. Zhang, X.-M. Li and B.-G. Wang. 2006. Evaluation of antioxidant property of extract and fractions obtained from a red alga, *Polysiphonia urceolata*. **Food Chem.** 95: 37-43.
- Ercisli, S. and E. Orhan. 2007. Chemical composition of white (*Morus alba*), red (*Morus rubra*) and black (*Morus nigra*) mulberry fruits. **Food Chem.** 103: 1380-1384.
- Evison, J., E. Dickinson, R.K. Owusu-Apenten and A. William. 1995. Formulation and properties of protein stabilized water-in-oil-in-water multiple emulsions, p. 235. In E. Dickinson and D. Lorient eds. **Food Macromolecules and Colloids**. Royal Society of Chemistry, Cambridge, UK.
- FAOSTAT. 2011. **Food and Agricultural Commodities Production**. Available Source: <http://faostat.fao.org/site/339/default.aspx>. November 4, 2013.
- Fang, Y., C. Selomulya and X.D. Chen. 2008. On measurement of food powder reconstitution properties. **Drying Technol.** 26: 3–14.
- Fechner, A., A. Knoth, I. Scherze and G. Muschiolik. 2007. Stability and release properties of double-emulsions stabilized by caseinate–dextran conjugates. **Food Hydrocoll.** 21: 943-952.
- Fernandes, R.V.B., S.V. Borges and D.A. Botrel. 2014. Gum arabic/starch /maltodextrin/inulin as wall materials on the microencapsulation of rosemary essential oil. **Carbohydr. Polym.** 101: 524–532.
- Frankel, E.N. 1999. Natural phenolic antioxidants and their impact on health. pp. 385-392. In L. Packer, M. Hiramatsu and T. Yoshikawa, eds. **Antioxidant Food Supplements in Human Health**. Academic Press, San Diego.

- Fu, L., B.T. Xu, X.R. Xu, R.Y. Gan, Y. Zhang, E.Q. Xia and H.B. Li. 2011. Antioxidant capacities and total phenolic contents of 62 fruits. **Food Chem.** 129: 345–350.
- Gabas, A. L., V.R.N. Telis, P.J. A. Sobral and J. Telis-Romero. 2007. Effect of maltodextrin and arabic gum in water vapor sorption thermodynamic properties of vacuum dried pineapple pulp powder. **J. Food Eng.** 82: 246-252.
- Garti, N. 1997a. Double emulsions – scope, limitations and new achievements. **and Surfaces A : Physicochem. Eng. Aspects.** 123-124: 233-246.
- Garti, N. 1997b. Progress in stabilization and transport phenomena of double emulsions in food applications. **Lebensm.-Wiss. U. – Technol.** 30: 222-235.
- George M and T.E. Abraham. 2006. Polyionic hydrocolloids for the intestinal delivery of protein drugs: Alginate and chitosan — a review. **J. Controll. Release.** 114: 1-14.
- Gharsallaoui, A., G. Roudaut, O. Chambin, A. Voilley and R. Saurel. 2007. Application of spray-drying in microencapsulation of food ingredients: an overview. **Food Res. Inter.** 40: 1107-1121.
- Grabowski, J.A., V.D. Truong and C.R. Daubert. 2006. Spray drying of amylase hydrolyzed sweet potato puree and physicochemical properties of powder. **J. Food Sci.** 71: E209–E217.
- Goula, A.M., K.G. Adamopoulos and N.A. Kazakis. 2004. Influence of spray drying conditions on tomato powder properties. **Drying Technol.** 22: 1129–1151.
- Guo, T., L. Wei, J. Sun, C.L. Hou and L. Fan. 2011. Antioxidant activities of extract and fractions from *Tuber indicum* Cooke & Massee. **Food Chem.** 27: 1634–1640.
- Hajaji, H.E., N. Lachkar, K. Alaoui, Y. Cherrah, A. Farah, A. Ennabili, B. E. Bali and M. Lachkar. 2011. Antioxidant activity, phytochemical screening, and total phenolic content of extracts from three genders of carob tree barks growing in Morocco. **Arab. J. Chem.** 4: 321–324.
- Hajda, A.K and E. Dickinson. 1996. Stability of water-in-oil-in-water emulsions containing faba bean proteins. **Food Hydrocoll.** 10: 251-254.

- Hedges, A.R., W.J. Shieh and C.T. Sikorski. 1995. Use of cyclodextrins for encapsulation in the use and treatment of food products. pp. 60-71. In S.J. Risch and G.A. Reineccius, eds. **Encapsulation and Controlled Release of Food Ingredients**. ACS, Washington, D.C.
- Hemar, Y., L. Cheng, C. Oliver, L. Sanguansri and M. Augustin. 2010. Encapsulation of Resveratrol using water-in-oil-in-water double emulsions. **Food Biophys.** 5: 120-127.
- Hemavathy, J., J.V. Prabhakar and D.P. Sen. 1988. Drying and storage behavior of mango (*Mangifera indica*) and composition of kernel fat. **Asian Food J.** 4: 59-63.
- Hirose, Y., T. Fujita, T. Ishii and N. Ueno. 2010. Antioxidative properties and flavonoid composition of chenopodium quinoa seeds cultivated in Japan. **Food Chem.** 119: 1300-1306.
- Hogekamp, S and H. Schubert. 2003. Rehydration of food powders. **Food Sci. Technol. Int.** 9: 223-35.
- Jafari, S.M., E. Assadpoor, Y. He and B. Bhandari. 2008. Encapsulation efficiency of food flavors and oils during spray drying. **Drying Technol.** 26: 816-835.
- Jiang, H., B. Ji, J. Liang, F. Zhou, Z. Yang and G. Zhang. 2006. Changes of contents and antioxidant activities of polyphenols during fruit development of four apple cultivars. **Eur. Food Res. Technol.** 223: 743-748.
- Jinapong, N., M. Suphantharika and Jamnong, P. 2008. Production of instant soymilk powders by ultrafiltration, spray drying and fluidized bed agglomeration. **J. Food Eng.** 84: 194-205.
- Kähkönen, M.P., A.I. Hopia, H.J. Vuorela, J.-P. Rauha, K. Pihlaja, T.S. Kujala and Heinonen, M. 1999. Antioxidant activity of plant extracts containing phenolic compounds. **J. Agric. Food Chem.** 47: 3954-3962.
- Kalt, W. 2005. Effects of production and processing factors on major fruit and vegetable antioxidants. **J. Food Sci.** 70: R11-R19.
- Kenyon, M.M and R.J. Anderson. 1988. Maltodextrin and low dextrose equivalence corn syrup solid. pp. 7-11. In S.J. Rish and G.A. Reineccius Jr., eds. **Flavor Encapsulation**, ACS Symposium series, Washington, D.C

- Kenyon, M.M. 1995. Modified starch, maltodextrin, and corn syrup solids as wall materials for food encapsulation. pp. 42-50. In S.J. Risch and G.A. Reineccius, eds. **Encapsulation and Controlled Release of Food Ingredients**. ACS, Washington, D.C.
- Kha, T.C., M.H. Nguyen and P.D. Roach. 2010. Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (*Momordica cochinchinensis*) fruit aril powder. **J. Food Eng.** 98: 385-392.
- Khammuang, S and R. Sarnthima. 2011. Antioxidant and antibacterial activities of selected varieties of Thai mango seed extract. **Pak. J. Pharm. Sci.** 24: 37-42.
- King, A.H. 1995. Encapsulation of food Ingredients: A review of available technology, Focus on hydrocolloids, pp. 26-39. In S.J. Risch and G.A. Reineccius, eds. **Encapsulation and Controlled Release of Food Ingredients**. ACS, Washington, D.C.
- Kittipoom, S. 2012. Utilization of mango seed. **Int. Food Res. J.** 19: 1325-1335.
- Krishnan, S., A.C. Kshirsagar and R.S. Singhal. 2005. The use of gum arabic and modified\starch in the microencapsulation of a food flavoring agent. **Carbohydr. Polym.** 62: 309-315.
- Li, X., W. Cao, Y. Shen, N. Li, X.P. Dong, K.J. Wang, Y.X. Cheng. 2012. Antioxidant compounds from *Rosalaevigata* fruits. **Food Chem.** 130: 575-580.
- Loksuwan, J. 2007. Characteristics of microencapsulated-carotene formed by spray drying with modified tapioca starch, native tapioca starch and maltodextrin. **Food Hydrocoll.** 21: 928-935.
- Mackie, A. R., A.P. Gunning, M. L. Ridout and V. J. Morris. 1998. Gelation of gelatin, observation in the bulk and at the air-water interface. **Biopolymer.** 46: 245-252.
- Madene, A., M. Jacquot, J. Scher and S. Desobry. 2006. Flavor emcapsulation an controlled release: a review. **Int. J. Food Sci.** 41: 1-21
- Maisuthisakul, P., M. Suttajit and R. Pongsawatmanit. 2007. Assessment of phenolic content and free radical scavenging capacity of some Thai indigenous plants. **Food Chem.** 100: 1409- 1418.
- Maisuthisakul, P. and M.H. Gordon. 2009. Antioxidant and tyrosinase inhibitory activity of mango seed kernel by product. **Food Chem.** 117: 332-341.

- Maisuthisakul, P and T. Harnsilawat. 2010. Encapsulation by spray drying of bioactive compounds from mango seed kernels. *วารสารวิชาการ มหาวิทยาลัยหอการค้าไทย* 30: 88-100.
- Maisuthisakul, P and M.H. Gordon. 2012. Influence of polysaccharides and storage during processing on the properties of mango seed kernel extract (microencapsulation). *Food Chem.* 134: 1453-1460.
- Malvern Instruments. 2003. *Zetasizer Nano Series User Manual*. Malvern Instruments Ltd., England.
- Manach, C., A. Mazur and A. Scalbert. 2005. Polyphenols and prevention of cardiovascular diseases. *Curr. Opin. Lipidol.* 16: 77-84.
- Mariod, A. A., R. M. Ibrahim, M. Ismail and N. Ismail. 2010. Antioxidant activities of phenolic rich fractions (PRFs) obtained from black mahlab (*Monechma ciliatum*) and white mahlab (*Prunus mahaleb*) seedcakes. *Food Chem.* 18: 120–127.
- McClements, D.J. 2004. Protein-stabilized emulsions. *Curr. Opin. Colloid Interface Sci.* 9: 305–313.
- McClements, D.J. 2005. *Food Emulsions: Principles, Practice, and Techniques*. 2nd ed. CRC Press, Boca Raton.
- McClements, D.J. E.A. Decker and J. Weiss. 2007. Emulsion-based delivery systems for Lipophilic bioactive components. *J. Food Sci.* 72: 109-124.
- Mishra, P., S. Mishra and C.L. Mahanta. 2013. Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Emblica officinalis*) juice powder. *Food Bioprod. Process.* (In press).
- Mun, S., Y. Choi, S.-J. Rho, C.-G. Kang, C.-H. Park and Y.-R. Kim. 2010. Preparation and characterization of water/oil/water emulsions stabilized by polyglycerol polyricinoleate and whey protein isolate. *J. Food Sci.* 75: E116-E125.
- Muschiolik, G. 2007. Multiple emulsions for food use. *Curr. Opin. Colloid In. Sci.* 12: 213-220.

- Naczk, M., M. Townsend and R. Zadernowski. 2011. Protein-binding and antioxidant potential of phenolics of mangosteen fruit (*Garcinia mangostana*). **Food Chem.** 128: 292-298.
- Nadeem, H.S., M. Torun and F., Ozdemir. 2011. Spray drying of the mountain tea (*Sideritis stricta*) water extract by using different hydrocolloid carriers. **LWT Food Sci. Technol.** 44: 1626–1635.
- Nithitanakool, S., P. Pithayanukul and R. Bavovada. 2009. Antioxidant and hepatoprotective activities of Thai mango seed kernel extract. **Planta Med.** 75: 1118-1123.
- Obon, J.M., M.R. Castellar, M. Alacid and J.A. Fernandez-Lopez. 2009. Production of a red purple food colorant from *Opuntia stricta* fruits by spray drying and its application in food model systems. **J. Food Eng.** 90: 471-479.
- Onsøyen, E. 1997. Alginate. pp 22-44. In A. Imeson, eds. **Thickening and Gelling Agents for Food**. Blackie Academic and Professional, London.
- O'Regan, J. and D.M. Mulvihill. 2010. Sodium caseinate-maltodextrin conjugate stabilized double emulsions: Encapsulation and stability. **Food Res. Int.** 43: 224-231.
- Ozaki, K., Y. Kawata, S. Amano and S. Hanazawa. 2000. Stimulatory effect of curcumin on osteoclast apoptosis. **Biochem. Pharmacol.** 59: 1577-1581.
- Pérez-Serradilla, J.A and M.D. Luque de Castro. 2011. Microwave-assisted extraction of phenolic compounds from wine lees and spray drying of the extract. **Food Chem.** 124: 1652-1659.
- Poppe, J. 1997. Gelatin. pp. 144-168. In A. Imeson, eds. **Thickening and Gelling Agents for Food**. Blackie Academic and Professional, London.
- Puravankara, D., V. Bohgra and R.S. Sharma. 2000. Effect of antioxidant principles isolated from mango (*Mangifera indica* L.) seed kernels on oxidative stability of buffalo ghee (butter-fat). **J. Sci. Food Agric.** 80: 522–526.
- Quek, S.Y., N.K. Chok and P. Swedlund. 2007. The physicochemical properties of spray dried watermelon powders. **Chem. Eng. Process.** 46: 386–392.

- Rattes, A.L.R and W.P. Oliveira. 2007. Spray drying conditions and encapsulating composition effects on formation and properties of sodium diclofenac microparticles. *Powder Technol.* 171: 7–14.
- Risch, S.J. 1995. Encapsulation overview of uses and techniques, pp. 2-7. In S.J. Risch and G. A. Reineccius, eds. **Encapsulation and Controlled Release of Food Ingredients**. ACS, Washington, D.C.
- Robert, P., T. Gorena, N. Romero, E. Sepulveda, J. Chavez and C. Saenz. 2010. Encapsulation of polyphenols and anthocyanins from pomegranate (*Punica granatum*) by spray drying. *Int. J. Food Sci. Technol.* 45: 1386–1394.
- Rössle, C., H.H. Wijngaard, R.T. Gormley, F. Butler and N. Brunton. 2009. Effect of storage on the content of polyphenols of minimally processed skin-on apple wedges from ten cultivars and two growing seasons. *J. Agric. Food Chem.* 58: 1609-1614.
- Rowe, R.C., P.J. Sheskey and S.C. Owen. 2006. **Handbook of Pharmaceutical Excipients**. 5th ed. Pharmaceutical Press and the American Pharmacists Associationc, London.
- Saenz, C., S. Tapia, J. Chavez and P. Robert. 2009. Microencapsulation by spray drying of bioactive compounds from cactus pear (*Opuntia ficus-indica*). *Food Chem.* 14: 616-622.
- Soottitantawat A., Yoshii H., Furuta T., Ohkawara M y Linko P. 2005. Influence of emulsion and powder size on the satability of encapsulated D-limonene by spray drying. *Innov. Food Sci. Emerg. Technol.* 6:107-114.
- Stevens, P. 2010. Gelatin, pp. 116-143. In A. Imeson eds. **Food Stabilisers, Thickener and Gelling Agent**. Wiley-Blackwell, United Kingdom.
- Strauss, G. and S.M. Gibson. 2004. Plant phenolics as cross-linkers of gelatin gels and gelatin-based coacervates for use as food ingredients. *Food Hydrocoll.* 18: 81-89.
- Su, J., J. Flanagan, Y. Hemar and H. Singh. 2006. Synergistic effects of polyglycerol ester of polyricinoleic acid and sodium caseinate on the stabilization of water–oil–water emulsions. *Food Hydrocoll.* 20: 261-268.

- Su, J., J. Flanagan and H. Singh. 2008. Improving encapsulation efficiency and stability of water-in-oil-in-water emulsions using a modified gum Arabic (Acacia (sen) SUPER GUMTM). **Food Hydrocoll.** 22: 112-120.
- Surh, J., G.T. Vladisavljević, S. Mun and D.J. McClements. 2007. Preparation and characterization of water/oil and water/oil/water emulsions containing biopolymer-gelled water droplets. **J. Agric Food Chem.** 55: 175-184.
- Tang, J and T. Yang. 2004. Dehydrated vegetables: principles and systems. In Y.H. Hui, S. Ghazala, D.M. Graham, K.D. Murrell and W.-K. Nip eds. **Handbook of Vegetable Preservation and Processing**. Marcel Dekker, New York.
- Theevent, F. 1995. Acacia gums: natural encapsulation agent for food ingredients. pp. 51-59. In S.J. Risch and G.A. Reineccius, eds. **Encapsulation and Controlled Release of Food Ingredients**. ACS, Washington, D.C.
- Tonon, R.V., C. Brabet and M.D., Hubinger. 2008. Influence of process conditions on the physicochemical properties of acai (*Euterpe oleracea* Mart.) powder produced by spray drying. **J. Food Eng.** 88: 411-418.
- United Nations. 2009. World Population Ageing 2009. Available Source:
<http://www.un.org/esa/population/>. Retrieved on October 3, 2011.
- US Census Bureau. 2011. **Aging Trends Point to Business Opportunities**. Available Source:<http://translate.google.com/translate?anno=2&hl=th&rurl=translate.google.com&sl=en&tl=th&u=http://assistedliving.about.com/od/startingabusiness/a/agingtrends.htm>. Retrieved on October 3, 2011.
- Wang, H., D. Gan, X. Zhang and Y. Pan. 2010. Antioxidative properties and flavonoid composition of *Chenopodium quinoa* seeds cultivated in Japan. **LWT- Food Sci. Technol.** 43: 319-325.
- Wanthong, T., T. Harnsilawat and P. Maisuthisakul. 2011. Effect of tamarind seed kernel flour, gum arabic and maltodextrin on encapsulation efficiency and stability of W/O/W emulsion. **Presented at 5th Tropical & Sub-Tropical Crops Research Symposium** on July 21-22, 2011, Bangkok, Thailand.
- Wilson, R., B.J. van Schie and D. Howes. 1998. Overview of the preparation, use and biological Studies on polyglycerol polyricinoleate (PGPR). **Food Chem. Toxicol.** 36: 711-718.

World Health Organization. 2011. **Important target groups.** Available Source: http://www.who.int/oral_health/action/groups/en/index1.html. Retrieved on October 3, 2011.

- Yang, C.S. and Z.Y. Wang. 1993. Tea and cancer. *J. Natl. Cancer Inst.* 85: 1038-1049.
- Yuri, J.A., A. Neira, A. Quilodran, Y. Motomura and I. Palomo. 2009. Antioxidant activity and total phenolics concentration in apple peel and flesh is determined by cultivar and agroclimatic growing regions in Chile. *J. Food Agric. Environ.* 7: 3-4.
- Zein R. E., A.A. El-Bagoury and H. E. Kassab. 2005. Chemical and nutritional studies on mango seed kernels. *J. Agric. Sci.* 30: 3285-3299.
- Zou, Y., S.K.C. Chang, Y. Gu and S.Y. Qian. 2011. Antioxidant activity and phenolic compositions of lentil (*Lens culinaris* var. Morton) extract and its fractions. *J. Agric. Food Chem.* 59: 2268–2276.