

## เอกสารอ้างอิง

เบญจมาศ ศิลาชัย, 2545, กล้วย, ภาควิชาพืชสวน คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์

นิธิยา รัตนพานนท์, 2544, “หลักการแปรรูปอาหารเบื้องต้น”, สำนักพิมพ์โอเดียนสโตร์, กรุงเทพฯ.

Aguilera, J.W. and Stanley, D.W., 1999, “Microstructural Principle of Food Processing and Engineering”, 2<sup>nd</sup> Edition., Aspen Publishers, Inc, Maryland, pp. 251-258.

Association of Official Analytical Chemists. *Official Methods of Analysis of the AOAC International*, 16<sup>th</sup> ed.; AOAC: Gaithersburg, MD, 1995.

Agama-Acevedo, E., Islas-Hernandez, J.I., Pacheco-Vargas, G. and Osorio-Diaz, P., 2012, “Starch Digestibility and Glycemic Index of Cookies Partial Substituted with Unripe Banana Flour”, **Journal of Food Science and Technology**, Vol. 46, pp. 177-182.

Aurore G., Parfait B. and Fahrasmane L., 2009, “Banana Raw Materials for Making Processed Food Products”, **Trend in Food Science & Technology**, Vol. 20, pp. 78-91.

Anton, A.A. and Luciano, F.B., 2007, “Instrumental Texture Evaluation of Extruded Snack Foods: A Review”, **Cienc. Technol. Aliment**, Vol. 4, pp. 245-251.

Brand-Miller. J., Wolever, T. M. S., Colaiuri, S. and Foster-Powell, K., 2001, “Glycemic Index, Carbohydrate and Fat”, from, “**The Glucose Revolution**”

Box, G.E.P. and Draper, N.R., 1987, “Empirical Model Building and Response Surfaces”, **John Wiley and Sons: New York**.

Brand-Miller, J., Hayne, S., Petocz, P. and Colagiuri, S., 2003, “Low-Glycemic Index Diets in the Management of Diabetes: a Meta-Analysis of Randomized Clinicaltrials”, **Diabetes Care**, Vol. 26, pp. 2261-2267.

Bondaruk, J., Markowski, M. and Blaszcak, W., 2007, “Effect of Drying Conditions on the Quality of Vacuum-Microwave Dried Potato Cubes”, **Journal of Food Engineering**, Vol. 81, pp. 306-312.

Technical Support Document, **Calculations for desirability values** [Online], Available: <http://www.minitab.com/support/documentation/Answers/DesirabilityCalculations.pdf> [2012, December 10]

Conway, H.F., 1971, “Extrusion Cooking of Cereals and Soybeans”, **Food Product Dev**, Vol. 5, pp. 29.

Chung, H.J., Liu, Q., Hoover, R., 2009, “Impact of Annealing and Heat Moisture Treatment on Rapidly Digestible, Slowly Digestible and Resistant Starch Levels in Native and Gelatinized Pea and Lentil Starches”, **Carbohydrate Polymers**, Vol. 75, pp. 436-447.

Chung, H.J., Lim, H.S., Lim, S.T., 2006, “Effect of Partial and Retrogradation on the Enzymatic Digestion of Waxy Rice Starch”, **Journal of Cereal science**, Vol. 43, pp. 353-359.

Cooke, D., Gidley, M.J., 1992, “Loss of Crystalline and Molecular Order during Starch Gelatinization: Origin of the Enthalpy Transition”, **Carbohydrate Research**, Vol. 227, pp. 103-112.

Derringer, G., Suich, R., 1980, “Simultaneous Optimization of Several Response Variables”, **Journal of Quality Technology**, Vol. 12, pp. 214-219.

Dermirel, D. and Turhan, M., 2003, “Air Drying Behavior of Dwarf Chavendish and Gross Michel Banana Slices”, **Journal of Food Engineering**, Vol. 59, pp. 1-11.

Devahastin, S., Suvarnakuta, P., Soponronnarit, S., Mujumdar, A.S., 2004, “A Comparative Study of Low-Pressure Superheated Steam and Vacuum Drying of Heat-Sensitive Material”, **Drying Technology**, Vol. 22, pp. 1845-1867.

Eliasson, C. A., 2004, "Starch in Food Structure, Function and Applications", **Wood head Publishing Limited**, pp. 264-270.

Edith, A.A., Jose, I.H., Glenda, P.V., Perla, O.D., 2012, "Starch Digestibility and Glycemic Index of Cookies Partially Substituted with Unripe Banana Flour", **Journal food Science and Technology**, Vol. 46, pp. 177-182.

Foster-Powell, K., Holt, S. H. and Brand-Miller, J. C., 2002, "International table of Glycemic Index and Glycemic Load Values", **American Journal of Clinical Nutrition**, Vol. 76, pp. 5–56.

Fnides, B., Yallese, M.A., Mabrouki, T., Rigal, J.F., 2011, "Application of Response Surface Methodology for Determining Cutting Force Model in Turning Hardened AISI H11 Hot Work Tool Steel", **Indian Academy of sciences**, Vol. 36, pp. 109-123.

Goni, I., Garcia-Alonso, A. and Saura-Calixto, F., 1997, "A Starch Hydrolysis Procedure to Estimate Glycemic Index", **Nutrition Research**, Vol. 17, pp. 427-437.

Giovanni, M., 1983, "Response Surface Methodology and Product Optimization", **Food Technology**, Vol. 37, pp. 41-45.

Gornicki, K. and Kaleta, A., 1997, "Drying Curve Modeling of Blanched Carrot Cubes under Natural Convection Condition", **Journal of Food Engineering**, Vol. 82, pp. 160–170.

Hwang, M.P. and Hayakawa, K.I., 1980, "Bulk Densities of Cookies Undergoing Commercial Baking Processes", **Journal of Food Science**, Vol. 45, pp. 1400–1402.

Haber, A. and Runyon, R., 1997, **General Statistics** (3<sup>rd</sup> Edition.). Reading, MA: Addison-Wesley Publishing Company.

Holm, J., Lundquist, I., Bjorck, I., Eliasson, A.C. and Asp, N.G., 1988, "Degree of Starch Gelatinization Digestion Rate of Starch in Vitro and Metabolic Response in Rats", **American Journal of Clinical Nutrition**, Vol. 47, pp. 1010-1016.

Hoke, K., Houska, M., Pruchova, J., Gabrovska, D., Vaculova, K. and Paulickova, I., 2007, "Optimisation of Puffing Naked Barley", **Journal of Food Engineering**, Vol. 80, pp. 1016–1022.

Hang, L. and Zhang, M., 2012, "Trends in Development of Dried Vegetable Products as Snacks", **Drying Technology**, Vol. 30, pp. 448-461.

Inoue, T., Iyota, H., Uemura, T., Yamagata, J., Konishi, Y. and Tatemoto, Y., 2009, "Optimal Conditions for Popping Amaranth Seeds", **Drying Technology**, Vol. 27, pp. 918–926.

Islam, M.N. and Flink, I.N., 1982, "Dehydration of potatoes: II. Osmotic concentration and its effect on air drying behavior", **Journal of Food Technology**, Vol. 17, pp. 387-403.

Joslyn, M.A. and Heid, J.L., 1964, **Food Processing Operations**, Westport, the AVI Publishing, pp. 124-205.

Jackson, J.C., Bourne, M.C. and Barnard, J., 1996, "Optimization of Blanching for Crispness of Banana Chips Using Response Surface Methodology" **Journal of food Science**, Vol. 61, No. 1, pp. 165-166.

Kai Lin, E.K., Brand Miller, J. and Copeland, L., 2012, "Glycemic Effect of Potatoes. **Journal of Food Chemistry**", Vol. 133, pp. 1230-1240.

Krokida, M.K., Oreopoulou, V. and Maroulis, Z.B., 2000, "Water Loss and Oil Uptake as a Function of Frying Time", **Journal of Food Engineering**, Vol. 44, pp. 39-46.

Krokida, M.K., Kiranoudis, C.T., Maroulis, Z.B. and Marinos, D., 2000, "Effect of Pretreatment on Color of Dehydrated Products", **Drying Technology**, Vol. 18, pp. 1239-1250.

Karathanos, V., Anglea, S., Karel, M., 1993, "Collapse of Structure during Drying of Celery", **Drying Technology**, Vol. 11, pp. 1005-1023.

Kim, M.H. and Toledo, R.T., 1987, "Effect of Osmotic Dehydration and High Temperature Fluidized Bed Drying on Properties of Dehydrated Rabbiteye Blueberries", **Journal of Food Science**, Vol. 52, pp. 980-985.

Kidmose, U. and Martens, H.J., 1999, "Changes in Texture, Microstructure and Nutritional Quality of Carrot Slices during Blanching and Freezing", **Journal of the Science of Food and Agriculture**, Vol. 79, pp. 1747-1753.

Kopelman, I.J., Meydav, S. and Weinberg, S., 1977, "Storage Studies of Freeze Dried Lemon Crystals", **Journal of Food Technology**, Vol. 12, pp. 403-440.

Lii, C.Y., Chang S.M. and Young, Y.L., 1982, "Investigation of the Physical and Chemical Properties of Banana Starches", **Journal of Food Science**, Vol. 47, pp. 1493-1497.

Law, C.L. and Mujumdar, A.S., 2004, "Fluidized Bed Drying", In **Guide to Industrial Drying Principles, Equipment and New Developments**, Mujumdar, A.S. (Ed), Vindhya Press, Mumbai, India, pp. 75-142.

Lee-kim, M.S. and Hwang, E.S., 1994, "Inhibition Studies on Burdock Polyphenol Oxidase (PPO) Activity", **Journal of Food Process Preservation**, Vol. 21, pp. 485-494.

Lin, T.M., Durance, T.D. and Scaman, C.H., 1998, "Characterization of Vacuum Microwave, Air and Freeze Dried Carrot Slice", **Food Research International**, Vol. 31, pp.111-117.

Latapi, G., & Barrett, D.M., 2006, "Influence of Pre-Drying Treatments on Quality and Safety of Sun Dried Tomato Part I: Use of Steam Blanching, Boiling Brine Blanching and Dips in Salt or Sodium Metabisulfite", **Journal of Food Science**, Vol. 71, pp. 24-31.

Lee, C.J., Shin, S.I., Kim, Y., Choi, H.J., and Moon, T.W., 2011, "Structural Characteristics and Glucose Response in Mice of Potato Starch Modified by Hydrothermal Treatments" **Carbohydrate Polymers**, Vol. 83, pp. 1879-1886.

Louka, N.; Juhel, F.; Allaf, K., 2004, "Quality Studies on Various Types of Partially Dried Vegetables Texturized by Controlled Sudden Decompression General Patterns for the Variation of the Expansion Ratio", **Journal of Food Engineering**, Vol. 65, pp. 245-253.

Macheix, J.J., Fleuriet, A., Billot, J., 1990, "**Fruit Phenolics**", CRC Press, USA, pp. 378.

Montgomery, D.C., 2001, **Design and Analysis of Experiments**, 5<sup>th</sup> Edition., John Wiley & Sons Inc., USA.

Maskan, M., 2001, "Kinetics of Color Change of Kiwifruits during Hot Air and Microwave Drying", **Journal of Food Engineering**, Vol. 48, pp. 169-175.

Medeni, M., 2000, "Microwave/air and Microwave Finish Drying of Banana", **Journal of Food Engineering**, Vol. 44, pp. 71-78.

Montgomery, D.C. **Design and Analysis of Experiments**, 2<sup>nd</sup> Edition. John Wiley and Sons: New York **1984**.

MacDougall, D.B., 2002, "Colour Measurement of Food: Principal and Practice", **Colour in Food**, MacDougall, D.B. (Ed.), Wood head Publishing, Cambridge, pp. 33-64.

Malcolmson, L.J.; Matsuo, R.R.; Balshaw, R., 1993, "Textural Optimization of Spaghetti using Response Surface Methodology: Effects of Drying Temperature and Durum Protein Level", **Cereal Chemistry**, Vol. 70, pp. 417-423.

Mayer, L.; Sereno, A.M., 2004, "Modelling Shrinkage during Convective Drying of Food Materials: A Review", **Journal of Food Engineering**, Vol. 61, pp. 373-386.

Mazumder, P., Roopa, B.S., & Bhattacharya, S., 2007, "Textural Attributes of a Model Snack Food at Different Moisture Contents", **Journal of Food Engineering**, Vol. 79, pp. 511-516.

Murniece, I., Karklina, D., Galoburda, R., Santare, D., Skrabule, I., and Costa, H.S., 2011, “Nutritional Composition of Freshly Harvested and Stored Latvian Potato (*Solanum tuberosum* L.) Varieties Depending on Traditional Cooking Methods” **Journal of Food Composition and Analysis**, Vol. 24, pp. 699-710.

Nath, A. and Chattopadhyay, P.K., 2007, “Optimization of Oven Toasting for Improving Crispness and other Quality Attributes of Ready to Eat Potato-Soy Snack Using Response Surface Methodology”, **Journal of Food Engineering**, Vol. 80, pp. 1282–1292.

Nath, A. and Chattopadhyay, P.K., 2008, “Effect of Process Parameters and Soy Flour Concentration on Quality Attributes and Microstructural Changes in Ready-to-eat Potato –Soy Snack Using High Temperature Short Time Air Puffing”, **Journal of Food Engineering**, Vol. 41, pp. 707-715.

Nieto, A.B., Salvatori, D.M., Castro, M.A. and Alzamora, S.M., 2004, “Structural changes in apple tissue during glucose and sucrose osmotic dehydration: shrinkage, porosity, density and microscopic features”, **Journal of Food Engineering**, Vol. 61, pp. 269-278.

Perira, N.R., Marsaioli, J. and Ahrne, L.M., 2007, “Effect of Microwave Power, Air Velocity and Temperature on the Final Drying of Osmotically Dehydrated Bananas”, **Journal of Food Engineering**, Vol. 81, pp. 79-87.

Payne, F.A., Taraba, J.L. and Saputra, D.A., 1989, “Review of Puffing Process for Expansion of Biological Products”, **Journal of Food Engineering**, Vol. 10, pp. 183–197.

Pan, Z., Shih, C., Mchugh, T. H. and Hirschberg, E., 2008, “Study of Banana Dehydration using Sequential Infrared Radiation Heating and Freeze-Drying”, **LWT-Food Science and Technology**, Vol. 41, pp. 1944-1951.

Prakash, S., Jha, S.K. and Datta, N., 2004, “Performance Evaluation of Blanched Carrots Dried by Three Different Driers”, **Journal of Food Engineering**, Vol. 62, pp. 305–313.

Qing-Bo, D., Ainsworth, P., Tucker, G. and Marson, H., 2005, “The Effect of Extrusion Conditions on the Physicochemical Properties and Sensory Characteristics of Rice-Based Expanded Snacks”, **Journal of Food Engineering**, Vol. 66, pp. 283-289.

Qing-Hue, H., Li-Jun, Y., Shu-Jun, Li, Bing-Nan, Y. and Ji-Wei, M., 2010, “Optimization of Process Parameters for Microwave Vacuum Drying of Apple Slices using Response Surface Method”, **Drying Technology**, Vol. 28, pp. 523-532.

Rakesh, V. and Datta, A.K., 2011, “Microwave Puffing: Determination of Optimal Conditions using a Coupled Multiphase Porous Media Large Deformation Model”, **Journal of Food Engineering**, Vol. 107, pp. 152-163.

Ratti, C., 2001, “Hot Air and Freeze-Drying of High-Value Food: A Review”, **Journal of Food Engineering**, Vol. 49, pp. 311–319.

Reyes, A., Alvarez, P.I. and Marquardt, F.H., 2002, “Drying of carrots in a Fluidized Bed. I: Effects of Drying Conditions and Modeling”, **Drying Technology**, Vol. 20, pp. 1463-1483.

Raikhram, C., Prachayawarakon, S., Nathakaranakule, A. and Soponronnarit, S., 2012, “Optimum Conditions of Fluidized Bed Puffing for Producing Crispy Banana”, **Drying Technology**, Vol. 31, pp. 726-739.

Svihus, B. Uhlen, A.K. and Harstad, O.M., 2005, “Effect of Starch Granule Structure, Associated Components and Processing on Nutritive Value of Cereal Starch: A Review”, **Animal Feed Science and Technology**, Vol. 122, pp. 303-320.

Shisehgarha, F., Makhoulf, J. and Ratti, C., 2002, “Freeze-drying characteristics of strawberries”, **Drying Technology**, Vol. 20, pp.131-145.

Shilton, N.C., Bekhit, A.A. and Niranjana, K., 1998, “Optimisation of a Dehydration Process for Potato Cubes using an Intermediate Puffing Step”, **Potato Research**, Vol. 41, pp. 203-209.



Saper, G.M., 1993, "Browning of Food: Control by Sulfites, Antioxidants and other Mean", **Journal of Food Technology**, Vol. 47, pp. 75-84.

Santiago, M.C., Bello, L.A. and Tecante, A., 2004, "Swelling-Solubility Characteristics, Granule Size Distribution and Rheological Behavior of Banana (*Musa paradisiaca*) Starch", **Carbohydrate Polymers**, Vol. 56, pp. 65-75.

Sham, P.W.Y., Scaman, C.H. and Durance, T.D., 2001, "Texture of vacuum Microwave Dehydrated Apple Chips as Affected by calcium Pretreatment, Vacuum Level and Apple Variety" **Journal of Food Science**, Vol. 66, pp. 1341-1347.

Tribess, T.B., Hernandez-Urbe, J.P., Mendez-Montevalvo, M.G.C., Menezes, E.W. and Bello-Perez, L.A., 2009, "Thermal Properties and Resistant Starch Content of Green Banana Flour (*Musa cavendishii*) Produced at Different Drying Conditions", **Journal of Food Science and Technology**, Vol. 42, pp. 1022-1025.

Tabtiang, S., Prachayawarakon, S. and Soponronnarit, S., 2012, "Effects of Osmotic Treatment and Superheated Steam Puffing Temperature on Drying Characteristics and Texture Properties of Banana Slices", **Drying Technology**, Vol. 30, pp. 20-28.

Thuwapanichayanan, R., Prachayawarakorn, S., Kunwisawa, J. and Soponronnarit, S., 2011, "Determination of Effective Moisture Diffusivity and Assessment of Quality Attributes of Banana Slices during Drying", **LWT-Food Science and Technology**, Vol. 44, pp. 1502-1510.

Torreggiani, D., Toledo, R.T. and Bertolo, G., 1995, "Optimization of Vapor Induced Puffing in Apple Dehydration", **Journal of Food Science**, Vol. 60, pp. 181-185.

Troncoso, E., Pedreschi, F. and Zuniga, R.N., 2009, "Comparative Study of Physical and Sensory Properties of Pre-Treated Potato Slices during Vacuum and Atmospheric Frying", **Journal of Food Science and Technology**, Vol. 42, pp. 187-195.

Varnalis, A.I., Brennan, J.G., and MacDougall, D.B., 2001, "A proposed Mechanism of High Temperature Puffing of Potato Part I: The Influence of Blanching and Drying Condition on the Volume of Puff Cubes", **Journal of Food Engineering**, Vol. 48, pp. 361-367.

Varnalis, A.I., Brennan, J.G., MacDougall, D.B., and Gilmour, S.G., 2004, "Optimization of High Temperature Puffing of Potato Cubes Using Response Surface Methodology", **Journal of Food Engineering**, Vol. 61, pp. 153-163.

Vincent, J.F.V., 1998, "The Quantification of Crispness", **Journal of Food Agriculture**, Vol. 78, pp. 162-168.

Wakayama, T., 1995, "Polyphenol Oxidase Activity in Japanese Apples", **In Enzymatic Browning and Its Prevention**, C.Y. Lee and J.R. Whitaker (eds), American Chemical Society, Washington, D.C., pp. 251-256.

Williams, D.C., Lin, H.M., Chen, A.O., Pangborn, R.M. and Whitaker, J.R., 1986, "Blanching of Vegetables for Freezing: Which Indicator Enzyme to Choose", **Food Technology**, Vol. 40, pp. 130-140.

Xin, L. and Saka, S., 2008, "Optimization of Japanese Beech Hydrolysis Treated with Batch Hot Compressed Water by Response Surface Methodology", **International Journal of Agricultural and Biological**, Vol. 1, pp. 39-45.

Xie, M., Huff, H., Hsieh, F. and Mustapha, A., 2008, "Puffing of Okara/Rice Blends using a Rice Cake Machine", **Journal of Food Science**, Vol. 73, pp. 341-348.

Yamsaengsung, R., Ariyapuchai, T. and Prasertsit, K., 2011, "Effects of Vacuum Frying on Structural Changes of Bananas", **Journal of Food Engineering**, Vol. 106, pp. 298-305.

Zhu, Y., Pan, Z. and McHugh, T.H., 2007, "Effect of dipping Treatments on Color Stabilization and Texture of Apple Cubes for Infared Dry-Blanching Process", **Journal of Food Processing and Preservation**, Vol. 31, pp. 632-648.

Zhang, Q., Ahmed, S.M., Chen, Q., Shen, Q., 2012, “Chemical Alterations Taken Place during Deep-Fat Frying Based on Certain Reaction Products: A Review”, **Chemistry and Physics of Lipids**, Vol. 165, pp. 662-681.

Zheng, X., Liu, C., Mu, Y., Liu, H., Song, X., Lin, Z., Liu, D. and Weerasooriya, G.V.T.V., 2012, “Analysis of Puffing Characteristics Using a Sigmodal Function for the Bery Fruit Snack Subjected to Microwave Vacuum Conditions”, **Drying Technology**, Vol. 30, pp. 494-504.

Zhang, P. and Hamaker, B.R., 2010, “Banana Starch Structure and Digestibility” **Journal of Carbohydrate Polymers**, Vol. 87, pp. 1552-1558.