

รายการอ้างอิง

1. นิธิ มหานนท์. Natural history of coronary artery disease and Its Evolution ใน นิธิ มหานนท์ ปิยะฉัตรศรีธรา สรรณ บุญไชยพุกฤษ (บรรณาธิการ), กล้ามเนื้อหัวใจตายเฉียบพลัน, หน้า 1. กรุงเทพมหานคร: โอ.เอส.พรีนติ้งเฮาส์, 2543.
2. Gruppo Italia no per lo Studio della streptachinasi Nell' Infarto Miocardico (GISSI I): Effectiveness of intravenous thrombolytic treatment in acute myocardial infarction. Lancet 1986; 1:397-401.
3. ISIS-2 (Second International Study of Infarct Survival) Collaborative Group: Randomized trial of intravenous streptokinase, oral aspirin, both or neither among 17,187 cases of suspected acute myocardial infarction: ISIS-2. Lancet 1988; 2: 349-60.
4. Cannon CP: Time to treatment of acute myocardial infarction revisited. Current opinion in Cardiology 1998; 13: 254-66.
5. Cannon CP, Lambrew CT, Ticfenburn AJ, French WJ, Gove JM, Weaver DW, et al. For the NRMI-2 Investigators: Influence of door to balloon time on mortality in primary angioplasty results in 3648 patients in the second National Registry of Myocardial Infarction (NRMI-2). Am Coll Cardio 1996; 24(suppl 4):61A-62A.
6. Braunwald E. The open-artery theory is alive and well again. N Eng J Med 1993; 329:1650-2.
7. Edwards WD: Pathology of Myocardial infarction & Reperfusion. Current topics in Cardiology - Acute Myocardial infarction 1991 Elsevier Science Publishing Co., Inc:14-48.

8. ACC/AHA guidelines for the management of patients with acute myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Acute Myocardial Infarction). J Am Coll Cardiol 1996; 28:1328-428.
9. Timm TC, Ross R, Mckendall GR, Braunwald E, Williams Do. The TIMI investigation It ventricular function and early cardiac events as a function of time to treatment-with tPA: a report from TIMI II. Circulation 1991; 84:11-230.
10. Topal EJ, Califf RM, Lee KL. On behalf of the GUSTO investigators: Move on the GUSTO trial (letter). N Eng J med 1994; 331:227-8.
11. Newby LK, Rutsch WR, Califf RM, Simoons ML, Aylword PE, Armstrong PW, et al. For the Gusto-I investigators: Time from symptom onset to treatment and out comes after thrombolytic therapy. J Am Coll Cardiol 1996; 27:1646-55.
12. Antonucci D, Valenti R, Migliorini A, Moschi G, Trapani M, Buonamici P, et al. Relation of time to treatment and mortality in patients with acute myocardial infarction undergoing primary coronary angioplasty. Am J Cardiol. 2002 Jun 1; 89(11):1248-52.
13. Brodie BR, Stuckey, TD, Wall TC, et al. Importance of time to reperfusion for 30-day and late survival and recovery of left ventricular function after primary angioplasty for acute myocardial infarction. J Am Coll Cardiol 1998; 32:1312.
14. Brodie, BR, Stone, GW, Morice, MC. Importance of time to reperfusion on outcomes with primary coronary angioplasty for acute myocardial infarction (results from the Stent Primary Angioplasty in Myocardial Infarction Trial). Am J Cardiol 2001; 88:1085.

15. Horie H, Takahashi M, Minai K. Long-term beneficial effect of late reperfusion for acute anterior myocardial infarction with percutaneous transluminal coronary angioplasty. Circulation 1998; 98:2377.
16. Srinivas Vs ,Vakili BA, Brown DI. Comparison of in-hospital outcomes following early or delayed angioplasty for acute myocardial infarction. J Invasive Cardiol 2002 Dec;14(12):746-50.
17. Worachotekamjorn K, Suithichaiyakul T, Srimahachota S, Bhuddari W, Udayachalerm W, Chaiipromprasit J, et al. Effect of fast track system on door to balloon time and door to needle time for acute myocardial infarction patients at King Chulalongkorn Memorial hospital. Thai Heart Journal 2002; 15: 1-9.
18. Rindfleisch GE. Manual of pathological histology to serve as an Introduction to the study of Morbid Anatomy. Baxter EB (trans). London, New sydemham Society, 1872
19. Reimer KA, Lowe JE, Rasmussen MM, Jennings RB. The wavefront phenomenon of ischemic cell death: Myocardial infarct size vs. duration of coronary occlusion in dogs. Circulation 1977;56:786-794.
20. The GUSTO Investigators. An international randomized trial comparing for thrombolytic strategies for acute myocardial infarction: N Engl J Med 1993; 329:673-82.
21. Braunwald E. The open-artery Theory is alive and well-again. N Engl J Med 1993;329:1650-2.
22. TIMI study Group. The Thrombolysis in Myocardial Infarction (TIMI) Trial: phase 1 finding. N Engl J Med 1985; 312:932-6.
23. Cannon CP, Braunwald E. GUSTO. TIMI and the case for rapid reperfusion. ACTA Cardiol 1994; 49:1-8.

24. ISSI-3 (Third International Study of Infarct Survival) Collaborative Group. ISIS-3: a randomized comparison of streptokinase vs tissue plasminogen activator vs anistreplase and of aspirin plus heparin vs aspirin alone among 41299 cases of suspected acute myocardial infarction. Lancet 1992;339:753-70.
25. Cannon CP, McCabe CH, Diver DJ, Herson S, Greene RM, Shah PK, et al. Comparison of front-loaded recombinant tissue-type plasminogen activator, anistreplase and combination thrombolytic therapy for acute myocardial infarction: results of the Thrombolysis in Myocardial Infarction (TIMI) 4 trial J Am coll Cardiol 1994;24:1602-10.
26. Cannon CP, McCabe CH, Henry TD, Schweiger M, Gibson RS, Mueller HS, et al. A pilot trial of recombinant desulfatohirudin compared with heparin in conjunction with tissue-type plasminogen activator and aspirin for acute myocardial infarction: results of the Thrombolysis in Myocardial Infarction (TIMI) 5 trial. J Am coll Cardiol 1994;23:993-1003.
27. Antman EM, Giugliano RP, McCabe CH, Gibson M, Adgey AJJ, Ghali M, et al. Abciximab (REoPro) potentiates thrombolysis in ST elevation myocardial infarction: results of TIMI 14 trial (abstract). J Am Coll Cardiol 1998;31 (suppl A):191a.
28. Cannon CP, Antman EM, Walls R, Braunwald E. Time as an adjunctive agent to thrombolytic therapy J Thromb Thrombolysis 1994;1:27-34.
29. ACC/AHA guidelines for the management of patients with acute myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Acute Myocardial Infarction). J AM Coll Cardiol 1996; 28:1328-1428.
30. Berger PB, Ellis SG, Holmes DR Jr. Relationship between delay in performing direct coronary angioplasty and early clinical outcome in patients with acute myocardial infarction: Results from the Global Use of Strategies to Open Occluded Arteries in Acute Coronary Syndromes (GUSTO-IIb) Trial. Circulation 1999;100:14-20.

31. Srimahachota S, Boonyaratavej S, Udayachalerm W, Buddhari W, Chaipromprasit J, Somabutr C, et al. Comparison of primary percutaneous coronary intervention versus thrombolytic therapy in patients with acute myocardial infarction. Thai Heart Journal 2002; 15:111-118.