

ACKNOWLEDGEMENT

I am deeply indebted to my supervisor Associate Professor Dr. Kornkanok Ingkaninan for her guidance, stimulating suggestions and encouragement in all the time of research for and writing of this thesis. I also would like to offer my special thanks to my co-advisors, Associate Professor Dr. Jarupa Viyoch and Dr. Khanit Suwanborirux for their valuable suggestions and comments during the planning and development of this study

I am obliged to Associate Professor Nantaka Khorana and Assistant Professor Pattara Sawasdee for providing isoquinoline derivative and 7-methoxyflavone from *K. parviflora*. I am sincerely grateful to Professor Joseph A Beavo for giving me a chance to do the research in University of Washington, USA. I am also thankful Assistant Professor Krongkarn Chootip for her guidance in organ bath technique.

I also would like to thank all the members of thesis committee for their valuable comments.

This research was supported by grant from under The Royal Golden Jubilee Ph.D. Program from the Commission on higher Education, Thailand. ICS-UNIDO and Thailand's Chulalongkorn University and Naresuan University for the Establishment of New Drug Discovery Center in Thailand, The Center of Excellence for Innovation in Chemistry (PERCH-CIC), Office of National Research Council of Thailand (NRCT), Thailand Research Fund 2010 and Naresuan University are gratefully acknowledged.

I would like to thank all members of Bioscreening Unit for all their help, support, interest and valuable hints. Especially I would like to say special thank to Miss Kanokwan Changwitchit for her assistance on the bioactivity tests.

Last but not least, I am heartily thankful to my family for their support and encouragements throughout my study. I also would like to give special thanks to my best friend Mr. Pramote Malipun, for his helpfulness in difficult times

Prapapan Temkitthawon