

## **REFERENCE**

## REFERENCE

- A.A. Kader. (2005). **Increasing food availability by reducing postharvest losses of fresh produce**. Retrieved June 22, 2012, from <http://ucce.ucdavis.edu/files/datastore/234-528.pdf>
- A. Burhan, U. Nisa, C. Gokhan, C. Omer, A. Ashabil and G. Osman. (2003). Enzymatic properties of a novel thermostable, thermophilic, alkaline and chelator resistant amylase from an alkaliphilic *Bacillus* sp. isolate ANT-6, *Process. Biochem*, 38, 1397–1403.
- A.K. Nagaraju, Chakravarthy and M. Mahadevappa. (1988). Disease and insect pests and their control in rice ratooning systems. Rice rooting. **International rice research insititute**, 233-237.
- Abe, J.I., Sidenius, U. and Svensson, B. (1993). Arginine is essential for the  $\alpha$  amylase inhibitory activity of the  $\alpha$ -amylase/subtilisin inhibitor (BASI) from barley seeds. **Biochem. J.**, 293, 151-155
- Aleksandar Popadi C., Rod A. Norman, Winifred W. Doanett and Wyatt W. Anderson. (1996). The evolutionary history of the amylase multigene family in *Drosophila pseudoobscura*. **The society for molecular biology and evolution**, 13(6), 883-888.
- Armstrong, E. and Newton, P.B. (1985). The Influence of starvation on mortality, development and protein content in parasitized and unparasitized *Tribolium castaneum*. **J. Invertebr. Pathol.**, 46, 103-108.
- Asatsuma, A., Sawada, C., Kitajima, A., Asakura, T. and Mitsui, T. (2006). Alpha-Amylase affects starch accumulation in rice (*Oryza sativa*) grains. **JApp glycosci**, 53(3), 187-192.
- Assié, L.K., Francis, F., Gengler, N. and Haubruge, E. (2007). Response and genetic analysis of malathion-specific resistant *Triboliumcastaneum* (Herbst) in relation to population density. **Stored products res**, 43, 33–44.
- B. Dojnov, N. Bozic, V. Nenadovic and J. Ivanovic, Z. Vujcic. (2008). Purification and properties of midgut  $\alpha$ -amylase isolated from *Morimus funereus* (Coleoptera: Cerambycidae) larvae, *Comp. Biochem physiol*, 149(1), 153–160.

- Baker, J. E. (1983). Properties of amylases from midguts of larvae of *Sitophilus zeamais* and *Sitophilus granaries*. **Insect biochem**, 13(4), 421-428.
- Baker, J. E. (1987). Purification of isoamylases from the rice weevil, *Sitophilus oryzae* (L) (Coleoptera: Curculionidae), by High-Performance Liquid Chromatography and their interaction with partially-purified amylase inhibitor from wheat. **Insect biochem**, 17(1), 37-44.
- Bandani, A.R. and Balvasi A. (2006). Comparison of alpha-amylase activity in larval stages of flour beetles, *Tribolium confusum* (Coleoptera: Tenebrionidae). **Commun Agric Appl Biol Sci**, 71(2), 537-541.
- Biji T. Kurien and R. Hal Scofield (Eds.). (2012). Protein electrophoresis: methods and protocols, Introduction to Protein Electrophoresis. **Methods in molecular biology**, 869, 23-28.
- Bloch Jr, C. and Richardson, M. (1991). A new family of small (5 kD) protein inhibitors of insect  $\alpha$ -amylase from seeds of sorghum (*Sorghum bicolor* (L.) Moench) have sequence homologies with wheat d-purothionins. **FEBS Lett**, 279, 101-104.
- Bonneton, F. (2008). The beetle by the name of *Tribolium*. Typology and etymology of *Tribolium castaneum* Herbst, 1797. **Insect biochem. molec. biol.**, 38, 377-379.
- Bouneau, L., Lardier, Fischer, C., Ronsin, M., Weissenbach, J. and Bernot, A. (2003). Analysis of 148 kb of Genomic DNA of *Tetradon nigroviridis* covering an amylase gene family. **DNA Seq**, 14, 1-13.
- Brayer, G. D., Luo, Y. and Withers, S. G. (1995). The structure of human pancreatic  $\alpha$ -amylase at 1.8 Å resolution and comparisons with related enzymes. **Protein sci**, 4, 1730-1742.
- Brumm, P.J. Hebede, R.E. and Teegue, W.M. (1991). Purification and characterization of the commercialized cloned *Bacillus megaterium*  $\alpha$ -amylase. **Starch.**, 43, 315-319.
- Buonocore, V., Giardina, P., Parlamenti, R., Poerio, E. and Silano, V. (1984). Characterisation of chicken pancreas  $\alpha$ -amylase isozymes and interaction with protein inhibitors from wheat kernel. **J. Sci. Food agric**, 35, 225-232.

- Campbell, J. F. and C. Runnion. (2003). Patch exploitation by female red flour beetles, *Tribolium castaneum*. **J. Insect sci.**, 3, 1-8.
- Campos, F.A.P., Xavier-Filho, J., Silva, C.P. and Ary, M.B. (1989). Resolution and partial characterization of proteinases and  $\alpha$ -amylases from midguts of larvae of the bruchid beetle *Callosobruchus maculatus* (F.). **Comp. Biochem. Physiol. B.**, 92, 51-57.
- Chamilani Nikapitiya, Chulhong Oh, Ilson Whang, Choong-Gon Kim, Youn-Ho Lee, Sang-Jin Kim and Jehee Lee. (2009). Molecular characterization, gene expression analysis and biochemical properties of  $\alpha$ -amylase from the disk abalone, *Haliotis discus discus*. **Comp biochem physiol**, 152, 271–281.
- Chandran Ragunath, Suba G.A. Manuel, Chinnasamy Kasinathan and Narayanan Ramasubbu. (2008). Structure-function relationships in human salivary  $\alpha$ -amylase: role of aromatic residues in a secondary binding site. **Biologia**, 63(6), 1028-1034.
- Chrispeels, M.J., Grossi-de-Sa, M.F. and Higgins, T.J.V. (1998). Genetic engineering with  $\alpha$ -amylase inhibitors seeds resistant to bruchids. **Seed sci. res.**, 8, 257-263.
- Chun-hong, Z., Jin-zhou, L., Zhen, Z., Ya-dong, Z., Ling, Z. and Cai-lin, W. (2010). Cluster analysis on japonica rice (*Oryza sativa* L.) with good eating quality based on SSR markers and phenotypic traits. **Rice science**, 17(2), 111–121.
- Claudia Arndt, Stefanie Koristka, Holger Bartsch and Michael Bachmann. (2012). Protein Electrophoresis: Methods and Protocols, chapter 5 Native Polyacrylamide Gels. **Methods in molecular biology**, 869, 49-53.
- Coelho, M. B., Marangoni, S. and Macedo, M. L. R. (2007). Insecticidal action of *Annonaceae* lectin against the flour moth *Anagastakuehniella* and the rice moth *Corcyra cephalonica* (Lepidoptera: Pyralidae). **Comp biochem physiol c toxicol pharmacol**, 146(3), 406-414.
- Dadd, R.H. (1985). Nutrition: Organisms. In Kerkut, G.A., Gilbert, L.I. (Eds.), **Comprehensive Insect Physiology Biochemistry and Pharmacology** (pp.338-341). Oxford: Pergamon.

- David L. Nelson and Michael M. Cox. (2005). **Lehninger Principles of biochemistry** (4<sup>th</sup> ed.). New York: W.H. Freeman.
- De Sa, M. F. G. and Chrispeels, M. J. (1997). Molecular cloning of bruchid (*Zabrotes subfasciatus*)  $\alpha$ -amylase cDNA and interactions of the expressed enzyme with bean amylase inhibitors. **Insect biochem. Molec. Biol.**, 27(4), 271-281.
- Douglas, D. C., Stanley, D. H. and Laurens, A. (1982). Beta-amylases from alfalfa (*Medicago sativa* L.) roots. **Plant physiology**, 69(1), 1096-1102.
- Douglas, S.E., Mandla, S. and Gallant, J.W. (2000). Molecular analysis of the amylase gene and its expression during development in the winter flounder, *Pleuronectes americanus*. **Aquaculture**, 190, 247–260.
- E. Mendiola-Olaya, A. Valencia-Jimenez, S. Valdes-Rodriguez, J. Delano-Frier, A. and Blanco-Labra. (2000). Digestive amylase from the larger grain borer *Prostephanus truncatus* Horn. **Comp biochem physiol**, 126, 425–433.
- Elliot, P.C., Navarez, D.C., Estario, D.B. and Moody, K. (1984). Determining suitable weed control practices for dry-seeded rice. Philipp. **J. Weed Sci.**, 11, 70–82.
- Ellis L. Kline, Terry J. Smith, Karen A. Carland and Barbara Blackmon. (1988). Inhibition of imidazole-induced tyrosinase activity by estradiol and estriol in cultured B 16/C3 melanoma cells. **J cellular physiol**, 134(3), 497–502.
- Feng, G.H., Richardson, M., Chen, M.S., Kramer, K.J., Morgan, T.D. and Reeck, G.R. (1996).  $\alpha$ -Amylase inhibitors from wheat: a sequences and patterns of inhibition of insect and human  $\alpha$ -amylases. **Insect biochem. Mol. Biol.**, 26, 419-426.
- Franco, O.L., Rigden, D.J., Melo, F.R., Bloch Jr, C., Silva, C.P. and Grossi de Sa, M.F. (2000). Activity of wheat  $\alpha$ -amylase inhibitors towards bruchid  $\alpha$ -amylases and structural explanation of observed specificities. **Eur. J. biochem**, 267(8), 1466-1473.
- Franco, O. L., Rigden, D. J., Melo, F. R. and Grossi-de-Sa, M. F. (2002). Plant  $\alpha$ -amylase inhibitors and their interaction with insect  $\alpha$ -amylases structure, function and potential for crop protection. **Eur J Biochem**, 269, 397-412.

- G.E. Smolka, E.R. Birnbaum and D.W. Darnall. (1971). Rare earth metal ions as substitutes for the calcium ion in *Bacillus subtilis* amylase. **Biochemistry**, 10, 4556–4561.
- G. Buisson, E. Duce, R. Haser and F. Paya. (1987). Three dimensional structure of porcine pancreatic  $\alpha$ -amylase at 2.9 Å resolution. Role of calcium in structure and activity. **EMBO J.**, 6(13), 3909 -3916.
- G.D. Brayer, G. Sidhu, R. Maurus, E.H. Rydberg, C. Braun, Y. Wang, N.T. Nguyen, C.M. Overall and S.G. Withers. (2000). Subsite mapping of the human pancreatic alpha-amylase active site through structural, kinetic, and mutagenesis techniques. **Biochem**, 39, 4778-4791.
- Gatehouse, A.M.R. and Gatehouse, J.A. (1998). Identifying proteins with insecticidal activity: use of encoding genes to produce insect-resistant transgenic crops. **Pest.Sci.**, 52, 165-175.
- Garcia-Casado, G.L., Sanchez-Monge, R., Lopez-Otin, C. and Salcedo, G. (1994). Rye inhibitors of animal  $\alpha$ -amylases shown different specificities, aggregative properties and IgE-binding capacities than their homologues from wheat and barley. **Eur. J. Biochem**, 224, 525-531.
- Gary D. Brayer, Yaoguang Luo and Stephen G. Withers. (1995). The structure of human pancreatic  $\alpha$ -amylase at 1.8 Å resolution and comparisons with related enzymes. **Protein Science**, 4, 1730-1742.
- Giri, A.P. and Kachole, M.V. (1998). Amylase inhibitors of pigeonpea (*Cajanus cajan*) seeds. **Phytochemistry**, 47, 197-202.
- Gouda, M. and Elbahloul, Y. (2008). Statical optimization and partial characterization of amylases produced by *Halotolerant Penicillium Sp.* **World J. Agric Sci**, 4(3), 359-368.
- Grossi de Sa, M.F. and M.J. Chrispeels. (1997). Molecular cloning of bruchid (*Zabrotes subfasciatus*)  $\alpha$ -amylase cDNA and interactions of the expressed enzyme with bean  $\alpha$ -amylase inhibitors. **J. Insect biochem. Mol. Biol**, 27, 271-281.

- Gupta, R.K., Naresh, R.K., Hobbs, P.R., Jiaguo, Z. and Ladha, J.K. (2003). Sustainability of post-green revolution agriculture: the rice–wheat cropping systems of the Indo-Gangetic Plains and China. In Ladha, J.K., Hill, J.E., Ladha, J.K., Duxbury, J.M., Gupta, R.K. and Buresh, R.J. (Eds.), **Improving the Productivity and Sustainability of Rice–wheat Systems: Issues and Impacts** (pp.1–25). U.S.A.: American Society of Agronomy, Crop science Society of America, Soil science society of America.
- Hagstrum, D. W. (1973). Infestation of flour by *Tribolium castaneum*: relationship between distribution of eggs and adults in a dispersing population. **Ann. Entomol. Soc. Am.**, 66, 587-591.
- Hill, R.D., A.W. McGregor. (1988). Cereal  $\alpha$ -amylases in grain research and Technology. In Pomeranz, Y. (Ed.), **Advances in cereal science and technology** (pp.217–261). U.S.A.: St Paul.
- Hakata, M., Kuroda, M., Miyashita, T., Yamaguchi, T., Kojima, M., Hitoshi SAKAKIBARA, Mitsui, T. and Yamakawa, H. (2012). Suppression of  $\alpha$ -amylase genes improves quality of rice grain ripened under high temperature. **Plant biotechnol**, 10(9), 1110-1117.
- Hansawasdi, C., Kawabata, J. and Kasai, T. (2000).  $\alpha$ -Amylase inhibitors from Roselle (*Hibiscus sabdari* a Linn.) tea. **Bioscienci. Biotechnol. Biochem**, 64, 1041-1043.
- Hayashi, T., Nakamura, S., Visarathanonth, P., Uraichuen, J. and Kengkanpanich, R. (2004). Stored rice insect pest and their natural enemies in Thailand. **International research centre for agricultural sciences Series No. 13** (pp.5-13). Japan: Funny Publishing.
- Robert W. Herdt.(1991). “Research Priorities for Rice Biotechnology” in Rice Biotechnology. In G.S. Khush and G.H. Toenniessen (Eds.), **Rice biotechnology** (pp.35-37). London: Alden Press.
- Huang, N., Koizumi, N., Reinl, S. and Rodriguez, R.L. (1990) Structural organization and differential expression of rice a-amylase genes. **Nucleic acids res.**, 18, 7007–7014.

- International Rice Research Institute. (2007). **Rice production course: distinguish japonica, javanica and indica rice knowledge bank**. Retrieved September 23, 2013, from [http://www.knowledgebank.irri.org/ericeproduction/0.5\\_Rice\\_races.htm](http://www.knowledgebank.irri.org/ericeproduction/0.5_Rice_races.htm)
- International Rice Research Institute. (2013). **Reducing rice postharvest losses Irrigated rice research consortium**. Retrieved September 23, 2013, from [http://irri.org/index.php?option=com\\_k2&view=item&id=12489:reducing-rice-postharvest-losses&lang=en](http://irri.org/index.php?option=com_k2&view=item&id=12489:reducing-rice-postharvest-losses&lang=en)
- Iulek, J., Franco, O.L., Silva, M., Slivinski, C.T., Bloch Jr, C., Rigden, D.J. and Grossi de Sa, M.F. (2000). Purification, biochemical characterisation and partial primary structure of a new  $\alpha$ -amylase inhibitor from *Secale cereale* (Rye). **Inter. J. Biochem. Cell physiol**, 32, 1195-1204.
- Janecek, S. (1993). Sequence similarities in ( $\alpha/\beta$ ) 8-barrel enzymes reveals by observed regions of  $\alpha$ -amylase. **FEBS**, 316, 23-26.
- Joshua A. Bornhorst and Joseph J. Falke. (2000). Purification of proteins using polyhistidine affinity tags. **Methods enzymol**, 326, 245–254.
- Kadziola, A., Sogaard, M., Svensson, B. A. and Haser, R. (1998). Molecular structure of a barley  $\alpha$ -amylase-inhibitor complex: implications for starch binding and catalysis. **J. molec biol**, 278, 205-217.
- Kekos, D. and Macris, B. J. (1983). Production and characterization of amylase from *Calvatia gigantean*. **Appl. Environ. Microbiol**, 3(45), 935-941.
- Kim, M.-J., Lee, S.-B., Lee, H.-B., Lee, S.-Y., Baek, J.-S., Kim, D., Moon, T.-W., Robyt, J.F. and Park, K.-H. (1999). Comparative study of the inhibition of  $\alpha$ -glucosidase,  $\alpha$ -amylase and cyclomaltodextrin glucanotransferase by acarbose, isoacarbose and acarviosine-glucose. **Arch. Biochem. Biophys**, 371, 277-283.
- Konarev, A.V. (1996). Interaction of insect digestive enzymes with plant protein inhibitors and host-parasite co-evolution. **Euphytica**, 92, 89-94.
- Kruger, J.E. and Marchylo, B.A. (1985). A comparison of the catalysis of starch components by isoenzymes from the two major groups of germinated wheat  $\alpha$ -amylases. **Cereal chem.**, 62, 11-18.

- Kumar, S. S. R., Singh, S. A. and Rao, A. A.G. (2005). Thermal stability of  $\alpha$ -amylase from malted jowar (*Sorghum bicolor*). **JAgric food chem**, 53, 6883-6888.
- Ma, P., Liu, Y., Reddy, K.P., Chan, W.K. and Lam, T.J. (2004). Characterization of the seabass pancreatic  $\alpha$ -amylase gene and promoter. **Gen. comp. endocrinol**, 137, 78–88.
- MacGregor, A. W. (1977). Isolation, purification and electrophoretic properties of an  $\alpha$ -amylase from malted barley. **J. Institute Brewing**, 83, 100–103.
- MacGregor, A. W. (1983). Cereal  $\alpha$ -amylase: synthesis and action pattern. In J. Daussant, J. Mosse and J. Vaughan (Eds.), **Seed proteins** (pp.1–28). New York: Academic.
- MacGregor, E.A., Janecek, S. and Svensson, B. (2001). Relationship of sequence and structure to specificity in the  $\alpha$ -amylase family of enzymes. **Biochem. Biophys. Acta**, 1546, 1-20.
- Machius, M., VeÂ rtesy, L., Huber, R. and Wiegand, G. (1996). Carbohydrate and protein-based inhibitors of porcine pancreatic  $\alpha$ -amylase: structure analysis and comparison of their binding characteristics. **J. Mol. Biol**, 260, 409-421.
- Manandhar, S., Shrestha, B.B. and Lekhak, H. D. (2007). Weeds of paddy field at kirtipur, kathmandu. **Scientific word**, 5, 5.
- Matthias Besler, Soichi Tanabe and Atsuo Urisu. (2001). Allergen Data Collection : Rice (*Oryza sativa*), Composition of rice. **Internet Symposium on Food Allergens**, 3(2), 1438-0811.
- Melo, F.R., Sales, M.P., Silva, L.S., Franco, O.L., Bloch, C. Jr and Ary, M.B. (1999).  $\alpha$ -Amylase from cowpea seeds. **Prot. Pept. Lett.**, 6, 387-392.
- Miller, B. S., Johnson, J. A. and Palmer, D. L. (1953). A comparison of cereal, fungal and bacterial alpha-amylase as supplements in breadmaking. **Food Technolo**, 7, 38 - 42.
- Ministry of Agriculture and Cooperatives. (2005). **Rice knowledge bank**. Retrieved September 19, 2013, from [www.ricethailand.go.th](http://www.ricethailand.go.th)
- Mitchell, E. D. (1972). Homogeneous  $\alpha$ -amylase from malted barley. **Phytochemistry**, 11, 1673 - 1676.

- Mitsui, T., Ueki, Y. and Igaue, I. (1993). Biosynthesis and secretion of  $\alpha$ -amylase by rice suspension-cultured cells: Purification and characterization of  $\alpha$ -amylase isozyme H. *Plant Physiol. Biochem*, 31, 863–874.
- Mongkol Chan. (2002). Use of rotten jackfruit to control golden apple snail Rice. **Food & Fertilizer Technology Center**. Retrieved July 11, 2010, from <http://www.agnet.org/library/pt/2002041/>
- Nahoum, V., Roux, G., Anton, V., RougeÂ, P., Puigserver, A., Bischo, H., Henrissat, B. and Payan, F. (2000). Crystal structures of human pancreatic  $\alpha$ -amylase in complex with carbohydrate and proteinaceous inhibitors. **Biochem. J.**, 346, 201-208.
- Nakajima, R., Imanaka, T. and Aiba, S. (1986). Comparison of amino acid sequences of eleven different  $\alpha$ -amylases. **Appl. Microbiol. Biotechnol**, 23, 355–360.
- Nellie Wong and Chow-Yang Lee. (2011). Relationship between population growth of the red flour beetle *Tribolium Castaneum* and protein and carbohydrate Content in Flour and Starch. **Journal of Economic Entomology**, 104(6), 2087-2094.
- Nonaka, T., Fujihashi, M., Kita, A., Hagihara, H., Ozaki, K., Ito, S. and Miki, K. (2003). Crystal structure of calcium-free  $\alpha$ -amylase from *Bacillus* sp. strain KSM-K38 (AmyK38) and its sodium ion binding Sites. **Journal Biol Chem**, 278(27), 24818-24824.
- OctaÂ vio L. Franco, Daniel J. Rigden, Francislete R. Melo and Maria F. Grossi-de-SaÂ. (2002). Plant  $\alpha$ -amylase inhibitors and their interaction with insect  $\alpha$ -amylases structure, function and potential for crop protection. **Eur. J. Biochem**, 269, 397-412.
- Oliveira-Neto, O. B., Batista, J. A. N., Rigden, D. J., Franco, O. L., Falcão, R., Frago, R. R., et al. (2003). Molecular cloning of  $\alpha$ -amylases from cotton boll weevil, *Anthonomus grandis* and structural relations to plant inhibitors: An approach to insect resistance. **J. Prot. Chem.**, 22(1), 77-87.
- P. Meredith and L. D. Jenkins. (1973). Amylases of developing wheat, barley and oat grains. **Cereal chem**, 50, 243–254.

- Pandey, A., Nigam, P., Soccol, C.R., Soccol, V.T., Singh, D. and Mohan, R. (2000). Advances in microbial amylases. **Biotechnology and applied biochemistry**, 2, 135-152.
- Petrucci, T., Rab, A., Tomasi, M. and Silano, V. (1976). Further characterization studies of the alpha-amylase protein inhibitor of gel electrophoretic mobility 0.19 from the wheat kernel. **Biochim. Biophys. Acta**, 420, 288-297.
- Pranee Lertkaeo. (2011). **Cloning and expression of alpha-amylase from rice weevil (Sitophilus oryzae L.)**. Thesis M.Sc., Naresuan University, Phitsanulok.
- Qian, M., Nahoum, V., Bonicel, J., Bisho, H., Henrissat, B. and Payan, F. (2001). Enzyme-catalyzed condensation reaction in a mammalian alpha-amylase High resolution structural analysis of an enzyme inhibitor complex. **Biochemistry**, 40, 7700-7709.
- Rajendran, S. (2005). Detection of insect infestation in stored food. **Adv. Food. Nutr. Res.**, 49, 163-232.
- Ramasubbu, N., Paloth, V., Luo, Y., Brayer, G.D. and Levine, M.J. (1996). Structure of human salivary  $\alpha$ -amylase at 1.6° A resolution: implications for its role in the oral cavity. **Acta cryst.**, 52, 435–446.
- Ranjhan, S., Litts, J.C., Foolad, M.R. and Rodriguez, R.L. (1991). Chromosomal localization and genomic organization of a-amylase genes in rice (*Oryza sativa* L.). **Theor. Appl. Genet**, 82, 481–488.
- Reddy, N. S., Nimmagadda, A. and Sambasiva Rao, K. R. S. (2003). An overview of the microbial  $\alpha$ -amylase family. **Afr J Biotechnol**, 2(12), 645-648.
- Richardson, M. (1990). Seed storage proteins: the enzyme inhibitors. In Rogers, L. (Ed.), **Methods in plant biochemistry** 5 (pp.261-307). London: Academic.
- Ryan, C.A. (1990). Protease inhibitors in plants: genes for improving defenses against insects and pathogens. **Annu. Rev. Phytopathol**, 28, 425-449.
- S. Strobl, K. Maskos, M. Betz, G. Weigand, R. Huber, F.X. Gomis-Ruth and R. Glockshuber. (1998). Crystal structure of yellow mealworm  $\alpha$ -amylase at 1.64A resolution. **J. Mol. Biol**, 278, 617–628.

- Safdar A. Anwar, M. V. McKenry and S. I. Yasin. (2011). Rice-root nematode, *Hirschmaniella oryzae*, infecting rice selections and weed genotypes. **Pakistan J. Zool.**, 43(2), 373-378.
- Samual, A.M. (1991). **The chemistry and technology of cereals as food and feed** (2<sup>nd</sup> ed.). New York: Van Nostrand Reinhold.
- Scannapieco, F.A., Torres, G.I. and Levine, M.J. (1995). Salivary amylase promotes adhesion of oral streptococci to hydroxyapatite. **J. Dent. Res.**, 74, 1360–1366.
- Seonghun Kim and Sun Bok Lee. (2008). Soluble expression of archaeal proteins in *Escherichia coli* by using fusion-partners. **Protein Express Purif.**, 62, 116–119.
- Sharma, P., Shankar, P. R., Subramaniam, G., Kumar, A., Tandon, A., Suresh, C. G., Rele, M. V. and Kumar, L. S. (2009). Cloning and sequence analysis of the amylase gene from the rice pest *Scirpophaga incertulas* walker and its inhibitor from wheat (Variety MP Sehore). **Int J insect sci**, 1, 29-44.
- Silano, V. (1987).  $\alpha$ -Amylase inhibitors. In Kruger, J. and Lineback, D. (Eds.), **Enzymes and their role in cereal technology** (141-199). U.S.A.: American Association of Cereal Chemists.
- Silva, C.P., Terra, W.R., Xavier-Filho, J., Grossi-de-Sa, M.F., Lopes, A.R. and Pontes, E.G. (1999). Digestion in larvae of *Callosobruchus maculatus* and *Zabrotes subfasciatus* (Coleoptera: Bruchidae) with emphasis on  $\alpha$ -amylases and oligosaccharidases. **Insect Biochem Mol. Biol.**, 29, 355-366.
- Sineenat Kembubpha. (2010). **Purification and their biochemical properties of  $\alpha$ -amylase from rice weevil (*Sitophilus oryzae*) and red flour beetle (*Tribolium castaneum*)**. Thesis M.S., Naresuan University, Phitsanulok.
- Smith, L.W., Pratt, J.J., Nii, I. and Umina, A.P. (1971). Baking and taste properties of bread made from hard wheat flour infested with species of *Tribolium*, *Tenebrio*, *Trogoderma* and *Oryzaephilus*. **J. Stored. Prod. Res.**, 6(4), 307-316.
- Smriti Priya, Narinder Kaur and Anil K. Gupta. (2010). Purification, characterization and inhibition studies of  $\alpha$ -amylase of *Rhyzopertha dominica*. **Pesticide biochem physiol**, 98, 231–237.

- Sokoloff, A. (1974). **The biology of *Tribolium*, with special emphasis on genetic aspects, volume II**. London: Oxford University.
- Stoll, G. (2003). **Natural crop protection in the tropics: Letting information come to life**. Margraf Publishers, Weikersheim, Germany. Retrieved July 25, 2013, from <http://www.naturalcropprotection.margraf-verlag.de/>
- Svensson, B. (1994). Protein engineering in the  $\alpha$ -amylase family: catalytic mechanism, substrate specificity and stability. **Plant Mol. Biol.**, 25, 141-157.
- Thailand Junior Encyclopedia. (1993). **Wheat**. Retrieved July 20, 2013, from <http://kanchanapisek.or.th/kp6/BOOK17/chapter10/t17-10-13.htm>
- Tribolium* Genome Sequencing Consortium. (2008). The genome of the model beetle and pest *Tribolium castaneum*. **Nature**, 452, 949-955
- Tripathi, P., Leggio, L. L., Mansfeld, J., Ulbrich-Hofmann, R. and Kayastha, A. M. (2007).  $\alpha$ -Amylase from mung beans (*Vigna radiata*) - Correlation of biochemical properties and tertiary structure by homology modeling. **Phytochem**, 68, 1623-1631.
- V. Buonocore, E. Poerio, V. Silano and M. Tomasi. (1976). Physical and catalytic properties of  $\alpha$ -amylase from *Tenebrio molitor* L. Larvae. **Biochem J.**, 153, 621-625.
- Verner, P. H. (1971). Food preferences of two species of *Oryzaephilus* (Coleoptera: Cucujidae). **Acta entomol. Bohemoslov**, 68, 145-148.
- Wanderley, K. J., Torres, F. A. G., Moraes, L. M. P. and Ulhoa, C. J. (2004). Biochemical characterization of  $\alpha$ -amylase from the yeast *Cryptococcus flavus*. **FEMS Microbiol. Lett.**, 231, 165-169.
- Wool, D. and Noiman, S. (1980). Amylase activity in adults and immature of *Tribolium confusum* (Coleoptera: Tenebrionidae). **Zeitschrift fur Angewandte Entomologie**, 90, 382-390.
- Yamagata, H., Kunimatsu, K., Kamasaka, H., Kuramoto, T. and Iwasaki, T. (1998). Rice bifunctional  $\alpha$ -amylase/subtilisin inhibitor: characterization, localization, and changes in developing and germinating seeds. **Biosc biotechnol. Biochem**, 62, 978-985.

- Yao, Y., Zhang, J. and Ding, X. (2002). Structure-retrogradation relationship of rice starch in purified starches and cooked rice grains: a statistical investigation. **J agric Food chem**, 50, 7420–7425.
- Young, N.M., Thibault, P., Watson, D.C. and Chrispeels, M.J. (1999). Post-translational processing of two  $\alpha$ -amylase inhibitors and an arcelin from the common bean, *Phaseolus vulgaris*. **FEBS Lett.**, 446, 203-206.
- Zeman, N. W. and McCrea, J. M., (1985). Alpha-amylase production using a recombinant DNA organism. **Cereal foods world**, 30, 777-780.
- Ziegler, J. R. (1976). Evolution of the migration response: emigration by *Tribolium* and the influence of age. **Evolution**, 30, 579-592.
- Ziegler, P. (1999). Cereal beta-amylases. **Journal of Cereal Science**, 29, 195-204.
- Zoltowska, K. (2001). Purification and characterization of  $\alpha$ -amylases from the intestine and muscle of *Ascaris suum* (Nematoda). **Acta Biochim. Pol.**, 48, 763–774.
- Zverlov, V.V., Holl, W. and Schwarz, W.H. (2003). Enzymes for digestion of cellulose and other polysaccharides in the gut of longhorn beetle larvae, *Rhagium inquisitor* L. (Col., Cerambycidae). **Int biodeterioration & Biodegradation**, 51, 175-179.