

CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (ENGLISH)	iv
ABSTRACT (THAI)	v
LIST OF TABLES	viii
LIST OF FIGURES	x
CHAPTER I INTRODUCTION	1
1.1 Background	1
1.2 Research Objectives	2
1.3 Scope of work	3
1.4 Expected Outcomes	3
1.5 Conceptual Framework	4
CHAPTER II LITERATURE REVIEW	5
2.1 Blue green algae	5
2.2 General Characteristics of <i>Spirulina spp.</i>	7
2.3 Product from <i>Spirulina spp.</i> and Utilization	14
2.4 Factors Affecting Productivity of <i>Spirulina spp.</i>	16
2.5 Microalgae Cultivation Methods	22
2.6 Design criteria for photo-bioreactor cultivation	29
CHAPTER III METHODOLOGY	32
3.1 Research Design	32
3.2 Research Process	32
3.3 Organisms and Preparation Inoculums	34
3.4 Cultivation Equipment and Condition	34
3.5 Analytical Methods	38

CONTENTS (cont.)

	Page
CHAPTER IV RESULTS AND DISCUSSIONS	39
4.1 Effect of low cost media on growth of <i>Spirulina spp.</i> in outdoor culture	39
4.2 Design a tubular photo-bioreactor for the community level	64
4.3 Preliminary performance tests on tubular photo-bioreactor	71
CHAPTER V CONCLUSIONS	76
5.1 Conclusions	76
5.2 Recommendations	78
REFERENCES	79
APPENDICES	86
APPENDICE A Zarrouk's media for cultivation <i>Spirulina</i>	87
APPENDICE B Calculation of Renold's number	88
APPENDICE C Dry weight determination	89
APPENDICE D Chlorophyll a determination	90
APPENDICE E Alkalinity determination	91
APPENDICE F Calculation specific growth rate	93
APPENDICE G Raw Data	94
BIOGRAPHY	107

LIST OF TABLES

Table	Page
2.1 The comparison of amino acids contents that can be found in <i>Spirulina spp.</i> and standard from Food and Agriculture Organization (FAO) and other sources (gram per 100 gram of protein)	12
2.2 The comparison of organic contents in <i>Spirulina spp.</i> and other sources	13
2.3 The comparison of protein contents in <i>Spirulina spp.</i> and other sources (Dry weight)	13
2.4 <i>Spirulina spp.</i> production in different countries in 1990	16
2.5 Amount of essential nutrient for algae growth	19
2.6 The advantages and disadvantages of batch culture and continuous culture	28
3.1 Media content in the first preliminary test	34
3.2 Media content in the second preliminary test	35
3.3 The experimental design for this study	36
3.4 Type and concentration of nutrients used in the experiments	36
4.1 pH and optical density (560 nm) in various concentration of Urea.	40
4.2 pH and optical density (560 nm) in different media.	41
4.3 The growth of <i>Spirulina spp.</i> in different media on 3 rd day of cultivation	44
4.4 The growth of <i>Spirulina spp.</i> in different media on 6 th day of cultivation	46
4.5 The growth of <i>Spirulina spp.</i> in different media on 9 th day of cultivation	48
4.6 The growth of <i>Spirulina spp.</i> in different media on 12 th day of cultivation	50
4.7 The growth of <i>Spirulina spp.</i> in different media on 15 th day of cultivation	52
4.8 The growth of <i>Spirulina spp.</i> in different media on 18 th day of cultivation	54
4.9 The growth of <i>Spirulina spp.</i> in different media with total 18 days of cultivation	56
4.10 The relation between growth of <i>Spirulina spp.</i> and bicarbonate content	65
4.11 Feasibility of Substrate concentration, Substrate feeding rate and dilution rate in this experiment	68

LIST OF TABLES (cont.)

Table		Page
4.12	Dry weight and chlorophyll a concentration of <i>Spirulina spp.</i> with total 12 days of cultivation	71

LIST OF FIGURES

Figure	Page
1.1 Conceptual framework	4
2.1 Cell structures of blue green algae	6
2.2 Structure of <i>Spirulina platensis</i>	8
2.3 Different types of <i>Spirulina spp.</i>	9
2.4 Reproduction of <i>Spirulina spp.</i>	10
2.5 Characteristic the growth of microorganisms in batch culture	24
3.1 Research process	33
3.2 A tubular photo-bioreactor in this study	37
4.1 Relative between optical density (OD) and the growth of <i>Spirulina spp.</i>	40
4.2 Relative between optical density (OD) and the growth of <i>Spirulina spp.</i>	42
4.3 The growth of <i>Spirulina spp.</i> in different media on 3 rd day of cultivation	45
4.4 The growth of <i>Spirulina spp.</i> in different media on 6 th day of cultivation	47
4.5 The growth of <i>Spirulina spp.</i> in different media on 9 th day of cultivation	49
4.6 The growth of <i>Spirulina spp.</i> in different media on 12 th day of cultivation	51
4.7 The growth of <i>Spirulina spp.</i> in different media on 15 th day of cultivation	53
4.8 The growth of <i>Spirulina spp.</i> in different media on 18 th day of cultivation	55
4.9 The growth of <i>Spirulina spp.</i> in urea as nitrogen source with total 18 days of cultivation	57
4.10 The growth of <i>Spirulina spp.</i> in potassium nitrate as nitrogen source with total 18 days of cultivation	58
4.11 Average rainfall (mm) and Average Temperature (°C) since July 2012- December 2013 at station Bangkok Metropolis, Thailand	61
4.12 Growth of <i>Spirulina spp.</i> throughout the experiment	62
4.13 The relation between growth of <i>Spirulina spp.</i> and bicarbonate content	65
4.14 Relationships between the specific growth rate and bicarbonate content	68

LIST OF FIGURES (cont.)

Figure		Page
4.15	Dry weight and chlorophyll a concentration of <i>Spirulina spp.</i> with total 12 days cultivation	72
4.16	<i>Spirulina spp.</i> cultivated in western Kenya	73