

REFERENCES

1. Iron & Steel Institute of Thailand, 2005, “**Executive Summary Competitive Benchmarking Project (Iron and Steel Industry)**”, pp. 1-4.
2. Sibley, S.F., Buttermann, W.C., 1995, “Metals recycling in the United States”, **Resources, Conservation and Recycling**, Volume 15, Issue 3-4, pp. 259-267.
3. Bauer, J., Cella, S., Pinto, M.M., Costa, J.F., Reis, A., Loguercio, A.D., 2010, “The use of recycled metal in dentistry: Evaluation of mechanical properties of titanium waste recasting”, **Resources, Conservation and Recycling**, Volume 54, Issue 12, pp. 1312-1316.
4. Kim, Y-W., 1994, “Ordered intermetallic alloys: Part III: gamma titanium aluminides”, **Journal of Metals**, Volume 46, pp. 30-39.
5. Dimiduk, D.M., 1999, “Gamma titanium aluminide alloys—an assessment within the competition of aerospace structural materials”, **Materials Science and Engineering: A**, Volume 263, Issue 2, pp. 281-288.
6. Kim, Y-W., Dimiduk, D.M., 1991, “Progress in the understanding of gamma titanium aluminides”, **Journal of Metals**, Volume 43, Issue 8, pp. 40-47.
7. Singh, A.K., Banerjee, D., 1997, “Transformations in $\alpha_2 + \gamma$ titanium aluminide alloys containing molybdenum: Part I. Solidification behavior”, **Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science**, Volume 28, Issue 9, pp. 1735-1743.

8. Appel, F., Wagner, R., 1998, "Microstructure and deformation of two-phase γ -titanium aluminides", **Materials Science and Engineering, R: Report**, Volume 22, Issue 5, pp.187-268.
9. Sreenivasulu, G., Mukhopadhyay, N.K., Sastry, G.V., 2005, "Effect of alloying and aging on morphological changes from lamellar to equiaxed microstructure of $\alpha_2+\gamma$ titanium aluminides", **Metallurgical and Materials Transactions A**, Volume 36, Issue 10, pp. 2601-2613.
10. Leyens, C., Peters, M., 2003, **Titanium and Titanium Alloys: Fundamentals and Applications**, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, pp. 355.
11. Yoo, M.H., Fu, C.L., Lee, J.K., 1991, "Deformation twinning in metals and ordered intermetallics-Ti and Ti-aluminides", **Journal de Physique III**, Volume 1, Issue 6, pp. 1065-1084.
12. Murray, J.L., 1987, **Phase Diagrams of Binary Titanium Alloys**, ASM International, Metals Park, OH, pp. 188.
13. Jones, S.A., Shull, R.D., McAlister, A.J., Kaufman, M., 1988, "Microstructural studies of Ti-Al alloys in the vicinity of the "eutectoid" reaction ($\alpha \rightarrow \alpha_2 + \gamma$)", **Scripta Metallurgica**, Volume 22, Issue 8, pp. 1235-1240.
14. Schuster, J.C., Palm, M., 2006, "Reassessment of the binary aluminum-titanium phase diagram", **Journal of Phase Equilibria and Diffusion**, Volume 27, Issue 3, pp. 255-277.
15. Witusiewicz, V.T., Bondar, A.A., Hecht, U., Rex, S., Velikanova, T.Y., 2008, "The Al-B-Nb-Ti system: III. Thermodynamic re-evaluation of the constituent binary system Al-Ti", **Journal of Alloys and Compounds**, Volume 465, Issues 1-2, pp. 64-77.

16. Kim, Y-W., 1989, "Intermetallic alloys based on gamma titanium aluminide", **Journal of Metals**, Volume 41, Issue 7, pp. 24-30.
17. Maruyama, K., Yamamoto, R., Nakakuki, H., Fujitsuna, N., 1997, "Effects of lamellar spacing, volume fraction and grain size on creep strength of fully lamellar TiAl alloys", **Materials Science and Engineering: A**, Volume 239-240, pp. 419-428.
18. Sastry, S.M., Lipsitt, H.A., 1977, "Ordering transformations and mechanical properties of Ti₃Al and Ti₃Al-Nb alloys", **Metallurgical Transactions A**, Volume 8, Issue 10, pp. 1543-1552.
19. Liu, C.T., Schneibel, J.H., Wright, J.L., Easton, D.S., 1996, "Tensile properties and fracture toughness of TiAl alloys with controlled microstructures", **Intermetallics**, Volume 4, Issue 6, pp. 429-440.
20. London, B., Larsen, Jr. D.E., Wheeler, D.A., Aimone, P., 1993, "Investment cast gamma titanium aluminides alloys: processing, properties, and promise", **Proceedings of the First International Symposium on Structural Intermetallics**, 26-30 September, Champion, PA, USA, pp. 151.
21. McCullough, C., Valencia, J.J., Levi, C.G., Mehrabian, R., 1989, "Phase equilibria and solidification in Ti-Al alloys", **Acta Metallurgica**, Volume 37, Issue 5, pp. 1321-1336.
22. Chen, G.L., Zhang, W.J., Liu, Z.C., Li, S.J., Kim, Y-W., 1999, "Microstructure and properties of high-Nb containing TiAl-base alloys", Kim, Y-W. (Ed.), **Gamma Titanium Aluminides 1999**, TMS-The Minerals, Metals & Materials Society, San Diego, CA, USA (1999), pp. 371-380.
23. Okamoto, H., 1993, "Al-Ti (aluminum-titanium)", **Journal of Phase Equilibria**, Volume 14, Issue 1, pp. 120-121.

24. Appel, F., Paul, J.D., Oehring, M., 2011, **Gamma Titanium Aluminide Alloys: Science and Technology**, Wiley-VCH Verlag & Co. KGaA.
25. Brossmann, U., Oehring, M., Appel, F., 2001, "Microstructure and chemical homogeneity of high Nb Gamma based TiAl alloys in different conditions of processing", **3rd International Symposium on Structural Intermetallics**, 23-27 September 2001, Jackson Hole, WY, pp. 191-200.
26. Naka, S., Thomas, M., Sanchez, C., Khan, T., 1997, "Development of third generation castable gamma titanium aluminides: Role of solidification paths", Nathal, M.V., Darolia, R., Liu, C.L., Martin, P.L., Miracle, D.B., Wagner, R., (Eds.), **Structural Intermetallics 1997**, The Minerals, Metals and Materials Society, Warrendale, PA , USA, pp. 313-322.
27. Petrovic, J.J., Vasudevan, A.K., 1992, "Key developments in high temperature structural silicides", **Materials Science and Engineering A**, Volume 261, Issue 1-2, pp.1-5.
28. Appel, F., Oehring, M., Wagner, R., 2000, "Novel design concepts for gamma-base titanium aluminide alloys", **Intermetallics**, Volume 8, Issues 9-11, pp. 1283-1312.
29. Kim, Y-W., 1995, "Effects of microstructure on the deformation and fracture of γ -TiAl alloys", **Materials Science and Engineering A**, Volume 192-193, Part 2, pp. 519-533.
30. Hao, Y.L., Xu, D.S., Cui, Y.Y., Yang, R., Li, D., 1999, "The site occupancies of alloying elements in TiAl and Ti₃Al alloys", **Acta Materialia**, Volume 47, Issue 4, pp. 1129-1139.

31. Hao, Y.L., Yang, R., Cui, Y.Y., Li, D., 2000, "The influence of alloying on the $\alpha_2/(\alpha_2+\gamma)/\gamma$ phase boundaries in TiAl based systems", **Acta Materialia**, Volume 48, Issue 6, pp. 1313-1324.
32. Kainuma, R., Fujita, Y., Mitsui, H., Ohnuma, I., Ishida, K., 2000, "Phase equilibria among α (hcp), β (bcc) and γ (L10) phases in ti-al base ternary alloys", **Intermetallics**, Volume 8, Issue 8, pp. 855-867.
33. Witusiewicz, V.T., Bondar, A.A., Hecht, U., Velikanova, T.Y., 2009, "The Al-B-Nb-Ti system IV. Experimental study and thermodynamic re-evaluation of the binary Al-Nb and ternary Al-Nb-Ti systems", **Journal of Alloys and Compounds**, Volume 472, Issue 1-2, pp.133-161.
34. Bendersky, L.A., Boettiger, W.J., Burtons, B.P., Biancaniello, F.S., Shoemaker, C.B., 1990, "The formation of ordered ω -related phases in alloys of composition $\text{Ti}_4\text{Al}_3\text{Nb}$ ", **Acta Metallurgica et Materialia**, Volume 38, Issue 6, pp. 931-943.
35. Sadi, F.A., 1997, "**Etude du syst è me Al-Nb-Ti au voisinage des compositions AlNbTi_2 et Al_3NbTi_4** ", Ph.D. Thesis, Université Paris-Sud.
36. Djanarthany, S., Viala, J-C., Bouix, J., 2001, "An overview of monolithic titanium aluminides based on Ti_3Al and TiAl ", **Materials Chemistry and Physics**, Volume 72, Issue 3, pp. 301-319.
37. Huang, S-C., 1993, "Alloying considerations in gamma-based alloys", **Proceedings of the First International Symposium on Structural Intermetallics**, 26-30 September, Champion, PA, USA, pp. 299-307.
38. Hu, D., Botten, R.R., 2002, "Phase transformations in some TiAl-based alloys", **Intermetallics**, Volume 10, Issue 7, pp.701-715.

39. Blackburn, M.J., 1970, "Some aspects of phase transformations in titanium alloys, in science, technology and application of titanium", **Proceedings of the Science Technology and Application of Titanium**, Pergamon, Jaffee, R.I., Promisel, N.E., (Eds.) Oxford, pp. 633-643.
40. Dey, S.R., Hazotte, A., Bouzy, E., 2009, "Crystallography and phase transformation mechanisms in TiAl-based alloys – A synthesis", **Intermetallics**, Volume 17, Issue 12, pp. 1052-1064.
41. Yan, J., Zheng, L., Xiao, Z., Yang, L., Zhang, H., 2012, "Primary solidification phase and lamellar orientation in directionally solidified Ti-45Al-7Nb alloy", **Chinese Journal of Aeronautics**, Volume 25, Issue 3, pp. 489-492.
42. Wittig, J.E., 2002, "The massive transformation in titanium aluminides: Initial stages of nucleation and growth", **Metallurgical and Materials Transactions A**, Volume 33, Issue 8, pp. 2373-2379.
43. Nakai, K., Momosaki, T., Ohmori, Y., 2000, "Decomposition processes of α phase in a Ti-48 at% Al alloy", **Materials Transactions, JIM**, Volume 41, Issue 3, pp. 406-413.
44. Yamaguchi, M., Umakoshi, Y., 1990, "The deformation-behavior of intermetallic superlattice compounds", **Progress in Materials Science**, Volume 34, Issue 1, pp. 1-148.
45. Zambaldi, C., 2010, "**Micromechanical modeling of γ -TiAl based alloys**", Ph.D. Dissertation, vorgelegt von Dipl.-Ing., RWTH Aachen University, Germany.
46. Inui, H., Matsumuro, M., Wu, D.H., Yamaguchi, M., 1997, "Temperature dependence of yield stress, deformation mode and deformation structure in single crystals of TiAl (Ti-56 at% Al)", **Philosophical Magazine A**, Volume 75, Issue 2, pp. 395-423.

47. Inui, H., Nakamura, A., Oh, M.H., Yamaguchi, M., 1992, "Deformation structures in Ti-rich TiAl polysynthetically twinned crystals", **Philosophical Magazine A**, Volume 66, Issue 4, pp. 557-573.
48. Inui, H., Oh, M., Nakamura, A., 1992, "Room-temperature tensile deformation of polysynthetically twinned (PST) crystals of TiAl", **Acta Metallurgica et Materialia**, Volume 40, Issue 11, pp. 3095-3104.
49. Inui, H., Oh, M., Nakamura, A., Yamaguchi, M., 1992, "Ordered domains in TiAl coexisting with Ti₃Al in the lamellar structure of Ti-rich TiAl compounds", **Philosophical Magazine A**, Volume 66, Issue 4, pp. 539-555.
50. Inui, H., Toda, Y., Kishida, K., Shirai, Y., Yamaguchi, M., 1995, "Variation of CRSS for various slip systems with Al concentration in Ti₃Al single crystals", **Journal of the Japan Institute of Metals**, Volume 59, Issue 5, pp. 586-587.
51. Yamamoto, Y., Takeyama, M., Matsuo, T., 2002, "Stability of lamellar microstructure consisting of γ/γ interfaces in Ti-48Al-8Nb single crystal at elevated temperatures", **Materials Science and Engineering: A**, Volumes 329-331, pp. 631-636.
52. Denquin, A., Naka, S., 1996, "Phase transformation mechanisms involved in two-phase TiAl-based alloys-I. Lamellar structure formation." **Acta Materialia**, Volume 44, Issue 2, pp. 343-352.
53. Yang, Y.S., Wu, S.K., 1991, "Orientation faults of γ lamellae in a Ti-40 at% Al alloy", **Scripta Metallurgica et Materialia**, Volume 25, Issue 1, pp. 255-260.
54. Zghal, S., Thomas, M., Naka, S., Finel, A., Couret, A., 2005, "Phase transformations in TiAl based alloys", **Acta Materialia**, Volume 53, Issue 9, pp. 2653-2664.

55. Hu, D., Huang, A.J., Novovic, D., Wu, X., 2006, "The effect of boron and alpha grain size on the massive transformation in Ti-46Al-8Nb-xB alloys", **Intermetallics**, Volume 14, Issue 7, pp. 818-825.
56. Wu, X., Saage, H., Huang, A.J., Hu, D., Loretto, M.H., 2009, "Microstructures and tensile properties of massively transformed and aged Ti46Al8Nb and Ti46Al8Ta alloys", **Intermetallics**, Volume 17, Issue 1-2, pp. 32-38.
57. Hu, D., Huang, A.J., Wu, X., 2007, "On the massive phase transformation regime in TiAl alloys: The alloying effect on massive/lamellar competition", **Intermetallics**, Volume 15, Issues 3, pp. 327-332.
58. Hono, K., Abe, E., Kumagai, T., Harada, H., 1996, "Chemical compositions of ultrafine lamellae in the water-quenched Ti-48Al alloy", **Scripta Materialia**, Volume 35, Issue 4, pp. 495-499.
59. Lefebvre, W., Menand, A., Loiseau, A., Blavette, D., 2002, Atom probe study of phase transformations in a Ti-48 at.% Al alloy, **Materials Science and Engineering: A**, Volume 327, Issue 1, pp. 40-46.
60. Sankaran, A., Bouzy, E., Humbert, M., Hazotte, A., 2009, "Variant selection during nucleation and growth of c-massive phase in TiAl-based intermetallic alloys", **Acta Materialia**, Volume 77, Issue 4, pp. 1230-1242.
61. Dey, S.R., Hazotte, A., Bouzy, E., Naka, S., 2005, "Development of Widmanstätten laths in near- γ TiAl alloys", **Acta Materialia**, Volume 53, Issue 14, pp. 3783-3794.
62. Dey, S.R., Bouzy, E., Hazotte, A., 2008, "Features of feathery γ structure in a near- γ TiAl alloy", **Acta Materialia**, Volume 56, Issue 9, pp. 2051-2062.
63. Zhang, W.J., Francesconi, L., Evangelista, E., Chen, G.L., 1997, "Characterization of Widmanstätten laths and interlocking boundaries in fully-lamellar TiAl-base alloy", **Scripta Materialia**, Volume 37, Issue 5, pp. 627-633.

64. Hu, D., Huang, A.J., Wu, X., 2005, “TEM characterization of Widmanstätten microstructures in TiAl-based alloys”, **Intermetallics**, Volume 13, Issue 2, pp. 211-216.
65. Veeraraghavan, D., Wang, P., Vasudeven, V.K., 1999, “Kinetics and thermodynamics of the $\alpha \rightarrow \gamma_m$ massive transformation in a Ti-47.5 at.% Al alloy”, **Acta Materialia**, Volume 47, Issue 11, pp. 3313-3330.
66. Dey, S.R., Bouzy, E., Hazotte, A., 2007, “Intragranular nucleation sites of massive γ grains in a TiAl-based alloy”, **Scripta Materialia**, Volume 57, Issue 4, pp. 365-368.
67. Dey, S.R., Bouzy, E., Hazotte, A., 2006, “EBSD characterisation of massive γ nucleation and growth in a TiAl-based alloy”, **Intermetallics**, Volume 14, Issue 4, pp. 444-449.
68. Yamaguchi, M., Zhu, H., Suzuki, M., Maruyama, K., Appel, F., 2008, “Importance of microstructural stability in creep resistance of lamellar TiAl alloys”, **Materials Science and Engineering: A**, Volumes 483-484, pp. 517-520.
69. Wang, J.N., Zhu, J., Wu, J.S., Du, X.W., 2002, “Effects of alloying elements on creep of TiAl alloys with a fine lamellar structure”, **Acta Materialia**, Volume 50, Issue 6, pp. 1307-1318.
70. Mishin, Y., Herzig, C., 2000, “Diffusion in the Ti-Al system”, **Acta Materialia**, Volume 48, Issue 3, pp. 589-623.
71. Herzig, C., Przeorski, T., Friesel, M., Hisker, F., Divinski, S., 2001, “Tracer solute diffusion of Nb, Zr, Cr, Fe, and Ni in γ -TiAl: Effect of preferential site occupation”, **Intermetallics**, Volume 9, Issue 6, pp. 461-472.
72. Scheu, C., Cha, L., Sturm, S., Chladil, H.F., Mayrhofer, P.H., Clemens, H., Wolf, W., Podlousky, R., 2006, “Structure models of massively transformed high niobium containing TiAl alloys”, **MRS Proceedings**, Volume 980, pp. 401-406.

73. Wang, Y.H., Lin, J.P., He, Y.H., Wang, Y.L., Chen, G.L., 2007, “Microstructure and mechanical properties of as-cast Ti–45Al–8.5Nb–(W,B,Y) alloy with industrial scale”, **Materials Science and Engineering: A**, Volume 471, Issues 1-2, pp.82-87.
74. Zhang, H., He, X., Qu, X., Zhao, L., 2009, “Microstructure and mechanical properties of high Nb containing TiAl alloy parts fabricated by metal injection molding”, **Materials Science and Engineering: A**, Volume 526, Issues 1-2, pp. 31-37.
75. Liu, Z.C., Lin, J.P., Li, S.J., Chen, G.L., 2002, “Effects of Nb and Al on the microstructures and mechanical properties of high Nb containing TiAl base alloys”, **Intermetallics**, Volume 10, Issue 7, pp. 653-659.
76. Li, Z.X., Cao, C.C., 2005, “Effects of minor boron addition on phase transformation and properties of Ti–47.5Al–2Cr–2Nb alloy”, **Intermetallics**, Volume 13, Issues 3-4, pp. 251-256.
77. Qiu, C., Liu, Y., Huang, L., Zhang, W., Liu, B., Lu, B., 2012, “Effect of Fe and Mo additions on microstructure and mechanical properties of TiAl intermetallics”, **Transactions of Nonferrous Metals Society of China**, Volume 22, Issue 3, pp. 521-527.
78. Schmoelzer, T., Liss, K-D., Zickler, G.A., Watson, I.J., Droessler, L.M., Wallgram, W., Buslaps, T., Studer, A., Clemens, H., 2010, “Phase fractions, transition and ordering temperatures in TiAl–Nb–Mo alloys: An in- and ex-situ study”, **Intermetallics**, Volume 18, Issue 8, pp. 1544-1552.
79. Imayev, R.M., Imayev, V.M., Oehring, M., Appel, F., 2007, “Alloy design concepts for refined gamma titanium aluminide based alloys”, **Intermetallics**, Volume 15, Issue 4, pp. 451-460.

80. Zhung, X.D., Godfrey, S., Weaver, M., Strangwood, M., Kaufman, M.J., Loretto, M.H., 1996, "The massive transformation in Ti-Al alloys: mechanistic observations", **Acta Materialia**, Volume 44, Issue 9, pp. 3723-3734.
81. Wu, X., Hu, D., Loretto, M.H., Huang, A.J., 2007, "The influence of interrupted cooling on the massive transformation in Ti46Al8Nb", **Intermetallics**, Volume 15, Issue 9, pp. 1147-1155.
82. Yun, J.H., Oh, M.H., Nam, S.W., Wee, D.M., Inui, H., Yamaguchi, M., 1997, "Microalloying Effects in TiAl+Mo Alloys", **Materials Science and Engineering A**, Volume 230-240 (December 1997), pp. 702-708.
83. Herzig, C., Przeorki, T., Friesel, M., Hisker, F., Divinski, S., 2001, "Tracer solute diffusion of Nb, Zr, Cr, Fe, and Ni in γ -TiAl: Effect of preferential site occupation", **Intermetallics**, Volume 9, Issue 6, pp. 461-472.
84. Mishin, Y., Herzig, C., 2000, "Diffusion in the Ti-Al system", **Acta Materialia**, Volume 48, Issue 3, pp. 589-632.
85. Wu, X., Hu, D., 2005, "Microstructural refinement in cast TiAl alloys by solid state transformations", **Scripta Materialia**, Volume 52, Issue 8, pp. 731-734.