

รายการอ้างอิง

รายการอ้างอิง

- ชมพูนุช เพื่อนพิภพ และปรัชญา แพมมงคล. (2554). เครื่องดื่มน้ำมะนาวผสมใยอาหารแบบพาสเจอร์ไรส์ (*Pasteurized lime juice mix fiber*). สืบค้นเมื่อ 11 เมษายน 2557, จาก <http://repository.rmutp.ac.th/bitstream/handle/123456789/936/HEC-54-21.pdf?sequence=1>
- นันทยา จงใจเทศ. (2549). ความสำคัญของกรดอะมิโน. สืบค้นเมื่อ 12 เมษายน 2557, จาก <http://nutrition.anamai.moph.go.th/temp/main/view.php?group=3&id=80>
- นิธิยา รัตนาปนนท์. (2553). เคมีอาหาร: ใยโคโรคอลลอยด์. (พิมพ์ครั้งที่ 4). กรุงเทพฯ: โอเดียนสโตร์.
- บ้งอร ศรีพานิชกุลชัย, ผดุงขวัญ จิตโรภาส และอรุณศรี ปรีเปรม. (2548). รำข้าวที่มีคุณภาพ คุณค่าต่อสุขภาพ (*Rice Bran: Its Value for Health*). *วารสารศูนย์บริการวิชาการ มหาวิทยาลัยขอนแก่น*. 13(3), 4-9.
- บริษัท เนสท์เล่ (ไทย) จำกัด. (2555). เรื่องข้าว...ข้าว. สืบค้นเมื่อ 13 เมษายน 2557, จาก <https://www.dekthaid.com/knowledge-detail.aspx?nid=30>
- บุญชัย เบญจรงค์กุล. (2557). รำข้าวสามารถนำไปทำอะไรได้อีกเยอะ. สืบค้นเมื่อ 20 มกราคม 2557, จาก <http://www.rakbankerd.com/agriculture/open.php?id=3956&s=tblrice>
- พิมพ์เพ็ญ พรเฉลิมพงศ์ และนิธิยา รัตนาปนนท์. (2556). การสีข้าว / *Rice milling*. สืบค้นเมื่อ 13 เมษายน 2557, จาก <http://www.foodnetworksolution.com/wiki/word/3644/การสีข้าว-rice-milling>
- เยาวพา สุวัตติ. (2557). การถนอมอาหาร. สืบค้นเมื่อ 13 เมษายน 2557, จาก https://www.gpo.or.th/rdi/html/preserve_food.html
- รุ่งนภา พงศ์สวัสดิ์มานิต. (2535). *วิศวกรรมแปรรูปอาหาร: การถนอมอาหาร*. กรุงเทพฯ: โอ เอส พรีนติ้ง เฮาส์.

- วสันต์ ด้วงคำจันทร์. (2546). *ปัจจัยในการทำงานที่สำคัญสำหรับการออกแบบเครื่องอบแห้งแบบ
พ่นฝอยกรณีศึกษากระเจี๊ยบฝง*. วิทยานิพนธ์วิศวกรรมศาสตรมหาบัณฑิต สาขา
วิศวกรรมเครื่องกล. มหาวิทยาลัยขอนแก่น, ขอนแก่น.
- วรรณดา ตูลยชัย. (2551). *เคมีอาหารของคาร์โบไฮเดรต พอลิแซ็กคาไรด์ โครงสร้างและสมบัติ*.
(พิมพ์ครั้งที่ 2). กรุงเทพฯ: สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- วิราสิณี จันทร์เป็ง และนพพล เล็กสวัสดิ์. (2556). *อะไมเลส (Amylase)*. สืบค้นเมื่อ 3 กันยายน 2558,
จาก <http://www.agro.cmu.ac.th/absc/data/57/57-025.pdf>
- ศูนย์หัวใจสิริกิติ์ ภาคตะวันออกเฉียงเหนือ มหาวิทยาลัยขอนแก่น. (2555). *รำข้าวบำรุงสุขภาพ*.
สืบค้นเมื่อ 4 กรกฎาคม 2557, จาก <http://www.heart.kku.ac.th>
- สำนักงานคณะกรรมการองค์การอาหารและยา. (2543). *น้ำมันถั่วเหลืองในภาชนะบรรจุที่ปิดสนิท*.
สืบค้นเมื่อ 4 กันยายน 2558,
จาก iodinethailand.fda.moph.go.th/food_54/data/announ_moph/P198.pdf
- สำนักงานเศรษฐกิจการเกษตร. (2557). *รายงานสถานการณ์สินค้าเกษตร ปี 2557 และแนวโน้มปี
2558*. สืบค้นเมื่อ 4 กันยายน 2558, จาก [https://www.bot.or.th/Thai/.../Yearly-
2557_Trend-2558_final.pdf](https://www.bot.or.th/Thai/.../Yearly-2557_Trend-2558_final.pdf)
- สำนักโภชนาการ กรมอนามัย กระทรวงสาธารณสุข. (2554). *ปริมาณวิตามิน และแร่ธาตุที่ควร
ได้รับแต่ละวัน*. สืบค้นเมื่อ 1 ตุลาคม 2558, จาก
<http://nutrition.anamai.moph.go.th/temp/main/view.php?group=2&id=132>
- สุนันทา วงศ์ปิยชน และวัชร สุขวิวัฒน์. (2556). *Instant Cereal Beverage Product (ผลิตภัณฑ์
เครื่องดื่มธัญพืชสำเร็จรูป)*. สืบค้นเมื่อ 1 ตุลาคม 2558,
จาก www.brrd.in.th/main/document/51%20report/28.pdf
- สุริย์ แฉวतीयง. (2552). *เครื่องดื่มน้ำมันถั่วเหลืองผสมน้ำแครอท*. วิทยานิพนธ์คหกรรมศาสตร
มหาบัณฑิต สาขาวิชาคหกรรมศาสตร์. มหาวิทยาลัยเทคโนโลยีราชมงคลพระนคร,
กรุงเทพมหานคร.

- สมบัติ ขอทวีวัฒนา. (2529). *กรรมวิธีการอบแห้ง*. กรุงเทพฯ: ภาควิชาพัฒนาผลิตภัณฑ์ คณะอุตสาหกรรมเกษตร มหาวิทยาลัยเกษตรศาสตร์.
- สมพร อิศวิลานนท์ และปรุพท์ สันติธรรมรักษ์. (2555). รายงานสถานการณ์การผลิตและการค้าข้าวของโลกและของไทยปี 2554 และแนวโน้ม. *KNIT Agricultural Policy No. 2012-1*, หน้า 22-30.
- อภิรดา กิตติชัยกุล. (2554). *เครื่องต้มข้าวพิษ*. สืบค้นเมื่อ 1 กันยายน 2558, จาก [http:// boc.dip.go.th/index.php?option=com_content&view=article.pdf](http://boc.dip.go.th/index.php?option=com_content&view=article.pdf)
- อรอนงค์ นัยวิกุล. (2556). *ข้าว : วิทยาศาสตร์และเทคโนโลยี*. กรุงเทพฯ : มหาวิทยาลัยเกษตรศาสตร์.
- Adom, K. K., & Liu, R. H. (2002). Antioxidant activity of grains. *Journal of Agricultural and Food Chemistry*, 50, 6182-6187.
- Ahamed N., Thoufeek, Singhal S., Rekha, P. R., Kulkami, & Mohinder, P. (1996). Physicochemical and functional properties of *Chenopodium quinoa* starch. *Carbohydrate Polymer*, 31(96), 99-103.
- Ahmadian-Kouchaksaraei, Z., Varidi, M., Varidi, M. J., & Pourazarang, H. (2014). Influence of processing conditions on the physicochemical and sensory properties of sesame milk: A novel nutritional beverage. *Food Science and Technology*, 57(1), 299-305.
- Alqahtani, N. K., Ashton, J., Katopo, L., Haque, E., Jones, O. A. H., & Kasapis, S. (2014). Consistency of UHT beverages enriched with insoluble fibre during storage. *Bioactive Carbohydrates and Dietary Fibre*, 4(1), 84-92.
- Andres, V., Tenorio, M. D., & Villanueva, M. J. (2015). Sensory profile, soluble sugars, organic acids, and mineral content in milk- and soy-juice based beverages. *Food Chemistry*, 173, 1100-1106.
- Anonymous. (2538). *ข้าว สารอาหาร มากกว่า 15 ชนิด*. สืบค้นเมื่อ 12 เมษายน 2557, จาก <http://www.doctor.or.th/article/detail/4032>

- AOAC. (2000). Official method of analysis (17th ed.). Arlinton, Virginia: Association of Official Analytical Chemists.
- AOAC. (2000). Official method of analysis. (18th ed.). Arlinton, Virginia: Association of Official Analytical Chemists.
- AOAC. (2002). Official method of analysis. (986.33). Arlinton, Virginia : Association of Official Analytical Chemists.
- AOAC. (2002). Official method of analysis. (991.14). Arlinton, Virginia : Association of Official Analytical Chemists.
- AOAC. (2002). Official method of analysis. (2003.07). Arlinton, Virginia : Association of Official Analytical Chemists.
- AOAC. (2002). Official method of analysis. (997.02). Arlinton, Virginia : Association of Official Analytical Chemists.
- AOAC. (2005). Official method of analysis. (18th ed.). Arlinton, Virginia : Association of Official Analytical Chemists.
- AOAC. (2012). Official method of analysis. (18th ed.). Arlinton, Virginia: Association of Official Analytical Chemists.
- Araujo, R., Casal, M., & Cavaco, P., A. (2008). Application of enzymes for textile fibres processing. *Biocatal Biotrans*, 26, 332-349.
- Bacteriological Analytical Manual (BAM). (2002). *U.S. Food and Drug Administration*. New York: Academic Press.
- Bagchi, T. B., Sharma, S., & Chattopadhyay, K. (2016). Development of NIRS models to predict protein and amylose content of brown rice and proximate compositions of rice bran. *Food Chemistry*, 191, 21-27.

- Butsat, S., & Siriamornpun, S. (2010). Antioxidant capacities and phenolic compounds of the husk, bran and endosperm of Thai rice. *Food Chemistry*, 119(2), 606-613.
- Central Laboratory (Thailand) Co., Ltd. (2003). *Compendium of method for food analysis*. Chiangmai: Central Laboratory (Thailand).
- Cernikova, M., Bunka, F., Pavlinek, V., Brezina, P., Hrabe, J., & Valasek, P. (2008). Effect of carrageenan type on viscoelastic properties of processed cheese. *Food Hydrocolloids*, 22(6), 1054-1061.
- Chotimarkorn, C., Benjakul, S., & Silalai, N. (2008). Antioxidant components and properties of five long-grained rice bran extracts from commercial available cultivars in Thailand. *Food Chemistry*, 111(3), 636-641.
- Chung, C., Degner, B., & McClements, D. J. (2013). Designing reduced-fat food emulsions: Locust bean gum-fat droplet interactions. *Food Hydrocolloids*, 32(2), 263-270.
- Clegg, S. M. (1995). *Thickeners, gels and gelling*. In Dans. S.T, Physico-chemical aspects of food processing (pp. 117-141) Glasgow: Blackie Academic & Professional.
- Connor, M. A., Saunders, R. M., & Kohler, G. O. (1976). Rice bran protein concentrates obtained by wet alkaline extraction. *Cereal Chemistry*, 53(4), 488.
- Da Silva, M. A., Sanches, C., & Amante, E. R. (2006). Prevention of hydrolytic rancidity in rice bran. *Journal of Food Engineering*, 75(4), 487-491.
- Dickinson, E. (1992). *Introduction to food colloids*. Cambridge, UK: Royal Society of Chemistry.
- Dickinson, E. (2003). Hydrocolloids at interfaces and the influence on the properties of dispersed systems. *Food Hydrocolloids*, 17(1), 25-39.
- Durand, A., Franks, G. V., & Hosken, R. W. (2003). Particle sizes and stability of UHT bovine, cereal and grain milks. *Food Hydrocolloids*, 17(5), 671-678.

- FAO: Food and Nutrition Division (2004). *Rice and human nutrition*. New York: Food and Agriculture Organization of the United Nations.
- Fabian, C. B., Huynh, L. H., & Ju, Y. H. (2010). Precipitation of rice bran protein using carrageenan and alginate. *LWT - Food Science and Technology*, *43*(2), 375-379.
- Fabian, C., & Ju, H. Y. (2011). A Review on rice bran protein: Its properties and extraction methods. *Critical Reviews in Food Science and Nutrition*, *51*(9), 816-827.
- Fabian, C., Ayucitra, A., Ismadji, S., & Ju, Y. H. (2011). Isolation and characterization of starch from defatted rice bran. *Journal of the Taiwan Institute of Chemical Engineers*, *42*(1), 86-91.
- Faccin, G. L., Miotto, L. A., Vieira, L. d. N., Barreto, P. L. M., & Amante, E. R. (2009). Chemical, sensorial and rheological properties of a new organic rice bran beverage. *Rice Science*, *16*(3), 226-234.
- Fernández, P. P., Martino, M. N., Zaritzky, N. E., Guignon, B., & Sanz, P. D. (2007). Effects of locust bean, xanthan and guar gums on the ice crystals of a sucrose solution frozen at high pressure. *Food Hydrocolloids*, *21*(4), 507-515.
- Friberg, S., Larsson, K., & Sjoblom, J. (2004). *Food emulsions* (4th ed.). New York: Marcel Dekker.
- Friedman, M. (2013). Rice brans, rice bran oils, and rice hulls: composition, food and industrial uses, and bioactivities in humans, animals, and cells. *Journal of Agricultural and Food Chemistry*, *61*(45), 10626-10641.
- Gao, M. T., Kaneko, M., Hirata, M., Toorisaka, E., & Hano, T. (2008). Utilization of rice bran as nutrient source for fermentative lactic acid production. *Bioresource Technology*, *99*(9), 3659-3664.

- Goesaert, H., Courtin, C. M., & Delcour, J. A. (2008). *11 - Use of enzymes in the production of cereal-based functional foods and food ingredients*. In E. K. Arendt & F. D. Bello (Eds.), *Gluten-Free Cereal Products and Beverages* (pp. 237-265). San Diego: Academic Press.
- Graham, H. D. (1978). *Colloidal dispersions: Polysaccharide gums*. In *Encyclopedia of Food Science*. Westport. The AVI Pub.Co.Inc.
- Gul, K., Yousuf, B., Singh, A. K., Singh, P., & Wani, A. A. (2015). Rice bran: Nutritional values and its emerging potential for development of functional food-A review. *Bioactive Carbohydrates and Dietary Fibre*, 6(1), 24-30.
- Huang, X., Kakuda, Y., & Cui, W. (2001). Hydrocolloids in emulsions: Particle size distribution and interfacial activity. *Food Hydrocolloids*, 15(4-6), 533-542.
- Ibrahim, G. E., Hassan, I. M., Abd-Elrashid, A. M., El-Massry, K. F., Eh-Ghorab, A. H., Manal, M. R., & Osman, F. (2011). Effect of clouding agents on the quality of apple juice during storage. *Food Hydrocolloids*, 25(1), 91-97.
- Iqbal, S., Bhangar, M. I., & Anwar, F. (2005). Antioxidant properties and components of some commercially available varieties of rice bran in Pakistan. *Food Chemistry*, 93(2), 265-272.
- International Organization for Standardization (ISO). (2005). ISO 14502-1. *Determination of substance characteristic of green tea and black tea - Part 1 : Content of total polyphenols in tea – Calorimetric method using Folin - Ciocalteu reagent*. Geneva: ISO.
- Jame, C. S. (1995). *Volumetric determination of sugars by copper reduction (Lane and Eynon method)*, in *Analytical Chemistry of Foods*. Chapman & Hall: Oxford.
- Javidi, F., Razavi, S. M. A., Behrouzian, F., & Alghooneh, A. (2016). The influence of basil seed gum, guar gum and their blend on the rheological, physical and sensory properties of low fat ice cream. *Food Hydrocolloids*, 52, 625-633.

- Jensen, S., Rolin, C., & Ipsen, R. (2010). Stabilisation of acidified skimmed milk with HM pectin. *Food Hydrocolloids*, 24(4), 291-299.
- Jinapong, N., Supphantharika, M., & Jamnong, P. (2008). Production of instant soymilk powders by ultrafiltration, spray drying and fluidized bed agglomeration. *Journal of Food Engineering*, 84(2), 194-205.
- Juliano, B. O. (1985). *Rice: Chemistry and technology* (2nd ed), St. Paul, MI. American Association of Cereal Chemists
- Kaewboonnum W., Wachararuji K., & Shotipruk A., (2008). Value added products from by-products of rice bran oil processing. *Chiang Mai Journal of Science*, 35(1), 116-122.
- Keshtkaran, M., Mohammadifar, M. A., Asadi, G. H., Nejad, R. A., & Balaghi, S. (2013). Effect of gum tragacanth on rheological and physical properties of a flavored milk drink made with date syrup. *Journal of Dairy Science*, 96(8), 4794-4803.
- Kiani, H., Mousavi, M. E., Razavi, H., & Morris, E. R. (2010). Effect of gellan, alone and in combination with high-methoxy pectin, on the structure and stability of doogh, a yogurt-based Iranian drink. *Food Hydrocolloids*, 24(8), 744-754.
- Kim, H. G., Kim, G. W., Oh, H., Yoo, S. Y., Kim, Y. O., & Oh, M. S. (2011). Influence of roasting on the antioxidant activity of small black soybean (*Glycine max L. Merrill*). *LWT - Food Science and Technology*, 44(4), 992-998.
- Koksoy, A., & Kilic, M. (2004). Use of hydrocolloids in textural stabilization of a yoghurt drink, ayran. *Food Hydrocolloids*, 18(4), 593-600.
- Kolniak-Ostek, J., Oszmianski, J., & Wojdylo, A. (2013). Effect of apple leaves addition on physicochemical properties of cloudy beverages. *Industrial Crops and Products*, 44(0), 413-420.
- Krzeminski, A., Prell, K. A., Weiss, J., & Hinrichs, J. (2014). Environmental response of pectin-stabilized whey protein aggregates. *Food Hydrocolloids*, 35, 332-340.

- Krongsin, J., Gamonpilas, C., Methacanon, P., Panya, A., & Goh, S. M. (2015). On the stabilisation of calcium-fortified acidified soy milks by pomelo pectin. *Food Hydrocolloids*, *50*, 128-136.
- Lal, S. N. D., O'Connor, C. J., & Eyres, L. (2006). Application of emulsifiers/stabilizers in dairy products of high rheology. *Advances in Colloid and Interface Science*, *123–126*(0), 433-437.
- Laurent, M. A., & Boulenguer, P. (2003). Stabilization mechanism of acid dairy drinks (ADD) induced by pectin. *Food Hydrocolloids*, *17*(4), 445-454.
- Lawless, H. T., & Heymann, H. (1998). *Sensory evaluation of food: Principles and practices*. New York: Chapman & Hall.
- Lerma-García, M. J., Herrero-Martínez, J. M., Simó-Alfonso, E. F., Mendonça, C. R. B., & Ramis-Ramos, G. (2009). Composition, industrial processing and applications of rice bran γ -oryzanol. *Food Chemistry*, *115*(2), 389-404.
- Li, B. B., Smith, B., & Hossain, Md. M. (2006). Extraction of phenolics from citrus peels: II. Enzyme-assisted extraction method. *Separation and Purification Technology*, *48*, 189–196.
- Li, Z., Lu, J., Yang, Z., Han, L., & Tan, T. (2012). Utilization of white rice bran for production of l-lactic acid. *Biomass and Bioenergy*, *39*(0), 53-58.
- Li, S., Yang, X., Yang, S., Zhu, M., & Wang, X. (2012). Technology prospecting on enzymes: application, marketing and engineering. *Computational and Structural Biotechnology Journal*, *2*(3), 1-11.
- Liang, C., Hu, X., Ni, Y., Wu, J., Chen, F., & Liao, X. (2006). Effect of hydrocolloids on pulp sediment, white sediment, turbidity and viscosity of reconstituted carrot juice. *Food Hydrocolloids*, *20*(8), 1190-1197.

- Lim, L. H., Macdonald, D. G., & Hill, G. A. (2003). Hydrolysis of starch particles using immobilized barley α -amylase. *Biochemical Engineering Journal*, 13(1), 53-62.
- Liu, X., Zheng, X., Song, Z., Liu, X., Kopparapu, N. k., Wang, X., & Zheng, Y. (2015). Preparation of enzymatic pretreated corn gluten meal hydrolysate and in vivo evaluation of its antioxidant activity. *Journal of Functional Foods*, 18(Part B), 1147-1157.
- Ma, L., Li, B., Han, F., Yan, S., Wang, L., & Sun, J. (2015). Evaluation of the chemical quality traits of soybean seeds, as related to sensory attributes of soymilk. *Food Chemistry*, 173, 694-701.
- Matia-Merino, L., & Singh, H. (2007). Acid-induced gelation of milk protein concentrates with added pectin: Effect of casein micelle dissociation. *Food Hydrocolloids*, 21(5-6), 765-775.
- McClements, D. J. (2005). *Food emulsions: Principles, practices, and techniques*. (2nd ed.). Boca Raton, FL: CRC Press.
- McClements, D. J. (2007). Critical review of techniques and methodologies for characterization of emulsion stability. *Critical Reviews in Food Science and Nutrition*, 47(7), 611-649.
- McClements, D. J., & Li, Y. (2010). Structured emulsion-based delivery systems: controlling the digestion and release of lipophilic food components. *Advances in Colloid and Interface Science*, 159(2), 213-228.
- Meneses, N. G. T., Martins, S., Teixeira, J. A., & Mussatto, S. I. (2013). Influence of extraction solvents on the recovery of antioxidant phenolic compounds from brewer's spent grains. *Separation and Purification Technology*, 108(0), 152-158.
- Mirhosseini, H., Tan, C. P., Hamid, N. S. A., & Yusof, S. (2008). Optimization of the contents of Arabic gum, xanthan gum and orange oil affecting turbidity, average particle size, polydispersity index and density in orange beverage emulsion. *Food Hydrocolloids*, 22(7), 1212-1223.

- Molyneux P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarinn Journal of Science and Technology*, 26, 211-219.
- Moongarm, A., Daomukda, N., & Khumpika, S. (2012). Chemical compositions, phytochemicals, and antioxidant capacity of rice bran, rice bran layer, and rice germ. *APCBEE Procedia*, 2, 73-79.
- Nontasan, S., Moongarm, A., & Deeseenthum, S. (2012). Application of functional colorant prepared from black rice bran in yogurt. *APCBEE Procedia*, 2(0), 62-67.
- Perez-Locas, C., & Yaylayan, V. A. (2010). The Maillard reaction and food quality deterioration. In L. H. Skibsted, J. Risbo & M. L. Andersen (Eds.), *Chemical Deterioration and Physical Instability of Food and Beverages* (pp. 70-94). Woodhead Publishing.
- Pierre, G., Maache-Rezzoug, Z., Sannier, F., Rezzoug, S.-A., & Maugard, T. (2011). High-performance hydrolysis of wheat straw using cellulase and thermomechanical pretreatment. *Process Biochemistry*, 46(11), 2194-2200.
- Piorowski, D. T., & McClements, D. J. (2014). Beverage emulsions: Recent developments in formulation, production, and applications. *Food Hydrocolloids*, 42(1), 5-41.
- Potter, R. M., Dougherty, M. P., Halteman, W. A., & Camire, M. E. (2007). Characteristics of wild blueberry–soy beverages. *LWT - Food Science and Technology*, 40(5), 807-814.
- Prakash, J., & Ramanatham, G. (1995). Proximate composition and protein quality of stabilized rice bran. *Journal of Food Science and Technology*, 32(5), 416-419.
- Prakash, J. (1996). Rice bran proteins: Properties and food uses. *Critical Reviews in Food Science and Nutrition*, 36(6), 537-552.
- Prieke, P. E., Wei, L. S., Nelson, A. I. & Steinberg, M. P. (1980). Suspension stability of Illinois soybean beverage. *Journal of Food Science*, 45, 242-245.

- Puerari, C., Magalhães-Guedes, K. T., & Schwan, R. F. (2015). Physicochemical and microbiological characterization of chicha, a rice-based fermented beverage produced by Umutina Brazilian Amerindians. *Food Microbiology*, *46*, 210-217.
- Ramos, C. L., de Almeida, E. G., Pereira, G. V. D. M., Cardoso, P. G., Dias, E. S., & Schwan, R. F. (2010). Determination of dynamic characteristics of microbiota in a fermented beverage produced by Brazilian Amerindians using culture-dependent and culture-independent methods. *International Journal of Food Microbiology*, *140* (2-3), 225-231.
- Ramos, C. L., De-Almeida, E. G., Freire, A. L., & Schwan, R. F. (2011). Diversity of bacteria and yeast in the naturally fermented cotton seed and rice beverage produced by Brazilian Amerindians. *Food Microbiology*, *28* (7), 1380-1386.
- Ribeiro, D. S., Henrique, M. B., Oliveira, L. S., Macedo, G. A., & Fleuri, L. F. (2010). Enzymes in juice processing: A review. *International Journal of Food Science & Technology*, *45*, 635-641.
- Rigo, L. A., Pohlmann, A. R., Guterres, S. S., & Ruver Beck, R. C. (2014). *Chapter 23 - Rice Bran Oil: Benefits to Health and Applications in Pharmaceutical Formulations*. In: R. R. Watson, V. R. Preedy, & S. Zibadi, *Wheat and rice in disease prevention and health* (pp. 311-322). San Diego: Academic Press.
- Ryan, E. P. (2011). Bioactive food components and health properties of rice bran. *Journal of the American Veterinary Medical Association*, *238*(5), 593-600.
- Ryan, L., Thondre, P. S., & Henry, C. J. K. (2011). Oat-based breakfast cereals are a rich source of polyphenols and high in antioxidant potential. *Journal of Food Composition and Analysis*, *24*(7), 929-934.
- Sadler, G. D. (2010). pH and titratable acidity. In Nielsen, S. S. (Ed.), *pH and titratable acidity* (pp. 219-237). New York: Springer Science+Business Media.

- Salmeron, I., Thomas, K., & Pandiella, S. S. (2015). Effect of potentially probiotic lactic acid bacteria on the physicochemical composition and acceptance of fermented cereal beverages. *Journal of Functional Foods*, *15*, 106-115.
- Saunders, R. M. (1990). The properties of rice bran as a food stuff. *Cereal Food World*, *35*(7), 632-662.
- Shahidi, F., & Ambigaipalan, P. (2015). Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects – A review. *Journal of Functional Foods*, *18*(Part B), 820-897.
- Shih, F. F. (2003). An update on the processing of high-protein rice products. *Nahrung*, *47*(6), 420-424.
- Shimoni, E. (2004). Stability and shelf life of bioactive compounds during food processing and storage: Soy isoflavones. *Journal of Food Science*, *69*, 160-166.
- Shittu, T. A., Aminu, R. A., & Abulude, E. O. (2009). Functional effects of xanthan gum on composite cassava-wheat dough and bread. *Food Hydrocolloids*, *23*(8), 2254-2260.
- Silvan, J. M., Amigo-Benavent, M., & Dolores del Castillo, M. (2014). Chapter 23 - Antioxidant Properties of Soy-Based Drinks and Effects of Processing. In V. Preedy (Ed.), *Processing and impact on antioxidants in beverages*, (pp. 225-232). San Diego: Academic Press.
- Skara, N., Novotni, D., Cukelj, N., Smerdel, B., & Curic, D. (2013). Combined effects of inulin, pectin and guar gum on the quality and stability of partially baked frozen bread. *Food Hydrocolloids*, *30*(1), 428-436.
- Stone, H., & Sidel, J. L. (1985). *Sensory evaluation practices*. London: Academic Press.

- Thanonkaew, A., Wongyai, S., McClements, D. J., & Decker, E. A. (2012). Effect of stabilization of rice bran by domestic heating on mechanical extraction yield, quality, and antioxidant properties of cold-pressed rice bran oil (*Oryza sativa* L.). *LWT - Food Science and Technology*, 48(2), 231-236.
- Thomas, W. R. (1997). Carageenan, In A. Imeson (ed.), *Thickening and gelling agents for food* (pp. 45-59). London: Blackie Academic & Professional.
- Tuinier, R., ten Grotenhuis, E., & de Kruif, C. G. (2000). The effect of depolymerised guar gum on the stability of skim milk. *Food Hydrocolloids*, 14(1), 1-7.
- Tuncel, N. B., Yilmaz, N., Kocabyk, H., & Uygur, A. (2014). The effect of infrared stabilized rice bran substitution on physicochemical and sensory properties of pan breads: Part I. *Journal of Cereal Science*, 59(2), 155-161.
- U.S. Department of Agriculture. (2012). *Grain: World Market and Trade, United States Department of America*. Retrieved March 25, 2012, from www.irri.org/science/ricestate/index.asp
- Viebke, C., Al-Assaf, S., & Phillips, G. O. (2014). Food hydrocolloids and health claims. *Bioactive Carbohydrates and Dietary Fibre*, 4(2), 101-114.
- Wang-Li, L., Cao, Z., Buser, M., Whitelock, D., Parnell, C. B., & Zhang, Y. (2013). Techniques for measuring particle size distribution of particulate matter emitted from animal feeding operations. *Atmospheric Environment*, 66(0), 25-32.
- Wang, M., Hettiarachchy, N. S., Qi, M., Burks, W., & Siebenmorgen, T. (1999). Preparation and functional properties of rice bran protein isolate. *Journal of Agricultural and Food Chemistry*, 47(2), 411-416.
- Wang, Y. C., Yu, R. C., & Chou, C. C., (2006). Antioxidative activities of soymilk fermented with lactic acid bacteria and bifidobacteria. *Food Microbiology*, 23, 128-135.

- Wanyo, P., Meeso, N., & Siriamornpun, S. (2014). Effects of different treatments on the antioxidant properties and phenolic compounds of rice bran and rice husk. *Food Chemistry*, *157*(0), 457-463.
- Watchararujji, K., Goto, M., Sasaki, M., & Shotipruk, A. (2008). Value-added subcritical water hydrolysate from rice bran and soybean meal. *Bioresource Technology*, *99*(14), 6207-6213.
- Wu, J., Du, B., Li, J., & Zhang, H. (2014). Influence of homogenisation and the degradation of stabilizer on the stability of acidified milk drinks stabilized by carboxymethylcellulose. *LWT - Food Science and Technology*, *56*(2), 370-376.
- Xu, B., & Chang, S. K. C. (2011). Reduction of antiproliferative capacities, cell-based antioxidant capacities and phytochemical contents of common beans and soybeans upon thermal processing. *Food Chemistry*, *129*(3), 974-981.
- Yadav, M. P., Johnston, D. B., & Hicks, K. B. (2009). Corn fiber gum: New structure/function relationships for this potential beverage flavor stabilizer. *Food Hydrocolloids*, *23*(6), 1488-1493.
- You, S., & Izydorczyk, M. S. (2007). Comparison of the physicochemical properties of barley starches after partial α -amylolysis and acid/alcohol hydrolysis. *Carbohydrate Polymers*, *69*(3), 489-502.
- Yu, J., Ahmedna, M., & Goktepe, I. (2007). Peanut protein concentrate: Production and functional properties as affected by processing. *Food Chemistry*, *103*(1), 121-129.
- Yu, L. J., Ngadi, M., & Raghavan, G. S. V. (2009). Effect of temperature and pulsed electric field treatment on rennet coagulation properties of milk. *Journal of Food Engineering* *95*(1), 115-118.