

LIST OF FIGURES

FIGURE	PAGE
3.1 The 3D image of CeO ₂ molecule	8
3.2 Proposed structure of CEAs	11
3.3 Proposed pileup state for CEAs	12
3.4a The state when CEAs were being poured into water	13
3.4b The state 3 s after CEAs were poured into water	13
3.5a The state when W/O emulsion was being poured into water	14
3.5b The state 3 s after W/O emulsion was poured into water	14
3.6a Dispersion state of CEAs in water with weak stirring	14
3.6b The state of W/O emulsion in water with weak stirring	14
3.7 IUPAC classification of physisorption isotherm	19
3.8 IUPAC classification of hysteresis loops	20
4.1 The chemical structure of all surfactants	27
4.2 The schematic procedure of reversed micelle method	29
4.3 The schematic procedure of emulsion liquid membrane	30
4.4 The schematic procedure of colloidal emulsion aphrons	31
4.5 XRD patterns of CeO ₂ prepared by (a) RM, (b) ELM, and (c) CEAs	35
4.6 TEM micrograph of CeO ₂ prepared by (a) RM, (b) ELM, and (c) CEAs	36
4.7 The emulsion droplet size distribution prepared by different methods	38

4.8	Adsorption-desorption isotherms of CeO ₂ prepared by different methods	38
4.9	Thermal analysis of synthesized powders prepared by different methods	39
4.10	XRD patterns of CeO ₂ prepared by CEAs using different cerium sources	41
4.11	TEM micrographs of CeO ₂ prepared by CEAs method using different cerium sources (a) NH ₄) ₂ Ce(NO ₃) ₆ , (b) Ce(NO ₃) ₃ ·6H ₂ O, and (c) CeCl ₃ ·7H ₂ O.	42
4.12	XRD patterns of CeO ₂ prepared by CEAs using different surfactants	43
4.13	TEM micrographs of CeO ₂ prepared by CEAs method using different surfactants (a) PE4LE, (b) Brij96V, (c) Brij52, (d) AOT, and (e) CTAB	45
4.14	XRD patterns of CeO ₂ prepared by CEAs method at different calcination temperature	47
4.15	TEM micrograph of CeO ₂ prepared by CEAs method at different calcinations temperature (a) 500°C, (b) 600°C and (c) 800°C	48
4.16	XRD patterns of CeO ₂ prepared by CEAs method at different water content	49
5.1	XRD patterns of synthesized particle prepared by different methods	55

5.2	EDX mapping images of Ni dispersed on CeO ₂ support prepared by different methods (a) Method I, (b) Method II, and (c) Method III	56
5.3	Temperature programmed reduction (TPR) of CeO ₂ and Ni/CeO ₂ prepared by different methods (a) CeO ₂ , (b) Ni/CeO ₂ -I, (c) Ni/CeO ₂ -II, and (d) Ni/CeO ₂ -III	57
5.4	XRD patterns of all catalysts prepared by CEAs method	61
5.5	N ₂ adsorption/desorption isotherm for CeO ₂ prepared by CEAs	63
5.6	N ₂ adsorption/desorption isotherm for CeO ₂ -ZrO ₂ prepared by CEAs	63
5.7	N ₂ adsorption/desorption isotherm for Ni/CeO ₂ prepared by CEAs	64
5.8	N ₂ adsorption/desorption isotherm for Ni/CeO ₂ -ZrO ₂ prepared by CEAs	64
5.9	Pore size distribution of CeO ₂ prepared by CEAs	65
5.10	Pore size distribution of CeO ₂ -ZrO ₂ prepared by CEAs	66
5.11	Pore size distribution of Ni/CeO ₂ prepared by CEAs	66
5.12	Pore size distribution of Ni/CeO ₂ -ZrO ₂ prepared by CEAs	67
5.13	Temperature programmed reduction (TPR) of all catalysts	68
5.14	TEM micrograph of catalysts before reaction (a) Ni/CeO ₂ , (b) CeO ₂ -ZrO ₂ , and (c) Ni/CeO ₂ -ZrO ₂	69
A.1	The size distribution of CeO ₂ prepared by different methods	85
A.2	The size distribution of CeO ₂ prepared by different cerium sources	87
A.3	The size distribution of CeO ₂ prepared by different surfactants	89

A.4	The size distribution of CeO ₂ prepared by different calcinations temperature	92
-----	--	----