

REFERENCES

- [1] Li, M., Liu, Z. and Li, H., 2007, "Effects of the synthesis methods on the physicochemical properties of cerium dioxide powder", **Colloids and Surface A: Physicochemical and Engineering Aspects**, Vol. 301, pp. 153-157.
- [2] Li, Y.X., Zhou, X.Z., Wang, Y. and You, X.Z., 2003, "Preparation of nano-sized CeO₂ by mechanochemical reaction of cerium carbonate with sodium hydroxide", **Material Letters**, Vol. 58, pp. 245-249.
- [3] Laosiripojana, N., Chadwick, D. and Assabumrungrat, S., 2008, "Effect of high surface area CeO₂ and Ce-ZrO₂ supports over Ni catalyst on CH₄ reforming with H₂O in the presence of O₂, H₂, and CO₂", **Chemical Engineering Journal**, vol. 138, pp. 264-273.
- [4] Trovarelli, A., 2002, **Catalysis by Ceria and Related Materials**, Imperial College Press., London, pp. 51-83.
- [5] Zhang, J., Ju, X., Wu, Z.Y., Liu, T., Hu, T.D. and Xie, Y.N., 2001, "Structural characteristics of cerium oxide nanocrystals prepared by the microemulsion method", **Chemical Materials**, vol. 13, pp. 4192-4197.
- [6] He, Y., Yang, B. and Cheng, G., 2003, "Controlled synthesis of CeO₂ nanoparticles from the coupling route of homogenous precipitation with microemulsion", **Materials Letters**, vol. 57, pp. 1880-1884.
- [7] Chen, H.-I. and Chang, H.-Y., 2004, "Homogeneous precipitation of cerium dioxide nanoparticles in alcohol/water mixed solvents", **Colloids and Surfaces A: Physicochemical and Engineering Aspects**, vol. 242, pp. 61-69.
- [8] Andreescu, D., Matijević, E. and Goia, D.V., 2006, "Formation of uniform colloidal ceria in polyol", **Colloids and Surfaces A: Physicochemical and Engineering Aspects**, vol. 291, pp. 93-100.

- [9] Zhou, F., Ni, X., Zhang, Y. and Zheng, H., 2007, "Size-controlled synthesis and electrochemical characterization of spherical CeO₂ crystallites", **Journal of Colloid and Interface Science**, vol. 307, pp. 135-138.
- [10] Phonthammachai, N., Rumruangwong, M., Gulari, E., Jamieson, A.M., Jitkarnka, S. and Wongkasemjit., 2004, "Synthesis and rheological properties of mesoporous nanocrystalline CeO₂ via sol-gel process", **Colloids and Surfaces A: Physicochemical and Engineering Aspects**, vol. 247, pp. 61-68.
- [11] Rebellato, J., Natile, M.M. and Glisenti, A., 2008, "Influence of the synthesis procedure on the properties and reactivity of nanostructured ceria powders" **Applied Catalysis A: General**, vol. 339, pp. 108-120.
- [12] Bumajdad, A., Zaki, M.I., Eastoe, J. and Pasupulety, L., 2006, "Characterization of *nano*-cerias synthesized in microemulsions by N₂ sorptiometry and electron microscopy", **Journal of Colloid and Interface Science**, vol. 302, pp. 501-508.
- [13] Trovarelli, A., Zamar, F., Llorca, J., Leitenburg, C., Dolcetti, G. And Kiss, J.T., 1997, "Nanophase fluorite-structured CeO₂-ZrO₂ catalysts prepared by high-energy mechanical milling analysis of low-temperature redox activity and oxygen storage capacity", **Journal of Catalysis**, vol. 169, pp. 490-502.
- [14] Roh, H.-S., Potdar, H.S. and Jun, K.-W., 2004, "Carbon dioxide reforming of methane over co-precipitated Ni-CeO₂, Ni-ZrO₂ and Ni-Ce-ZrO₂ catalysts", **Catalysis Today**, vol.93-95, pp. 39-44.
- [15] Dong, W.-S., Roh, H.-S., Jun, K.-W., Park, S.-E. and Oh, Y.-S., 2002, "Methane reforming over Ni/Ce-ZrO₂ catalysts: effect of nickel content", **Applied Catalysis A: General**, vol. 226, pp. 63-72.
- [16] Srinivas, D., Satyanarayana, C.V.V., Potdar, H.S. and Ratnasamy, P., 2003, "Structural studies on NiO-CeO₂-ZrO₂ catalysts for steam reforming of ethanol", **Applied Catalysis A: General**, vol. 246, pp. 323-334.

- [17] Laosiripojana, N. and Assabumrungrat, S., 2005, "Methane steam reforming over Ni/Ce–ZrO₂ catalyst: Influences of Ce–ZrO₂ support on reactivity, resistance toward carbon formation, and intrinsic reaction kinetics", **Applied Catalysis A: General**, vol. 290, pp. 200-211.
- [18] Montoya, J.A., Romero-Pascual, E., Gimonc, C. Angel, P.D. and Monzónb, A., 2000, "Methane reforming with CO₂ over Ni/ZrO₂–CeO₂ catalysts prepared by sol–gel", **Catalysis Today**, vol.63, pp. 71-85.
- [19] Palikanon, T., Laosiripojana, N., Assabumrungrat, S. and Charojrockul, S., 2006, "Hydrogen production from methane steam reforming over Ni On high surface area CeO₂ and CeO₂-ZrO₂ supports synthesized by surfactant-assisted method", **Songklanakarin Journal Science Technology**, vol. 28, pp. 1237-1249.
- [20] Lee, A.L., Zabransky, R.F. and Huber, W.J., 1990, "Internal reforming development for solid oxide fuel cells", **Industrial Engineering and Chemical Research**, vol. 29, pp. 766-773.
- [21] Shan, W., Luo, M., Ying, P., Shen, W. and Li, C., 2003, "Reduction property and catalytic activity of Ce_{1-x}Ni_xO₂ mixed oxide catalysts for CH₄ oxidation", **Applied Catalysis A: General**, vol. 246, pp. 1-9.
- [22] Roh, H.-S, Jun, K.-W, Dong, W.-S., Chang, J.-S, Park, S.-E. and Joe, Y.-I., 2002, "Highly active and stable Ni/Ce–ZrO₂ catalyst for H₂ production from methane", **Journal of Molecular Catalysis A: Chemical**, vol. 181, pp. 137-142.
- [23] Sebba, F., 1987, **Foams and Biliquid Foams-Aphrons**, Jonh Wiley & Sons Ltd., London, pp. 63-82.
- [24] Deng, M., Dai, T., and Wang, J., 2005, "A new kind of dispersion-colloidal emulsion aphrons", **Colloids and Surfaces A: Physicochemical and Engineering Aspects**, vol. 266, pp. 97-103.

- [25] Eriksson, S. Nylen, U., Rojas, S. and Boutonnet, M., 2004, "Preparation of catalysts from microemulsions and their applications in heterogeneous catalysis", **Applied catalysis A: General**, vol. 265, pp. 207-219.
- [26] Ben, M., **Ceria-3D-ionic** [Online], Available: <http://en.wikipedia.org/wiki/File:Ceria-3D-ionic.png> [2010, February 22].
- [27] Deshpande, S., **Cerium (IV) oxide** [Online], Available : [http://en.wikipedia.org/wiki/Cerium\(IV\)_oxide](http://en.wikipedia.org/wiki/Cerium(IV)_oxide) [2010, February 22].
- [28] Dai, Y., Deng, T., Jia, S., Jin, L. and Lu, F., 2006, "Preparation and characterization of fine silver powder with colloidal emulsion aphrons", **Journal of Membrane Science**, vol. 281, pp. 685-692.
- [29] Lisiecki, I. and Pileni, M. P., 1993, "Synthesis of copper metallic clusters using reverse micelles as microreactors", **Journal of American Chemical Society**, vol. 115, pp. 3887-3896.
- [30] Qiu, S., Dong, J. and Chen, G., 2000, "Synthesis of CeF₃ nanoparticles from water-in-oil microemulsions", **Powder Technology**, vol. 113, pp. 9-13.
- [31] Chen, D. H. and Wu, S. H., 2000, "Synthesis of Nickel nanoparticles in water-in-oil microemulsions", **Chemical Materials**, vol. 12, pp. 1354-1360.
- [32] Bagwe, R.P. and Knilar, K. C., 1997, "Effect of the intermicellar exchange rate and cations on the size of silver chloride nanoparticles formed in the reverse micelles of AOT", **Langmuir**, vol. 13, pp.6432-6438.
- [33] Kishida, M., Hanaoka, T., Kim, W. Y., Nagata, H. and Wakabayashi, K., 1997, "Size control of rhodium particles of silica-supported catalysts using water-in-oil microemulsion", **Applied Surface Science**, vol. 121/122, pp. 347-350.
- [34] Lee, M. S., Park, S. S., Lee, G. D., Ju, C. and Hong, S. S., 2005, "Synthesis of TiO₂ particles by reverse microemulsion method using nonionic surfactants with

different hydrophilic and hydrophobic group and their photocatalytic activity”, **Catalysis Today**, vol. 101, pp. 283-290.

- [35] Sa-a, S., 2009, **The study of preparation of nano-sized CeO₂ by microemulsion method**, Master of Engineering Thesis, Chemical Engineering Department, Faculty of Engineering, Kasetsart University, pp. 60-82.
- [36] Gregg, S.J. and Sing, K.S.W., 1982, **Adsorption, Surface Area and Porosity**, 2nd edition, Academic Press, London, pp. 35-69.
- [37] Brunauer, S., Emmett, P.H. and Teller, E., 1938, “Adsorption of gases in multimolecular layers”, **Journal of American Chemistry Society**, vol. 60, pp. 309-319.
- [38] Halsey, G., 1948, “Physical adsorption on non-uniform surfaces”, **The Journal of Chemical Physics**, vol. 16, pp. 931-937.
- [39] Sing, K.S.W., Everett, D.H., Hual, R.A.W., Moscou, L., Pierotti, R.A., Rouquerol, J. and Siemieniewska, T., 1985, “Reporting physisorption data for gas/solid systems with special reference to the determination of surface area and porosity (Recommendations 1984)”, **Pure and Applied Chemistry**, vol. 57, pp. 603-619.
- [40] Mattos, L.V., Radino, E., Resasco, D.E., Passos, F.B. and Noronha, F.B., 2003, “Partial oxidation and CO₂ reforming of methane on Pt/Al₂O₃, Pt/ZrO₂, and Pt/Ce–ZrO₂ catalysts”, **Fuel Processing Technology**, vol. 83, pp. 147-161.
- [41] Roh, H.-S., Jun, K.-W., Dong, W.-S., Chang, J.-S., Park, S.-E. and Joe, Y.-I., 2003, “Methane-reforming reactions over Ni/Ce-ZrO₂/θ-Al₂O₃ catalysts”, **Applied Catalysis A: General**, vol. 251, pp. 275-273.
- [42] Wang, X. and Gorte, R.J., 2002, “A study of steam reforming of hydrocarbon fuels on Pd/ceria”, **Applied Catalysis A: General**, vol. 224, pp. 209-218.

- [43] Takeguchi, T., Furukawa, S.-N. and Inoue, M., 2001, "Hydrogen Spillover from NiO to the Large Surface Area CeO₂–ZrO₂ Solid Solutions and Activity of the NiO/CeO₂–ZrO₂ Catalysts for Partial Oxidation of Methane", **Journal of Catalysis**, vol. 202, pp. 14-24.
- [44] Sfeir, J., Buffat, P.A., Mockli, P., Xanthopoulos, N., Vasquez, R., Mathieu, H.J., Van herle, J. and Thampi, K.R., 2001, "Lanthanum Chromite Based Catalysts for Oxidation of Methane Directly on SOFC Anodes", **Journal of Catalysis**, vol. 202, pp. 209-244.
- [45] Ramirez-Cabrera, E., Atkinson, A. and Chadwick, D., 2004, "Catalytic steam reforming of methane over Ce_{0.9}Gd_{0.1}O_{2-x}", **Applied Catalysis B: Environmental**, vol. 47, pp. 127-131.
- [46] Dicks, A.L., Pointon, K.D. and Siddle, A., 2000, "Intrinsic reaction kinetics of methane steam reforming on a nickel/zirconia anode", **Journal of Power Sources**, vol. 86, pp. 523-530.
- [47] Aguiar, P., Chadwick, D. and Kershenbaum, L., 2004, "Effect of methane slippage on an indirect internal reforming solid oxide fuel cell", **Chemical Engineering Science**, vol. 59, pp.87-97.
- [48] Laosiripojana, N. and Assabamrungrat, S., 2006, "Catalytic steam reforming of ethanol over high surface area CeO₂: The role of CeO₂ as an internal pre-reforming catalyst", **Applied Catalysis B: Environmental**, vol. 66, pp. 29-39.
- [49] Hadi, A. and Yaacob, I.I., 2007, "Novel synthesis of nano crystalline CeO₂ by mechanochemical and water-in-oil microemulsion methods", **Materials Letters**, vol. 61, pp. 93-96.
- [50] Sujana, M.G., Chattopadhyay, K.K. and Anand, S., 2008, "Characterization and optical properties of nano-ceria synthesized by surfactant-mediated precipitation technique in mixed solvent system", **Applied Surface Science**, vol. 254, pp. 7405-7409.

- [51] Suryanarayana, C. and Norton, M. G., 1998, **X-ray Diffraction A Practical**, Plenum Pres, New York, pp. 21-62.
- [52] Roson, M. J., 2004, **Surfactants and Interfacial Phenomena**, 3rd edition, Wiley-Interscience, New York, pp. 691-694.
- [53] Kimijima, K. and Sugimoto, T., 2005, "Effects of the water content on the growth rate of AgCl nanoparticles in a reversed micelle system", **Journal of Colloid and Interface Science**, vol. 286, pp. 520-525.
- [54] Laosiripojana, N. and Assabumrungrat, S., 2005, "Catalytic dry reforming of methane over high surface area ceria", **Applied Catalysis B: Environmental**, vol. 60, pp. 107-116.
- [55] Li, Y., Zhang, B., Tang, X., Xu, Y. and Shen, W., 2006, "Hydrogen production from methane decomposition over Ni/CeO₂ catalysts", **Catalysis Communications**, vol. 7, pp. 380-386.
- [56] Tomishige, K., Kimura, T., Nishikawa, J., Miyazawa, T. and Kunimori, K., 2007, "Promoting effect of the interaction between Ni and CeO₂ on steam gasification of biomass", **Catalysis Communications**, vol. 8, pp. 1074-1079.
- [57] Xu, S., Yan, X. and Wang, X. 2006, "Catalytic performance of NiO-CeO₂ for the reforming of methane with CO₂ and O₂", **Fuel**, vol.85, pp. 2243-2247.
- [58] Zhang, Y., Wang, Z., Zhou, J., Liu, J. and Cen, K. 2009, "Experimental study of Ni/CeO₂ catalytic properties and performance for hydrogen production in sulfur-iodine cycle", **International Journal of Hydrogen Energy**, vol.34, pp. 5637-5644.
- [59] Laosiripojana, N. and Assabumrungrat, S., 2006, "The effect of specific surface area on the activity of nano-scale ceria catalysts for methanol decomposition with and without steam at SOFC operating temperatures", **Chemical Engineering Science**, vol. 61, pp. 2540-2549.

- [60] Ozawa, M., Kimura, M. and Isogai, A., 1993, "The application of Ce—Zr oxide solid solution to oxygen storage promoters in automotive catalysts", **Journal of Alloy and Compounds**, vol. 193, pp. 73-75.
- [61] Rao, G. R., Fomasiero, P., Monte, R. D., Kaspar, J., Vlaic, G., Balducci, G., Meriani, S., Gubitosa, G., Cremona, A. and Graziani, M., 1996, "Reduction of NO over partially reduced metal-loaded CeO₂-ZrO₂ solid solutions", **Journal of Catalysis**, vol. 162, pp. 1-9.
- [62] Terribile, D., Trovarelli, A., Llorca, J., Leitenburg, C. and Dolcetti, G., 1998, "The preparation of high surface area CeO₂-ZrO₂ mixed oxides by a surfactant-assisted approach", **Catalysis Today**, vol. 43, pp. 79-88.
- [63] Fomasiero, P., G., Balducci, Monte, R. D., Kaspar, J., Sergo, V., Gubitosa, G., Ferrero, A. and Graziani, M., 1996, "Modification of the redox behavior of CeO₂ induced by structural doping with ZrO₂", **Journal of Catalysis**, vol. 164, pp. 173-186.
- [64] Víctor, M, Delacruz, G., Ternero, F., Pereñíguez, R., Caballero, A. and Holgado, J.P., 2010, "Study of nanostructured Ni/CeO₂ catalysts prepared by combustion synthesis in dry reforming of methane", **Applied Catalysis A: General**, vol. 384, pp. 1-9.
- [65] Djuričić, B. and Pickering, S., 1999, "Nanostructured cerium oxide: Preparation and properties of weakly-agglomerated powders", **Journal of Europe Ceramic Society**, vol. 19, pp. 1925-1934.