

REFERENCES

- Akashi, T., Sasaki, K., Aoki, T., Ayabe, S., and Yazaki, K. (2009). Molecular cloning and characterization of a cDNA for pterocarpan 4-dimethylallyltransferase catalyzing the key prenylation step in the biosynthesis of glyceollin, a soybean phytoalexin. **Plant Physiol.**, **149**, 683-693.
- Angelova, Z., Georgier, S., and Roos, W. (2006). Elicitation of plants. **Biotechnol Biotechnol Equip.**, **20**(2), 72-83.
- Boonsongcheep, P., Korsangruan, S., Soonthornchareonnon, N., Chintapakorn, Y., Saralamp, P., and Prathanturarug, S. (2010). Growth and isoflavonoid accumulation of *Pueraria candollei* var. *candollei* and *P. candollei* var. *mirifica* cell suspension cultures. **Plant Cell, Tiss and Organ Cult.**, **101**, 119-126.
- Bounds, D.G. and Pope, G.S. (1960). Light-absorption and chemical properties of miroestrol, the oestrogenic substance of *Pueraria mirifica*. **J. Chem. Soc.**, **39**, 3696-3705.
- Cain, J.C. (1960). Miroestrol: an oestrogen from the plant *Pueraria mirifica*. **Nature.**, **188**, 774-777.
- Chandeying, V. and Sangthawan, M. (2007). Efficacy comparison of *Pueraria mirifica* (PM) against conjugated equine estrogen (CEE) with/without medroxyprogesterone acetate (MPA) in the treatment of climacteric symptoms in perimenopausal women: phase III study. **J Med Assoc Thai.**, **90**(9), 1720-1726.
- Chansakaow, S., Ishikawa, T., and Seki, H. (2000a). Identification of deoxyiroestrol as actual rejuvenating principle of “Kwao Keur” *Pueraria mirifica* the known miroestrol may be an artifact. **J Nat Prod.**, **63**(2), 173-175.
- Chansakaow, S., Ishikawa, T., Sekine, K., Okada, M., Higuchi, Y., Kudo, M., and Chaichantipyuth, C. (2000b). Isoflavonoids from *Pueraria mirifica* and their estrogenic activity. **Planta Med.**, **66**, 572-575.

- Cherdshewasart, W., Kitsamai, Y., and Malaivijitnond, S. (2007a). Evaluation of the estrogenic activity of the wild *Pueraria mirifica* by vaginal cornification assay. **J. Rep Dev.**, **53**(2), 385-393.
- Cherdshewasart, W., Subtang, S. and Dahlan, W. (2007b). Major isoflavonoid contents of the phytoestrogen rich-herb *Pueraria mirifica* in comparison with *Pueraria lobata*. **J. Pharm. Biomed. Anal.**, **43**(2), 428-434.
- Cherdshewasart, W. and Sutjit, W. (2008). Correlation of antioxidant activity and major isoflavonoid contents of the phytoestrogen-rich *Pueraria mirifica* and *Pueraria lobata* tubers. **Phytomed.**, **5**(1-2), 38-43.
- Cherdshewasart, W., Traisup, V., and Picha, P. (2008). Determination of the estrogenic activity of wild phytoestrogen-rich *Pueraria mirifica* by MCF-7 proliferation assay. **J. Rep Dev.**, **54**(1), 63-67.
- Cristiane, P., Ricard, M., and Celso, Luiz S. (2009). Production of rutin and kaempferol-3-O-glucuronide by tissue cultures of *Alpinia purpurata* (Vieill). **K. Schum. Lat. Am. J. Pharm.**, **28** (4), 613-6.
- Davis, S.R., Murkies, A.L., and Wilcox, G. (1998). Phytoestrogen in clinical practice. **Int Med.**, **1**(1): 27-34.
- Deus-Neumann, B., and Zenk, M.H. (1984). Instability of indole alkaloid production in *Catharanthus roseus* cell suspension cultures. **Planta Med.**, **50**, 427-431.
- Dewick, P.M. (2009). **Medicinal natural products: a biosynthetic approach**. UK: Wiley.
- Dhaubhadel, S. (2011). Regulation of isoflavonoid biosynthesis in soybean seeds. In: Tzi-Bun, N.g., ed. **Soybean Biochemistry, Chemistry and Physiology**.
- Evans, D.A., Sharp, W.R., and Flick, C.E. (1981). Growth and behavior of cell cultures: embryogenesis and organogenesis. In: Thorpe, T. A., ed. **Plant cell culture: methods and applications in agriculture**. (pp. 45-113). New York: Academic Press.
- Gagne', S., Cluzet, S., Me'rillon, J., and Ge'ny, L. (2010). ABA Initiates anthocyanin production in grape cell cultures. **J. Plant Growth Regul.**, **30**, 1-10.
- Hosoyama, H., Kuwahata, R., and Suga, M. (2007). Menopausal disorder or skin aging preventing agents and food containing *Pueraria mirifica* and soybean isoflavones. **Jpn, Kokai Tokkyo Koho.**, **7**.

- Hoyodom, M. (1971). **Constituents of the tuberous roots of *Pueraria mirifica***.
Master thesis in Science, Chulalongkorn University.
- Ingham, J. L., Tahara, S., and Dziedzie, Z. (1986). A chemical investigation of
Pueraria mirifica roots. **Z. Naturforsch. C.**, **41**, 403-408.
- Ingham, J. L., Tahara, S., and Dziedzie, S. Z. (1988). Coumestans from the roots of
Pueraria mirifica. **Z. Naturforsch. C.**, **43c**, 5-10.
- Ingham, J. L., Tahara, S., and Dziedzie, Z. (1989). Minor isoflavones from the roots
of *Pueraria mirifica*. **Z. Naturforsch. C.**, **44**(9/10), 724-726.
- Inthima, P. and Supaibulwatana, K. (2009). Elicitation enhanced artemisinin
production in hairy root cultures of *Artemisia annua* L. **Agricultural Sci. J.**, **40**,
1(Suppl.): 341-344.
- Jaroenporn, S., Malaivijitnond, S., Wattanasirmit, K., Trisomboon, H., Watanabe,
G., Taya, K., and Cherdshewasart, W. (2006). Effects of *Pueraria mirifica*, an
herb containing phytoestrogens, on reproductive organs and fertility of adult
male mice. **Endocrine.**, **30**(1), 93-101.
- Jones, H.E.H. and Pope, G.S. (1960). A study of the action of miroestrol and other
oestrogens on the reproductive tract of the immature female mouse.
J. Endocrin., **20**, 229-235.
- Jones, H.E.H. and Pope, G.S. (1961). A method for the isolation of miroestrol from
Pueraria mirifica. **J. Endocrin.**, **22**, 303-312.
- Jones, H.E.H., Waynforth, H.B., and Pope, G.S. (1961). The effect of miroestrol on
vaginal cornification, pituitary function and pregnancy in the rat. **J. Endocrin.**,
22, 293-302.
- Kerr, A. (1932). A reputed rejuvenator. **J Siam Soc. (Natural History Suppl.)**, **8**,
336-338.
- Khitkal, B., Kupittayanant, S., Rangriwatananon, K., and Manakasema, Y. (2009).
Antioxidant properties of puerarin and genistein from White Kwao Krua
induced by elicitors and their antihyperglycemic effect on rats. **Suranaree J.**
Sci. Technol., **17**(1), 27-37.

- Korsangruang, S., Soonthornchareonnon, N., Chintapakorn, Y., Saralamp, P., and Prathanururung, S. (2010). Effects of abiotic and biotic elicitors on growth and isoflavonoid accumulation in *Pueraria candollei* var. *candollei* and *P. candollei* var. *mirifica* cell suspension culture. **Plant Cell, Tiss and Organ Cult.**, **103**, 333-342.
- Lacampagne, S., and Gagne', S., Ge'ny, L. (2010). Involvement of abscisic acid in controlling the proanthocyanidin biosynthesis pathway in grape skin: new elements regarding the regulation of tannin composition and leucoanthocyanidin reductase (LAR) and anthocyanidin reductase (ANR) activities and expression. **J. Plant Growth Regul.**, **29**, 81-90.
- Lamlertkittikul, S. and Chandeying, V. (2004). Efficacy and safety of *Pueraria mirifica* (Kwao Kruea Khao) for the treatment of vasomotor symptoms in perimenopausal women: Phase II Study. **J. Med. Assoc. Thai.**, **87**(1), 33-40.
- Malaivijitnond, S., Chansri, K., Kijkuokul, P., Urasopon, N., and Cherdshewasart, W. (2006). Using vaginal cytology to assess the estrogenic activity of phytoestrogen-rich herb. **J Ethnopharmacol.**, **107**(3), 354-360.
- Matsumura, A., Ghosh, A., Pope, G.S., and Darbre, P.D. (2005). Comparative study of oestrogenic properties of eight phytoestrogens in MCF7 human breast cancer cells. **J. Steroid Biochem. & Mol. Biol.**, **94**, 431-443.
- Muangman, V. and Cherdshewasart, W. (2001). Clinical trial of the phytoestrogen rich herb, *Pueraria mirifica* as a crude drug in the treatment of symptoms in menopausal women. **Siriraj Hosp Gaz.**, **53**, 300-309.
- Nagira, Y., Ikegami, K., Koshiha, T., and Ozeki, Y. (2006). Effect of ABA upon anthocyanin synthesis in regenerated torenia shoots. **J. Plant Res.**, **119**, 137-144.
- Ormking, C. (2546). **In vitro multiplication of white Kwao Keur (*Pueraria mirifica* airy shaw and suvatabandhu)**. Master thesis in Science, Graduate School, Institute of Technology Ladkrabang.

- Pongkitwitoon, B., Sakamoto, S., Tanaka, H., Tsuchihashi, R., Kinjo, J., Morimoto, S., and Putalun, W. (2010). Enzyme-linked immunosorbent assay for total isoflavonoids in *Pueraria candollei* using anti-puerarin and anti-daidzin polyclonal antibodies. **Planta Med.**, **76**, 831-836.
- Sawatsri, S., Yamkunthong, W., and Sidell, N. (2004). *Pueraria mirifica* initiative promotes the cellular mechanism of neuronal survival in neuron human neuroblastoma cells. **Neurobiol Aging.**, **25**(2), 414.
- Sasaki, K., Mito, K., Ohara, K., Yamamoto, H., and Yazaki, K. (2008). Cloning and characterization of naringenin 8-prenyltransferase, a flavonoid-specific prenyltransferase of *Sophora flavescens*. **Plant Physiol.**, **146**, 1075-1084.
- Sengupta, J., and Jha, S., Sen, S. (1988). Karyotype stability in long-term callus derived plants of *Crepis tectorum* L. **Biologia Plantarum (PRAHA)**, **30**(4), 247-251.
- Schwartz, S.H., L'eon-Kloosterziel, KM., Koornneef, M., and Zeevaart, JAD. (1997). Biochemical characterization of the *aba2* and *aba3* mutants in *Arabidopsis thaliana*. **Plant Physiol.**, **114**, 161-66.
- Smitinand, T. (2001). **Thai plant names revised**. Bangkok: Prachachon plubisher.
- Sucontphunt, A., Dimitrijevic, S.D., Nimmannit, U., De-Eknamkul, W., and Gracy, R.W. (2007). Antioxidant and neuroprotective activity of *Pueraria mirifica* extracts against glutamate toxicity in neuronal cells. **American Chemical Society 234th National Meeting**. Boston: MA.
- Sugimoto, E. and Yamaguchi, M. (2000). Stimulating effect of daidzein in osteoblastic MC3T3-E1 cells. **Biochem Pharmacol.**, **59**(5), 471-475.
- Sukhavachana, D. (1941). Oestrogenic principle of *Butea superba*. **J. Med. Assoc. Thailand.**, **24**, 92-94.
- Sun, L., Su, H., Zhu, and Y., Xu, M. (2011). Involvement of abscisic acid in ozone-induced puerarin production of *Pueraria thomsnii* Benth. suspension cell cultures. **Plant Cell Rep.** DOI 10.1007/s00299-011-1153-4.
- Suntara, A. (1931). **The Pamphlet of Kwao Krua**. Chiang Mai: Upatipong Press.
- Suwanvijitr, T., Kaewmuangmoon, J., Cherdshewasart, W., and Chanchao, C. (2010). Morphometric and genetic variation in *Pueraria mirifica* cultivars across Thailand. **Pak J Bot.**, **42**(1), 97-109.

- Taylor, I.B. (1991). Genetics of ABA synthesis. In Davies, W.J., and Jones, H.G., ed. **Abscisic Acid Physiology and Biochemistry**. (pp. 23-37). Oxford: Bios Sci.
- Taylor, M. (2003). Alternative to HRT: An evidence-based review. **Int J Fertil Menopausal Stud.**, **48**(2), 64-68.
- Thanonkeo, S. (2006). **Production of daidzien, genistein in callus, cell suspension and hairy root culture of *pueraria candollei* Wall. ex Benth. var. *mirifica***. Doctor of philosophy thesis in Biotechnology, Khon Kaen University.
- Thanonkeo, S. and Panichajakul, S. (2006). Production of isoflavones, daidzein and genistein in callus cultures of *Pueraria candollei* Wall. ex Benth. var. *mirifica*. **Songklanakarinn. J. Sci. Technol.**, **28** (Suppl.1), 45-53.
- Trisomboon, H., Malaivijitnond, S., Watanabe, G., and Taya, K. (2004a). Estrogenic effects of *Pueraria mirifica* on the menstrual cycle and hormone-related ovarian functions in cyclic female cynomolgus monkeys. **J Pharmacol Sci.**, **94**(1), 51-59.
- Trisomboon, H., Malaivijitnond, S., Suzuki, J., Hamada, Y., Watanabe, G., and Taya, K. (2004b). Long-term treatment effects of *Pueraria mirifica* phytoestrogens on parathyroid hormone and calcium levels in aged menopausal cynomolgus monkeys. **J. Rep Dev.**, **50**(6), 639-645.
- Trisomboon, H., Malaivijitnond, S., Watanabe, G., and Taya, K. (2005). Ovulation block by *Pueraria mirifica*: a study of its endocrinological effect in female monkeys. **Endocrine.**, **26**(1), 33-39.
- Trisomboon, H., Malaivijitnond, S., Watanabe, G., Cherdshewasart, W., and Taya, K. (2006a). The estrogenic effect of *Pueraria mirifica* on gonadotrophin levels in aged monkeys. **Endocrine.**, **29**(1), 129-134.
- Trisomboon, H., Malaivijitnond, S., Cherdshewasart, W., Watanabe, G., and Taya, K. (2006b). Effect of *Pueraria mirifica* on the sexual skin coloration of aged menopausal cynomolgus monkeys. **J. Rep Dev.**, **52**(4), 537-542.
- Trisomboon, H., Malaivijitnond, S., Cherdshewasart, W., Watanabe, G., and Taya, K. (2007a). Assessment of urinary gonadotropin and steroid hormone profiles of female cynomolgus monkeys after treatment with *Pueraria mirifica*. **J. Rep Dev.**, **53**(2), 395-403.

- Trisomboon, H., Malaivijitnond, S., Cherdshewasart, W., Watanabe, G., and Taya, K. (2007b). The influence of *Pueraria mirifica* herb containing phytoestrogens on the urinary gonadotropin and estradiol levels in aged menopausal monkeys. **Anim Sci J.**, **78**(4), 378-386.
- Udomsuk, L., Jarukamjorn, K., Tanaka, H., and Putalun, W. (2009a). Production of isoflavonoids in callus cultures of *Pueraria candollei* Wall. ex Benth. var. *mirifica*. **Zeitschrift fur Naturforschung Section C-A Journal of Biosciences.**, **64**(3-4), 239-243.
- Udomsuk, L., Jarukamjorn, K., Tanaka, H., and Putalun, W. (2009b). Isoflavonoid production in hairy roots culture of *Pueraria candollei*. **Zeitschrift fur Naturforschung Section C-A Journal of Biosciences.**, **64**(9-10), 687-691.
- Udomsuk, L., Jarukamjorn, K., and Putalun, W. (2010). Effect of thidiazuron (TDZ) on isoflavonoids production in callus cultures of *Pueraria candollei* var. *mirifica*. **the 1st Current Drug Development International Conference**.
- Udomsuk, L., Jarukamjorn, K., Tanaka, H., and Putalun, W. (2011a). Improved isoflavonoid production in *Pueraria candollei* hairy root cultures using elicitation. **Biotechnol Lett .**, **33**(2), 369-374.
- Udomsuk, L., Jarukamjorn, K., Putalun, W., Sakuma, T., Kawasaki, Y., and Nemoto, N. (2011b). Modified expression of aryl hydrocarbon receptor-related genes by deoxymiroestrol and miroestrol, a phytoestrogen, in mouse hepatocytes in primary culture. **J Ethnopharmacol.**, **137**(1), 902-908.
- Udomsuk, L., Juengwatanatrakul, T., Putalun, W., and Jarukamjorn, K. (2011c). Down regulation of gene related sex hormone synthesis pathway in mouse testis by miroestrol and deoxymiroestrol. **Fitoterapia.**, **82**, 1185-1189.
- Udomsuk, L., Juengwatanatrakul, T., Jarukamjorn, K., and Putalun, W. (2011d). Increased miroestrol, deoxymiroestrol and isoflavonoid accumulation in callus and cell suspension cultures of *Pueraria candollei* var. *mirifica*. **Acta Physiolog Plant.** DOI 10.1007/s11738-011-0906-6.
- Urasopon, N., Hamada, Y., Asaoka, K., Cherdshewasart, W., and Malaivijitnond, S. (2007). *Pueraria mirifica*, a phytoestrogen-rich herb, prevents bone loss in orchidectomized rats. **Maturitas.**, **56**(3), 322-331.

- Urasopon, N., Hamada, Y., Cherdshewasart, W., and Malaivijitnond, S. (2008). Preventive effects of *Pueraria mirifica* on bone loss in ovariectomized rats. **Maturitas.**, **59**(2), 137-148.
- Van der Maesen, L.J.G. (2002). *Pueraria*: botanical characteristics. In: Keung, W.M., ed. ***Pueraria: The genus Pueraria***. (pp. 1-28). London: Taylor & Francis.
- Vasil, I.K., and Thorpe, T.A., ed. (1994). **Plant cell and tissue culture**. Dordrecht: Kluwer Academic Publishers.
- Watanabe, S., Uesugi, S., and Kikuchi, Y. (2002). Isoflavones for prevention of cancer, cardiovascular diseases, gynecological problems and possible immune potentiation. **Biomed Pharmacother.**, **56**(6), 302-312.
- Wanandorn, P.W. (1933). A reputed rejuvenator. **J. Siam Soc. (Natural History Suppl.)**, **9**, 145-147.
- Wu, Q., Wang, M., and Simon, J.E. (2004). Analytical methods to determine phytoestrogenic compounds. **J Chromatogr B.**, **812**, 325-355.
- Wungsintaweekul, B. (2006). **Estrogenic-like compounds from some *pueraria candollei* varieties and cell culture**. Master thesis in Pharmacy (Pharmacognosy), Chulalongkorn University.
- Yamaguchi, M. and Gao, Y.H. (1998). Inhibitory effect of genistein on bone resorption in tissue culture. **Biochem. Pharmacol.**, **55**(1), 71-76.
- Yusakul, G., Putalun, W., Udomsin, O., Juengwatanatrakul, T., and Chaichantipyuth, C. (2011). Comparative analysis of the chemical constituents of two varieties of *Pueraria candollei*. **Fitoterapia.**, **82**(2), 203-207.
- Yu, O., and McGonigle, B. (2005). Metabolic engineering of isoflavone biosynthesis. **Adv Agr.**, **86**, 147-190.
- Zeevaart, J.A.D., and Creelman, R.A. (1988). Metabolism and physiology of abscisic acid. **Annu. Rev. Plant Physiol. Plant Mol.Biol.**, **39**, 439-73.