

## REFERENCES

1. Muangpaisan W, Hori H, Brayne C. Systematic review of the prevalence and incidence of Parkinson's disease in Asia. *J Epidemiol.* 2009;19(6):281-93.
2. Muangpaisan W, Mathews A, Hori H, Seidel D. A systematic review of the worldwide prevalence and incidence of Parkinson's disease. *J Med Assoc Thai.* 2011 Jun;94(6):749-55.
3. Doan JB, Melvin KG, Whishaw IQ, Suchowersky O. Bilateral impairments of skilled reach-to-eat in early Parkinson's disease patients presenting with unilateral or asymmetrical symptoms. *Behav Brain Res.* 2008 Dec 12;194(2):207-13.
4. Alberts JL, Saling M, Adler CH, Stelmach GE. Disruptions in the reach-to-grasp actions of Parkinson's patients. *Exp Brain Res.* 2000;134(3):353-62.
5. Campos-Sousa IS, Campos-Sousa RN, Ataide Jr L, Soares MM, Almeida KJ. Executive dysfunction and motor symptoms in Parkinson's disease. *Arq Neuropsiquiatr.* 2010 Apr;68(2):246-51.
6. Quinn L, Busse M, Dal Bello-Haas V. Management of upper extremity dysfunction in people with Parkinson disease and Huntington disease: Facilitating outcomes across the disease lifespan. *J Hand Ther.* 2012 Dec 8.
7. Wing AM, Haggard P, Flanagan JR. *Hand and brain: the neurophysiology and psychology of hand movements.* United Kingdom: Academic Press Limited; 1996.
8. Alberts JL, Saling M, Stelmach GE. Alterations in transport path differentially affect temporal and spatial movement parameters. *Exp Brain Res.* 2002;143(4):417-25.
9. van Vliet PM, Sheridan MR. Coordination between reaching and grasping in patients with hemiparesis and healthy subjects. *Arch Phys Med Rehabil.* 2007;88(10):1325-31.

10. Jeannerod M. The timing of natural prehension movements. *J Mot Behav.* 1984 Sep;16(3):235-54.
11. Leis BC, Rand MK, Van Gemmert AW, Longstaff MG, Lou JS, Stelmach GE. Movement precues in planning and execution of aiming movements in Parkinson's disease. *Exp Neurol.* 2005 Aug;194(2):393-409.
12. Gentilucci M, Negrotti A. The control of an action in Parkinson's disease. *Exp Brain Res.* 1999;129(2):269-77.
13. Fimm B, Bartl G, Zimmermann P, Wallesch CW. Different mechanisms underlying shifting set on external and internal cues in Parkinson's disease. *Brain Cogn.* 1994 Jul;25(2):287-304.
14. Bertram CP, Lemay M, Stelmach GE. The effect of Parkinson's disease on the control of multi-segmental coordination. *Brain Cogn.* 2005;57(1):16-20.
15. Maitra KK, Dasgupta AK. Incoordination of a sequential motor task in Parkinson's disease. *Occup Ther Int.* 2005;12(4):218-33.
16. Castiello U, Bennett KM, Bonfiglioli C, Peppard RF. The reach-to-grasp movement in Parkinson's disease before and after dopaminergic medication. *Neuropsychologia.* 2000;38(1):46-59.
17. Lu C, Bharmal A, Kiss ZH, Suchowersky O, Haffenden AM. Attention and reach-to-grasp movements in Parkinson's disease. *Exp Brain Res.* 2010;205(1):69-80.
18. Pieruccini-Faria F, Jones JA, Almeida QJ. Motor planning in Parkinson's disease patients experiencing freezing of gait: the influence of cognitive load when approaching obstacles. *Brain Cogn.* 2014 Jun;87:76-85.
19. Suri RE, Albani C, Glattfelder AH. Analysis of double-joint movements in controls and in parkinsonian patients. *Exp Brain Res.* 1998;118(2):243-50.
20. Tretriluxana J, Gordon J, Arbib MA, Fisher BE, Winstein CJ. Right hemispheric specialization of transport-grasp coordination after stroke: insight from a barrier paradigm. Submitted to *Neurorehab and Neural* (under revision). 2009.
21. Mazyn LIN, Montagne G, Savelsbergh GJP, Lenoir M. Reorganization of catching coordination under varying temporal constraints. *Motor control.* 2006;10:143-59.

22. Tretriluxana J, Kantak S, Tretriluxana S, Wu AD, Fisher BE. Low frequency repetitive transcranial magnetic stimulation to the non-lesioned hemisphere improves paretic arm reach-to-grasp performance after chronic stroke. *Disabil Rehabil Assist Technol*. 2013 Mar;8(2):121-4.
23. Runnarong N, Tretriluxana J, Hiengkaew V, Vachalathiti R. Reach-to-grasp coordination in the paretic limbs of individuals with stroke: insight from a barrier paradigm. *J Med Assoc Thai*. 2014;97 Suppl 7:S84-8.
24. Nieuwboer A, Rochester L, Muncks L, Swinnen SP. Motor learning in Parkinson's disease: limitations and potential for rehabilitation. *Parkinsonism Relat Disord*. 2009 Dec;15 Suppl 3:S53-8.
25. Kwakkel G, de Goede CJ, van Wegen EE. Impact of physical therapy for Parkinson's disease: a critical review of the literature. *Parkinsonism Relat Disord*. 2007;13 Suppl 3:S478-87.
26. Felix K, Gain K, Paiva E, Whitney K, Jenkins ME, Spaulding SJ. Upper Extremity Motor Learning among Individuals with Parkinson's Disease: A Meta-Analysis Evaluating Movement Time in Simple Tasks. *Parkinsons Dis*. 2012;2012:589152.
27. Messier J, Adamovich S, Jack D, Hening W, Sage J, Poizner H. Visuomotor learning in immersive 3D virtual reality in Parkinson's disease and in aging. *Experimental Brain Research*. 2007;179(3):457-74.
28. Behrman AL, Cauraugh JH, Light KE. Practice as an intervention to improve speeded motor performance and motor learning in Parkinson's disease. *Journal of the Neurological Sciences*. 2000;174(2):127-36.
29. Granados C, Wulf G. Enhancing motor learning through dyad practice: contributions of observation and dialogue. *Res Q Exerc Sport*. 2007 Jun;78(3):197-203.
30. Shea CH, Wulf G, Whitacre C. Enhancing Training Efficiency and Effectiveness Through the Use of Dyad Training. *J Mot Behav*. 1999 Jun;31(2):119-25.
31. Sugg K, Muller S, Winstein C, Hathorn D, Dempsey A. Does Action Observation Training With Immediate Physical Practice Improve Hemiparetic Upper-Limb Function in Chronic Stroke? *Neurorehabil Neural Repair*. 2015 Jan 22.

32. Tretriluxana J, Khacharoen S, Hiengkaew V, Prayoonwiwat N. Learning of the bimanual cup-stacking task in individuals with chronic stroke improved with dyad training protocol. *J Med Assoc Thai*. 2014 Jul;97 Suppl 7:S39-44.
33. Buccino G, Gatti R, Giusti MC, Negrotti A, Rossi A, Calzetti S, et al. Action observation treatment improves autonomy in daily activities in Parkinson's disease patients: results from a pilot study. *Mov Disord*. 2011 Aug 15;26(10):1963-4.
34. Pelosin E, Bove M, Ruggeri P, Avanzino L, Abbruzzese G. Reduction of bradykinesia of finger movements by a single session of action observation in Parkinson disease. *Neurorehabil Neural Repair*. 2013 Jul-Aug;27(6):552-60.
35. Buchanan JJ, Wright DL. Generalization of action knowledge following observational learning. *Acta Psychol (Amst)*. 2011 Jan;136(1):167-78.
36. Cattaneo L, Rizzolatti G. The Mirror Neuron System. *Arch Neurol*. 2009 May 1, 2009;66(5):557-60.
37. Zhang X, de Beukelaar TT, Possel J, Olaerts M, Swinnen SP, Woolley DG, et al. Movement observation improves early consolidation of motor memory. *J Neurosci*. 2011 Aug 10;31(32):11515-20.
38. Khacharoen S. Comparative effect of dyad and individual training of bimanual cup stacking on motor learning in individuals with stroke. Bangkok: Mahidol university; 2010.
39. Castiello U, Ansuini C, Bulgheroni M, Scaravilli T, Nicoletti R. Visuomotor priming effects in Parkinson's disease patients depend on the match between the observed and the executed action. *Neuropsychologia*. 2009;47(3):835-42.
40. Schettino LF, Rajaraman V, Jack D, Adamovich SV, Sage J, Poizner H. Deficits in the evolution of hand preshaping in Parkinson's disease. *Neuropsychologia*. 2004;42(1):82-94.
41. Rand MK, Smiley-Oyen AL, Shimansky YP, Bloedel JR, Stelmach GE. Control of aperture closure during reach-to-grasp movements in Parkinson's disease. *Exp Brain Res*. 2006;168(1-2):131-42.

42. Stefan K, Cohen LG, Duque J, Mazzocchio R, Celnik P, Sawaki L, et al. Formation of a motor memory by action observation. *J Neurosci*. 2005 Oct 12;25(41):9339-46.
43. McNevin NH, Wulf G, Carlson C. Effects of attentional focus, self-control, and dyad training on motor learning: implications for physical rehabilitation. *Phys Ther*. 2000 Apr;80(4):373-85.
44. Tia B, Mourey F, Ballay Y, Sirandre C, Pozzo T, Paizis C. Improvement of motor performance by observational training in elderly people. *Neurosci Lett*. 2010 Aug 16;480(2):138-42.
45. Classen J, Liepert J, Wise SP, Hallett M, Cohen LG. Rapid plasticity of human cortical movement representation induced by practice. *J Neurophysiol*. 1998 Feb;79(2):1117-23.
46. Cirillo J, Todd G, Semmler JG. Corticomotor excitability and plasticity following complex visuomotor training in young and old adults. *Eur J Neurosci*. 2011 Dec;34(11):1847-56.
47. Belopolsky AV, Olivers CN, Theeuwes J. To point a finger: attentional and motor consequences of observing pointing movements. *Acta Psychol (Amst)*. 2008 May;128(1):56-62.
48. Pineda JA. The functional significance of mu rhythms: translating "seeing" and "hearing" into "doing". *Brain Res Brain Res Rev*. 2005 Dec 1;50(1):57-68.
49. Le Bel RM, Pineda JA, Sharma A. Motor-auditory-visual integration: The role of the human mirror neuron system in communication and communication disorders. *J Commun Disord*. 2009 Jul-Aug;42(4):299-304.
50. Tretriluxana J, Gordon J, Fisher BE, Winstein CJ. Hemisphere specific impairments in reach-to-grasp control after stroke: effects of object size. *Neurorehabil Neural Repair*. 2009 Sep;23(7):679-91.
51. Factor SA, Weiner WJ. *Parkinson's Disease: Diagnosis and Clinical Management*. 2nd ed: Demos Medical Publishing; 2008.
52. McAuley JH. The physiological basis of clinical deficits in Parkinson's disease. *Progress in Neurobiology*. 2003;69(1):27-48.
53. Jankovic J. Parkinson's disease: clinical features and diagnosis. *Journal of Neurology, Neurosurgery & Psychiatry*. 2008 April 2008;79(4):368-76.

54. Siegel A. *Essential Neuroscience* 1st ed: Lippincott Williams & Wilkins; 2006.
55. Pahwa R, Lyons KE. *Handbook of Parkinson's Disease*. 4th ed. New York: Informa Healthcare USA, Inc.; 2007.
56. Okuma Y. Freezing of gait in Parkinson's disease. *J Neurol*. 2006 Dec;253 Suppl 7:VII27-32.
57. Sarbaz Y, Gharibzadeh S, Towhidkhal F. Pathophysiology of freezing of gait and some possible treatments for it. *Med Hypotheses*. 2012 Feb;78(2):258-61.
58. Rearick MP, Stelmach GE, Leis B, Santello M. Coordination and control of forces during multifingered grasping in Parkinson's disease. *Exp Neurol*. 2002 Oct;177(2):428-42.
59. Desmurget M, Grafton ST, Vindras P, Grea H, Turner RS. Basal ganglia network mediates the control of movement amplitude. *Exp Brain Res*. 2003 Nov;153(2):197-209.
60. Nowak DA, Hermsdorfer J. *Sensorimotor Control of Grasping: Physiology and Pathophysiology*. New York: Cambridge University Press; 2009.
61. Adamovich SV, Berkinblit MB, Hening W, Sage J, Poizner H. The interaction of visual and proprioceptive inputs in pointing to actual and remembered targets in Parkinson's disease. *Neuroscience*. 2001;104(4):1027-41.
62. Schettino LF, Adamovich SV, Hening W, Tunik E, Sage J, Poizner H. Hand preshaping in Parkinson's disease: effects of visual feedback and medication state. *Exp Brain Res*. 2006 Jan;168(1-2):186-202.
63. Kandel ER, Schwartz JH, Jessell TM. *Principles of Neural Science*. 4th ed. United States of America: McGraw-Hill; 2000.
64. Wichmann T, DeLong MR. Models of basal ganglia function and pathophysiology of movement disorders. *Neurosurg Clin N Am*. 1998 Apr;9(2):223-36.
65. Alexander GE, DeLong MR, Crutcher MD. Do cortical and basal ganglionic motor area use "motor programs" to control movement? *Behavioral and Brain Sciences*. 1992;15:656-65.
66. Tresilian JR, Stelmach GE. Common organization for unimanual and bimanual reach-to-grasp tasks. *Exp Brain Res*. 1997 Jun;115(2):283-99.
67. Clower DM, Dum RP, Strick PL. Basal Ganglia and Cerebellar Inputs to 'AIP'. *Cerebral Cortex*. 2005 July 2005;15(7):913-20.

68. Rizzolatti G, Camarda R, Fogassi L, Gentilucci M, Luppino G, Matelli M. Functional organization of inferior area 6 in the macaque monkey. II. Area F5 and the control of distal movements. *Exp Brain Res.* 1988;71(3):491-507.
69. Gordon AM, Ingvarsson PE, Forssberg H. Anticipatory control of manipulative forces in Parkinson's disease. *Exp Neurol.* 1997 Jun;145(2 Pt 1):477-88.
70. Molina-Vilaplana J, Contreras-Vidal JL, Herrero-Ezquerro MT, Lopez-Coronado J. A model for altered neural network dynamics related to prehension movements in Parkinson disease. *Biol Cybern.* 2009 Apr;100(4):271-87.
71. Galletti C, Kutz DF, Gamberini M, Breveglieri R, Fattori P. Role of the medial parieto-occipital cortex in the control of reaching and grasping movements. *Exp Brain Res.* 2003 Nov;153(2):158-70.
72. Goodale MA, Milner AD. Separate visual pathways for perception and action. *Trends Neurosci.* 1992 Jan;15(1):20-5.
73. Hesse C, Franz VH. Memory mechanisms in grasping. *Neuropsychologia.* 2009 May;47(6):1532-45.
74. Culham JC, Kanwisher NG. Neuroimaging of cognitive functions in human parietal cortex. *Curr Opin Neurobiol.* 2001 Apr;11(2):157-63.
75. Goodale MA, Westwood DA. An evolving view of duplex vision: separate but interacting cortical pathways for perception and action. *Curr Opin Neurobiol.* 2004 Apr;14(2):203-11.
76. Tretriluxana J. Hemispheric specialization of reach-to-grasp actions [dissertation]. Los Angeles, CA: University of Southern California; 2008.
77. Haggard P, Wing A. Coordination of hand aperture with the spatial path of hand transport. *Exp Brain Res.* 1998 Jan;118(2):286-92.
78. Paulignan Y, MacKenzie C, Marteniuk R, Jeannerod M. Selective perturbation of visual input during prehension movements. 1. The effects of changing object position. *Exp Brain Res.* 1991;83(3):502-12.
79. Pisella L, Grea H, Tilikete C, Vighetto A, Desmurget M, Rode G, et al. An 'automatic pilot' for the hand in human posterior parietal cortex: toward reinterpreting optic ataxia. *Nat Neurosci.* 2000 Jul;3(7):729-36.

80. Schindler I, Rice NJ, McIntosh RD, Rossetti Y, Vighetto A, Milner AD. Automatic avoidance of obstacles is a dorsal stream function: evidence from optic ataxia. *Nat Neurosci*. 2004 Jul;7(7):779-84.
81. Striemer CL, Chapman CS, Goodale MA. "Real-time" obstacle avoidance in the absence of primary visual cortex. *Proc Natl Acad Sci U S A*. 2009 Sep 15;106(37):15996-6001.
82. Martin JH, Ghez C. Differential impairments in reaching and grasping produced by local inactivation within the forelimb representation of the motor cortex in the cat. *Exp Brain Res*. 1993;94(3):429-43.
83. Brinkman C. Lesions in supplementary motor area interfere with a monkey's performance of a bimanual coordination task. *Neurosci Lett*. 1981 Dec 23;27(3):267-70.
84. Hamilton N, Weimar W, Luttgens K. *Kinesiology: Scientific Basis of Human Motion*. 11th ed. New York: McGraw-Hill companies, Inc.; 2008.
85. Auer T, Pinz A. The integration of optical and magnetic tracking for multi-user augmented reality. *Computers & Graphics*. 1999:805-8.
86. Kreighbaum E, Barthels KM. *Biomechanics: A Qualitative Approach for Studying Human Movement*. 4th ed. United states: Allyn & Bacon; 1996.
87. Frantz DD, Wiles AD, Leis SE, Kirsch SR. Accuracy assessment protocols for electromagnetic tracking systems. *Phys Med Biol*. 2003 Jul 21;48(14):2241-51.
88. Tretriluxana J, Gordon J, Winstein CJ. Manual asymmetries in grasp pre-shaping and transport-grasp coordination. *Exp Brain Res*. 2008;188(2):305-15.
89. Harris-Love ML, McCombe Waller S, Whittall J. Exploiting interlimb coupling to improve paretic arm reaching performance in people with chronic stroke. *Arch Phys Med Rehabil*. 2005 Nov;86(11):2131-7.
90. LaScalza S, Arico J, Hughes R. Effect of metal and sampling rate on accuracy of Flock of Birds electromagnetic tracking system. *J Biomech*. 2003 Jan;36(1):141-4.
91. Espay AJ, Beaton DE, Morgante F, Gunraj CA, Lang AE, Chen R. Impairments of speed and amplitude of movement in Parkinson's disease: a pilot study. *Mov Disord*. 2009 May 15;24(7):1001-8.

92. van Ruijven LJ, Beek M, Donker E, van Eijden TM. The accuracy of joint surface models constructed from data obtained with an electromagnetic tracking device. *J Biomech.* 2000 Aug;33(8):1023-8.
93. Milne AD, Chess DG, Johnson JA, King GJ. Accuracy of an electromagnetic tracking device: a study of the optimal range and metal interference. *J Biomech.* 1996 Jun;29(6):791-3.
94. Koerhuis CL, Winters JC, van der Helm FC, Hof AL. Neck mobility measurement by means of the 'Flock of Birds' electromagnetic tracking system. *Clin Biomech (Bristol, Avon).* 2003 Jan;18(1):14-8.
95. Assink N, Bergman GJ, Knoester B, Winters JC, Dijkstra PU. Assessment of the cervical range of motion over time, differences between results of the Flock of Birds and the EDI-320: a comparison between an electromagnetic tracking system and an electronic inclinometer. *Man Ther.* 2008 Oct;13(5):450-5.
96. Ghazisaedy M, Adamczyk D, Sandin DJ, Kenyon RV, DeFanti TA. Ultrasonic calibration of a magnetic tracker in a virtual reality space. *Proceedings of the Virtual Reality Annual International Symposium (VRAIS'95).* 836007: IEEE Computer Society; 1995. p. 179.
97. Ikits M, Brederson JD, Hansen CD, Hollerbach JM. An Improved Calibration Framework for Electromagnetic Tracking Devices. *Proceedings of the Virtual Reality 2001 Conference (VR'01).* 835831: IEEE Computer Society; 2001. p. 63.
98. Bull AM, Amis AA. Accuracy of an electromagnetic tracking device. *J Biomech.* 1997 Aug;30(8):857-9.
99. Meskers CG, Fraterman H, van der Helm FC, Vermeulen HM, Rozing PM. Calibration of the "Flock of Birds" electromagnetic tracking device and its application in shoulder motion studies. *J Biomech.* 1999 Jun;32(6):629-33.
100. Ma HI, Hwang WJ, Fang JJ, Kuo JK, Wang CY, Leong IF, et al. Effects of virtual reality training on functional reaching movements in people with Parkinson's disease: a randomized controlled pilot trial. *Clin Rehabil.* 2011 Oct;25(10):892-902.

101. Taub E, Uswatte G, Pidikiti R. Constraint-Induced Movement Therapy: a new family of techniques with broad application to physical rehabilitation--a clinical review. *J Rehabil Res Dev*. 1999 Jul;36(3):237-51.
102. Treger I, Aidinof L, Lehrer H, Kalichman L. Modified constraint-induced movement therapy improved upper limb function in subacute poststroke patients: a small-scale clinical trial. *Top Stroke Rehabil*. 2012 Jul-Aug;19(4):287-93.
103. Tuite P, Anderson N, Konczak J. Constraint-induced movement therapy in Parkinson's disease. *Mov Disord*. 2005 Jul;20(7):910-1.
104. Lee KS, Lee WH, Hwang S. Modified constraint-induced movement therapy improves fine and gross motor performance of the upper limb in Parkinson disease. *Am J Phys Med Rehabil*. 2011 May;90(5):380-6.
105. Edwards MG, Humphreys GW, Castiello U. Motor facilitation following action observation: a behavioural study in prehensile action. *Brain Cogn*. 2003 Dec;53(3):495-502.
106. Rizzolatti G, Craighero L. The mirror-neuron system. *Annu Rev Neurosci*. 2004;27:169-92.
107. Small SL, Buccino G, Solodkin A. The mirror neuron system and treatment of stroke. *Dev Psychobiol*. 2010 Nov 24.
108. Buccino G, Binkofski F, Fink GR, Fadiga L, Fogassi L, Gallese V, et al. Action observation activates premotor and parietal areas in a somatotopic manner: an fMRI study. *Eur J Neurosci*. 2001 Jan;13(2):400-4.
109. Yuan TF, Hoff R. Mirror neuron system based therapy for emotional disorders. *Med Hypotheses*. 2008 Nov;71(5):722-6.
110. Rizzolatti G, Fabbri-Destro M, Cattaneo L. Mirror neurons and their clinical relevance. *Nat Clin Pract Neuro*. 2009;5(1):24-34.
111. Buccino G, Solodkin A, Small SL. Functions of the mirror neuron system: implications for neurorehabilitation. *Cogn Behav Neurol*. 2006 Mar;19(1):55-63.
112. Dayan E, Casile A, Levit-Binnun N, Giese MA, Hendler T, Flash T. Neural representations of kinematic laws of motion: evidence for action-perception coupling. *Proc Natl Acad Sci U S A*. 2007 Dec 18;104(51):20582-7.

113. Blakemore SJ, Decety J. From the perception of action to the understanding of intention. *Nat Rev Neurosci*. 2001 Aug;2(8):561-7.
114. Ramachandran VS, Altschuler EL. The use of visual feedback, in particular mirror visual feedback, in restoring brain function. *Brain*. 2009 Jul;132(Pt 7):1693-710.
115. Michielsen ME, Smits M, Ribbers GM, Stam HJ, van der Geest JN, Bussmann JB, et al. The neuronal correlates of mirror therapy: an fMRI study on mirror induced visual illusions in patients with stroke. *J Neurol Neurosurg Psychiatry*. 2011 Apr;82(4):393-8.
116. Michielsen ME, Selles RW, van der Geest JN, Eckhardt M, Yavuzer G, Stam HJ, et al. Motor recovery and cortical reorganization after mirror therapy in chronic stroke patients: a phase II randomized controlled trial. *Neurorehabil Neural Repair*. 2011 Mar-Apr;25(3):223-33.
117. Yavuzer G, Selles R, Sezer N, Sutbeyaz S, Bussmann JB, Koseoglu F, et al. Mirror therapy improves hand function in subacute stroke: a randomized controlled trial. *Arch Phys Med Rehabil*. 2008 Mar;89(3):393-8.
118. Altschuler EL, Wisdom SB, Stone L, Foster C, Galasko D, Llewellyn DM, et al. Rehabilitation of hemiparesis after stroke with a mirror. *Lancet*. 1999 Jun 12;353(9169):2035-6.
119. Stevens JA, Stoykov ME. Using motor imagery in the rehabilitation of hemiparesis. *Arch Phys Med Rehabil*. 2003 Jul;84(7):1090-2.
120. Jeannerod M. Neural simulation of action: a unifying mechanism for motor cognition. *Neuroimage*. 2001 Jul;14(1 Pt 2):S103-9.
121. Thobois S, Dominey PF, Decety J, Pollak PP, Gregoire MC, Le Bars PD, et al. Motor imagery in normal subjects and in asymmetrical Parkinson's disease: a PET study. *Neurology*. 2000 Oct 10;55(7):996-1002.
122. Garrison KA, Winstein CJ, Aziz-Zadeh L. The mirror neuron system: a neural substrate for methods in stroke rehabilitation. *Neurorehabil Neural Repair*. 2010 Jun;24(5):404-12.
123. Dickstein R, Deutsch JE. Motor imagery in physical therapist practice. *Phys Ther*. 2007 Jul;87(7):942-53.

124. Ertelt D, Small S, Solodkin A, Dettmers C, McNamara A, Binkofski F, et al. Action observation has a positive impact on rehabilitation of motor deficits after stroke. *Neuroimage*. 2007;36(Supplement 2):T164-T73.
125. Zentgraf K, Munzert J, Bischoff M, Newman-Norlund RD. Simulation during observation of human actions--theories, empirical studies, applications. *Vision Res*. 2011 Apr 22;51(8):827-35.
126. Iacoboni M, Molnar-Szakacs I, Gallese V, Buccino G, Mazziotta JC, Rizzolatti G. Grasping the Intentions of Others with One's Own Mirror Neuron System. *PLoS Biol*. 2005;3(3):e79.
127. Mattar AA, Gribble PL. Motor learning by observing. *Neuron*. 2005 Apr 7;46(1):153-60.
128. Franceschini M, Ceravolo MG, Agosti M, Cavallini P, Bonassi S, Dall'armi V, et al. Clinical Relevance of Action Observation in Upper-Limb Stroke Rehabilitation: A Possible Role in Recovery of Functional Dexterity. A Randomized Clinical Trial. *Neurorehabil Neural Repair*. 2012 Jan 10.
129. Pelosin E, Avanzino L, Bove M, Stramesi P, Nieuwboer A, Abbruzzese G. Action observation improves freezing of gait in patients with Parkinson's disease. *Neurorehabil Neural Repair*. 2010 Oct;24(8):746-52.
130. Fagg AH, Arbib MA. Modeling parietal-premotor interactions in primate control of grasping. *Neural Netw*. 1998 Oct;11(7-8):1277-303.
131. Sakata H, Taira M, Murata A, Mine S. Neural mechanisms of visual guidance of hand action in the parietal cortex of the monkey. *Cereb Cortex*. 1995 Sep-Oct;5(5):429-38.
132. Rizzolatti G, Fadiga L, Matelli M, Bettinardi V, Paulesu E, Perani D, et al. Localization of grasp representations in humans by PET: 1. Observation versus execution. *Exp Brain Res*. 1996 Sep;111(2):246-52.
133. Oztop E, Arbib MA. Schema design and implementation of the grasp-related mirror neuron system. *Biological Cybernetics*. 2002;87(2):116-40.
134. McCullagh P, Weiss MR. Modeling: Considerations for motor skill performance and psychological responses. *Handbook of Research on Sport Psychology*. 2001:205-38.

135. Liuzza MT, Setti A, Borghi AM. Kids observing other kids' hands: visuomotor priming in children. *Conscious Cogn.* 2012 Mar;21(1):383-92.
136. Chiavarino C, Apperly IA, Humphreys GW. Exploring the functional and anatomical bases of mirror-image and anatomical imitation: The role of the frontal lobes. *Neuropsychologia.* 2007;45(4):784-95.
137. Vogt S, Taylor P, Hopkins B. Visuomotor priming by pictures of hand postures: perspective matters. *Neuropsychologia.* 2003;41(8):941-51.
138. Brass M, Bekkering H, Wohlschlaeger A, Prinz W. Compatibility between observed and executed finger movements: comparing symbolic, spatial, and imitative cues. *Brain Cogn.* 2000 Nov;44(2):124-43.
139. Gowen E, Bradshaw C, Galpin A, Lawrence A, Poliakoff E. Exploring visuomotor priming following biological and non-biological stimuli. *Brain Cogn.* 2010 Dec;74(3):288-97.
140. Brass M, Bekkering H, Prinz W. Movement observation affects movement execution in a simple response task. *Acta Psychol (Amst).* 2001 Jan;106(1-2):3-22.
141. Kilner J, Hamilton AF, Blakemore SJ. Interference effect of observed human movement on action is due to velocity profile of biological motion. *Soc Neurosci.* 2007;2(3-4):158-66.
142. Jonas M, Biermann-Ruben K, Kessler K, Lange R, Baumer T, Siebner HR, et al. Observation of a finger or an object movement primes imitative responses differentially. *Exp Brain Res.* 2007 Feb;177(2):255-65.
143. Laguna PL. Task complexity and sources of task-related information during the observational learning process. *J Sports Sci.* 2008 Aug;26(10):1097-113.
144. Chong TTJ, Cunnington R, Williams MA, Mattingley JB. The role of selective attention in matching observed and executed actions. *Neuropsychologia.* 2009;47(3):786-95.
145. Hayes SJ, Hansen S, Elliott D. Between-person effects on attention and action: Joe and Fred revisited. *Psychol Res.* 2010 May;74(3):302-12.
146. Magill RA. *Motor Learning and Control: Concepts and Applications* 7th ed. New York: McGraw-Hill; 2003.

147. Edwards WH. Motor Learning and Control: From Theory to Practice. United States: Wadsworth; 2011.
148. Winstein CJ, Merians AS, Sullivan KJ. Motor learning after unilateral brain damage. *Neuropsychologia*. 1999 Jul;37(8):975-87.
149. Benfenati F. Synaptic plasticity and the neurobiology of learning and memory. *Acta Biomed*. 2007;78 Suppl 1:58-66.
150. Kleim JA, Jones TA. Principles of experience-dependent neural plasticity: implications for rehabilitation after brain damage. *J Speech Lang Hear Res*. 2008 Feb;51(1):S225-39.
151. Wongchaisuwan T, Sithinamsuwan P, Udommongkol C, Wongmek W. Factors Influencing MMSE-T Score among Thai Subjects. *Med Assoc Thai*. 2005;88(3):155-8.
152. Desmurget M, Grafton ST, Vindras P, Grea H, Turner RS. The basal ganglia network mediates the planning of movement amplitude. *Eur J Neurosci*. 2004;19(10):2871-80.
153. Whishaw IQ, Suchowersky O, Davis L, Sarna J, Metz GA, Pellis SM. Impairment of pronation, supination, and body co-ordination in reach-to-grasp tasks in human Parkinson's disease (PD) reveals homology to deficits in animal models. *Behav Brain Res*. 2002 Jul 18;133(2):165-76.
154. Mazzucchi A, Sinforiani E, Ludovico L, Turla M, Pacchetti C, Brianti R, et al. Reaction time responses in parkinsonian and hemiparkinsonian patients. *Mov Disord*. 1993;8(1):13-8.
155. Castiello U, Bennett KM, Adler CH, Stelmach GE. Perturbation of the grasp component of a prehension movement in a subject with hemiParkinson's disease. *Neuropsychologia*. 1993 Jul;31(7):717-23.
156. Wong YJ, Whishaw IQ. Precision grasps of children and young and old adults: individual differences in digit contact strategy, purchase pattern, and digit posture. *Behav Brain Res*. 2004 Sep 23;154(1):113-23.
157. Bennett KM, Castiello U. Reach to grasp: changes with age. *J Gerontol*. 1994 Jan;49(1):P1-7.

158. Carnahan H, Vandervoort AA, Swanson LR. The influence of aging and target motion on the control of prehension. *Exp Aging Res.* 1998 Jul-Sep;24(3):289-306.
159. Weir PL, Mallat BJ, Leavitt JL, Roy EA, Macdonald JR. Age-related differences in prehension: the influence of task goals. *J Mot Behav.* 1998 Mar;30(1):79-89.
160. Darbutas T, Juodzbaliene V, Skurvydas A, Krisciunas A. Dependence of reaction time and movement speed on task complexity and age. *Medicina (Kaunas).* 2013;49(1):18-22.
161. Wulf G, Shea C, Lewthwaite R. Motor skill learning and performance: a review of influential factors. *Medical Education.* 2010;44(1):75-84.
162. Montagna M, Cerri G, Borroni P, Baldissera F. Excitability changes in human corticospinal projections to muscles moving hand and fingers while viewing a reaching and grasping action. *Eur J Neurosci.* 2005 Sep;22(6):1513-20.
163. Pelosin E, Bove M, Ruggeri P, Avanzino L, Abbruzzese G. Reduction of Bradykinesia of Finger Movements by a Single Session of Action Observation in Parkinson Disease. *Neurorehabil Neural Repair.* 2013 Feb 7.
164. Senna I, Bolognini N, Maravita A. Grasping with the foot: goal and motor expertise in action observation. *Hum Brain Mapp.* 2014 Apr;35(4):1750-60.
165. McCullagh P, Little WS. Demonstrations and knowledge of results in motor skill acquisition. *Percept Mot Skills.* 1990 Dec;71(3 Pt 1):735-42.
166. Tipper SP. From observation to action simulation: the role of attention, eye-gaze, emotion, and body state. *Q J Exp Psychol (Hove).* 2010 Nov;63(11):2081-105.
167. Cooper JA, Sagar HJ, Tidswell P, Jordan N. Slowed central processing in simple and go/no-go reaction time tasks in Parkinson's disease. *Brain.* 1994;117 ( Pt 3):517-29.
168. Gauntlett-Gilbert J, Brown VJ. Reaction time deficits and Parkinson's disease. *Neurosci Biobehav Rev.* 1998;22(6):865-81.
169. Chapman CS, Goodale MA. Missing in action: the effect of obstacle position and size on avoidance while reaching. *Exp Brain Res.* 2008 Oct;191(1):83-97.

170. Chapman CS, Goodale MA. Seeing all the obstacles in your way: the effect of visual feedback and visual feedback schedule on obstacle avoidance while reaching. *Exp Brain Res.* 2010 Apr;202(2):363-75.
171. Goodrich S, Henderson L, Kennard C. On the existence of an attention-demanding process peculiar to simple reaction time: Converging evidence from Parkinson's disease. *Cognitive Neuropsychology.* 1989 1989/05/01;6(3):309-31.
172. Guo X, Hosseini N, Hejdukova B, Olsson T, Johnels B, Steg G. Load force during manual transport in Parkinson's disease. *Acta Neurol Scand.* 2004;109(6):416-24.
173. Tresilian JR, Stelmach GE, Adler CH. Stability of reach-to-grasp movement patterns in Parkinson's disease. *Brain.* 1997 Nov;120 ( Pt 11):2093-111.
174. Van Gemmert AW, Teulings HL, Stelmach GE. Parkinsonian patients reduce their stroke size with increased processing demands. *Brain Cogn.* 2001 Dec;47(3):504-12.
175. Van Gemmert AW, Adler CH, Stelmach GE. Parkinson's disease patients undershoot target size in handwriting and similar tasks. *J Neurol Neurosurg Psychiatry.* 2003 Nov;74(11):1502-8.
176. Dreher JC, Grafman J. The roles of the cerebellum and basal ganglia in timing and error prediction. *Eur J Neurosci.* 2002 Oct;16(8):1609-19.
177. Meck WH. Neuropsychology of timing and time perception. *Brain Cogn.* 2005 Jun;58(1):1-8.
178. Schmidt RA, Lee TD. *Motor learning and performance : from principles to application* 2014.
179. Rand MK, Squire LM, Stelmach GE. Effect of speed manipulation on the control of aperture closure during reach-to-grasp movements. *Exp Brain Res.* 2006 Sep;174(1):74-85.
180. Saling M, Alberts J, Stelmach GE, Bloedel JR. Reach-to-grasp movements during obstacle avoidance. *Exp Brain Res.* 1998 Jan;118(2):251-8.
181. Graybiel AM. The basal ganglia and chunking of action repertoires. *Neurobiol Learn Mem.* 1998;70(1-2):119-36.

182. Keramati M, Dezfouli A, Piray P. Speed/accuracy trade-off between the habitual and the goal-directed processes. *PLoS Comput Biol*. 2011;7(5):e1002055.
183. Calvo-Merino B, Glaser DE, Grèzes J, Passingham RE, Haggard P. Action Observation and Acquired Motor Skills: An fMRI Study with Expert Dancers. *Cerebral Cortex*. 2005 August 2005;15(8):1243-9.
184. Kessler K, Biermann-Ruben K, Jonas M, Siebner HR, Baumer T, Munchau A, et al. Investigating the human mirror neuron system by means of cortical synchronization during the imitation of biological movements. *Neuroimage*. 2006 Oct 15;33(1):227-38.
185. Marceglia S, Fiorio M, Foffani G, Mrakic-Sposta S, Tiriticco M, Locatelli M, et al. Modulation of beta oscillations in the subthalamic area during action observation in Parkinson's disease. *Neuroscience*. 2009 Jul 21;161(4):1027-36.
186. Alegre M, Rodríguez-Oroz MC, Valencia M, Pérez-Alcázar M, Guridi J, Iriarte J, et al. Changes in subthalamic activity during movement observation in Parkinson's disease: Is the mirror system mirrored in the basal ganglia? *Clinical Neurophysiology*. 2010;121(3):414-25.
187. Badets A, Blandin Y, Wright DL, Shea CH. Error detection processes during observational learning. *Res Q Exerc Sport*. 2006 Jun;77(2):177-84.
188. Black CB, Wright DL, Magnuson CE, Brueckner S. Learning to detect error in movement timing using physical and observational practice. *Res Q Exerc Sport*. 2005 Mar;76(1):28-41.
189. Burke CJ, Tobler PN, Baddeley M, Schultz W. Neural mechanisms of observational learning. *Proc Natl Acad Sci U S A*. 2010 Aug 10;107(32):14431-6.
190. Schmidt RA, Wrisberg CA. *Motor learning and performance: A situation-based learning approach* (4th ed.). Champaign, IL, US: Human Kinetics; 2008.
191. Farley BG, Koshland GF. Training BIG to move faster: the application of the speed-amplitude relation as a rehabilitation strategy for people with Parkinson's disease. *Exp Brain Res*. 2005 Dec;167(3):462-7.

192. Cameron IG, Watanabe M, Pari G, Munoz DP. Executive impairment in Parkinson's disease: response automaticity and task switching. *Neuropsychologia*. 2010 Jun;48(7):1948-57.