

CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (ENGLISH)	iv
ABSTRACT (THAI)	v
LIST OF TABLES	xiv
LIST OF FIGURES	xv
LIST OF ABBRIVATIONS	xviii
CHAPTER I INTRODUCTION	1
CHAPTER II OBJECTIVES	4
CHAPTER III LITERATURE REVIEW	5
3.1 Biology of the giant freshwater prawn, <i>Macrobrachium rosenbergii</i>	5
3.1.1 Biological classification and distribution	5
3.1.2 Morphology	6
3.1.3 Male morphotype	7
3.1.4 Breeding	7
3.1.5 Life cycle and larval and post-larval stage	8
3.2 The male reproductive system	10
3.2.1 Structure of the testes	11
3.2.2 Seminiferous tubules (STs) and spermatogenesis	11
3.2.3 Structure of the spermatic duct (SD)	15
3.2.4 The androgenic gland (AG)	17
3.2.4.1 Discovery of AG	17
3.2.4.2 Structure of AG	17
3.2.4.3 AG structure in each morphotype	20
3.2.5 The AG hormone (AGH) and insulin-like androgenic gland factors (IAGs)	22
3.2.6 The functions of insulin-like androgenic gland factors (IAGs)	25

CONTENTS (cont.)

	Page
3.3 The neuro-endocrine controls of crustacean male reproduction and spermatogenesis	28
3.3.1 Hypothalamic-pituitary-gonadal axis (HPG axis) in mammals	28
3.3.2 The higher control of reproduction in Crustaceans	30
3.3.2.1 Serotonin (5-HT)	32
3.3.2.2 Dopamine (DA)	32
3.3.2.3 Eyestalk hormones (GIH, MIH, MOIH, CHH)	32
3.3.2.4 Gonad-stimulating hormone (GSH)	34
3.3.2.5 GnRHs in invertebrates	34
3.3.2.6 Other hormones in the GnRH superfamily (Red pigment concentrating hormone, RPCH; adipokinetic hormone, AKH; and corazonin, Crz)	41
3.4 The roles of lipids in reproduction	43
3.4.1 Types of lipids	43
3.4.1.1 Glycerolipids	43
3.4.1.2 Glycerophospholipids	43
3.4.1.3 Sphingolipids	44
3.4.1.4 Fatty acids (FA)	45
3.4.2 Lipids are involved in male reproduction	46
3.4.3 Phosphatidylcholine (PC) and its function in reproduction	46
3.4.4 Polyunsaturated fatty acids (PUFA) and highly unsaturated fatty acids (HUFA) and their roles in reproduction	48
3.4.5 Lipid profiles in the gonads of crustaceans and the roles of lipids in crustacean reproduction	50

CONTENTS (cont.)

	Page
CHAPTER IV MATERIALS AND METHODS	51
4.1 Effects of serotonin, dopamine, gonadotropin-releasing hormones, and corazonin, on the androgenic gland of the giant freshwater prawn	51
4.1.1 Experimental animals	51
4.1.2 Experimental design	51
4.1.3 Morphological and histological changes of the AG	53
4.1.4 Cell proliferation assay using 5-bromo-2'-deoxyuridine (BrdU)	54
4.1.5 Specificity of rabbit antiserum against <i>MrIAG</i> (anti- <i>MrIAG</i>)	55
4.1.5.1 Production of polyclonal antibody against <i>MrIAG</i> in rabbit	55
4.1.5.2 Preparation of the AG crude extract	55
4.1.5.3 Dot blot analysis	55
4.1.5.4 Expression of <i>rMrIAG</i> protein	56
4.1.5.5 Analysis of <i>MrIAG</i> protein by sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE)	56
4.1.6 Detection of <i>MrIAG</i> using immunofluorescence	57
4.1.7 Estimation of <i>MrIAG</i> levels by ELISA	59
4.1.8 Statistical analyses	60

CONTENTS (cont.)

	Page
4.2 Temporal expressions of <i>MrIAG</i> gene in larvae and postlarvae, and the use this gene as a marker for selecting male offsprings	60
4.2.1 Animals and experimental design	60
4.2.2 RNA preparation	61
4.2.3 Expression of <i>MrIAG</i> using RT-PCR	62
4.2.4 Gonopore complex observation	62
4.2.5 Statistical analysis	63
4.3 Changes of phosphatidylcholine and fatty acids in germ cells during testicular maturation in three developmental male morphotypes of <i>M. rosenbergii</i> revealed by imaging mass spectrometry	63
4.3.1 Animals and tissues preparation	63
4.3.2 Histology of the seminiferous tubules	63
4.3.3 Lipid extraction	65
4.3.4 Separation and quantification of lipids by thin layer chromatography (TLC)	66
4.3.5 Identification of lipids by tandem mass spectrometry (MS/MS)	66
4.3.6 Distributions of phosphatidylcholine by imaging mass spectrometry (IMS)	67
4.3.7 Analyses of fatty acids by gas chromatography-mass spectrometry (GC-MS)	67
4.3.8 Statistical analyses	68

CONTENTS (cont.)

	Page
CHAPTER V RESULTS	69
5.1 Effects of serotonin, dopamine, gonadotropin-releasing hormones, and corazonin, on the androgenic gland of the giant freshwater prawn	69
5.1.1 Morphological and histological changes of the AG	69
5.1.2 The AG-somatic index (ASI)	70
5.1.3 Cell proliferation assay using 5-bromo-2'-deoxyuridine (BrdU)	70
5.1.4 Specificity of rabbit antiserum against <i>MrIAG</i> (anti- <i>MrIAG</i>)	71
5.1.4.1 Dot blot analysis	71
5.1.4.2 Expression of r <i>MrIAG</i> protein	71
5.1.4.3 SDS-PAGE and Western blot analysis of <i>MrIAG</i>	71
5.1.5 Detection of <i>MrIAG</i> using immunofluorescence	71
5.1.6 Estimation of the relative amounts of <i>MrIAG</i> by ELISA	72
5.2 Temporal expressions of <i>MrIAG</i> in larvae and postlarvae, and the use this gene as a marker for selecting male offsprings	84
5.2.1 Performance of postlarvae culture	84
5.2.2 Morphology of postlarvae	84
5.2.3 Temporal expression of <i>MrIAG</i>	84
5.2.4 <i>MrIAG</i> expression in a single prawn of each crop	84
5.2.5 The percent of male prawn in each flipping day quantified by gonopore complex	85

CONTENTS (cont.)

	Page
5.3 Changes of phosphatidylcholine and fatty acids in germ cells during testicular maturation in three developmental male morphotypes of <i>M. rosenbergii</i> revealed by imaging mass spectrometry	93
5.3.1 Histology of the seminiferous tubules	93
5.3.2 Quantification of lipids by thin layer chromatography	93
5.3.3 Identification of lipids by tandem mass spectrometry (MS/MS)	94
5.3.4 Distributions of lipids by imaging mass spectrometry (IMS)	95
5.3.5 Quantification of fatty acids by gas chromatography-mass spectrometry (GC-MS)	96
CHAPTER VI DISCUSSIONS	109
6.1 Effects of serotonin, dopamine, gonadotropin-releasing hormones, and corazonin, on the androgenic gland of the giant freshwater prawn	109
6.2 Temporal expressions of <i>MrIAG</i> in larvae and postlarvae, and the use this gene as a marker for selecting male offsprings	112
6.3 Changes of phosphatidylcholine and fatty acids in germ cells during testicular maturation in three developmental male morphotypes of <i>M. rosenbergii</i> revealed by imaging mass spectrometry	114

CONTENTS (cont.)

	Page
CHAPTER VII CONCLUSION	117
7.1 Effects of serotonin, dopamine, gonadotropin-releasing hormones, and corazonin, on the androgenic gland of the giant freshwater prawn	117
7.1.1 Morphological and histological changes of the AG	117
7.1.2 The AG-somatic index (ASI)	117
7.1.3 Cell proliferation assay using 5-bromo-2'-deoxyuridine (BrdU)	117
7.1.4 Specificity of rabbit antiserum against <i>MrIAG</i> (anti- <i>MrIAG</i>)	118
7.1.5 Detection of <i>MrIAG</i> using immunofluorescence	118
7.1.6 Estimation of the relative amounts of <i>MrIAG</i> by ELISA	118
7.2 Temporal expressions of <i>MrIAG</i> in larvae and postlarvae, and the use this gene as a marker for selecting male offsprings	119
7.2.1 Performance of postlarvae culture	119
7.2.2 Morphology of postlarvae	119
7.2.3 Temporal expression of <i>MrIAG</i>	119
7.2.4 <i>MrIAG</i> expression in a single prawn of each crop	119
7.2.5 The percent of male prawn in each flipping day quantified by gonopore complex	119
7.3 Changes of phosphatidylcholine and fatty acids in germ cells during testicular maturation in three developmental male morphotypes of <i>M. rosenbergii</i> revealed by imaging mass spectrometry	120
7.3.1 Histology of the seminiferous tubules	120
7.3.2 Quantification of lipids by thin layer chromatography	120

CONTENTS (cont.)

	Page
7.3.3 Identification of lipids by tandem mass spectrometry (MS/MS)	120
7.3.4 Distributions of lipids by imaging mass spectrometry (IMS)	120
7.3.5 Quantification of fatty acids by gas chromatography-mass spectrometry (GC-MS)	121
REFERENCES	122
BIOGRAPHY	144

LIST OF TABLES

Table	Page
3.1 Type of germ cells in the 9 stages of seminiferous tubules in <i>M. rosenbergii</i>	13
3.2 The three types of AG cells in adult male <i>M. rosenbergii</i> which are different in sizes, characteristics, and possible function	20
4.1 Peptides sequences for bioassay	52
4.2 Peptides sequences for dot blot analysis	56
4.3 Primer sequences for RT-PCR	62
5.1 The numbers and percent ages of male prawns counted by observing the presence of the male gonopore on each flipping day	92
5.3 MS/MS and IMS identifications and distributions of phosphatidylcholines (PCs) in three groups of seminiferous tubules (STs)	105
5.4 Identification of phosphatidylcholines (PCs), containing arachidonic acid (ARA), eicosapentaenoic (EPA), and docosahexaenoic acid (DHA), and their distributions in the three groups of seminiferous tubules (STs)	106

LIST OF FIGURES

Figure	Page
3.1 The distribution of <i>M. rosenbergii</i>	5
3.2 The External morphology of <i>M. rosenbergii</i>	6
3.3 The difference of male and female gonopore in <i>M. rosenbergii</i>	7
3.4 Life cycle of <i>M. rosenbergii</i>	8
3.5 Larval and post-larval stages of <i>M. rosenbergii</i>	9
3.6 The male reproductive organs and location of the AG in an adult male prawn	10
3.7 Structure of testis in adult male prawn	11
3.8 Mammalian spermatogenesis	12
3.9 H & E stained micrographs showing 9 stages of seminiferous tubules	14
3.10 The overall structure of the male reproductive organs	16
3.11 The structure of the spermatic ducts (DSD, EB) and AG	18
3.12 TEM electron micrographs of the AG cells in <i>M. rosenbergii</i>	19
3.13 The AG in three male morphotype of <i>M. rosenbergii</i>	21
3.14 Three-dimensional model of <i>Cq</i> -IAG	23
3.15 Linear model of <i>Cq</i> -IAG representing the preprohormone	23
3.16 Multiple sequence alignment of IAGs	24
3.17 The morphological change of testis and spermatic duct during sex reversal in intersex prawn	26
3.18 Summary of androgenic gland manipulation experiments in crustaceans	27
3.19 The hypothalamic-pituitary-gonadal axis in mammals	29
3.20 A diagram showing possible roles of Eye-Brain/Thoracic ganglia- Androgenic gland-Testis axis in male decapods crustacean	31
3.21 The structure of vertebrate GnRH	35
3.22 A diagram showing the organization of three different forms of GnRH	36
3.23 A diagram showing GnRH receptor amino acids sequences	37
3.24 Amino acid sequences of GnRHs in vertebrates and invertebrates	39

LIST OF FIGURES (cont.)

Figure	Page
3.25 Phylogeny of GnRH superfamily based on sequences of propeptides	40
3.26 The component of triacylglycerols	43
3.27 The common structure of phospholipids	44
3.28 The structure of long carbon chain of sphingosine	44
3.29 Types of fatty acids	45
3.30 The structure of phosphatidylcholine	47
3.31 Eicosanoid biosynthetic pathways	49
4.1 Schematic diagram of the experimental design for studying the effects of 5-HT, DA, GnRHs, and Crz hormones	53
4.2 Full-length of <i>MrIAG</i> gene	58
4.3 A schematic diagram showing the grouping of PL prawns	61
4.4 Schematic diagram of the experimental design for lipid analysis	65
5.1 External morphology and histology of the AGs of each treated group	73
5.2 Androgenic gland-somatic index (ASI) of each treated group	74
5.3 BrdU-labeled nuclei showing cell proliferation assay in the AGs	75
5.4 Dot-blot analysis showing specificity of anti- <i>MrIAG</i>	76
5.5 SDS-PAGE of recombinant <i>MrIAG</i> (<i>rMrIAG</i>) in bacterial cell lysates 3 h after being induced by IPTG at 37°C	77
5.6 SDS-PAGE of recombinant <i>MrIAG</i> (<i>rMrIAG</i>) in bacterial cell lysates 3 h after being induced by IPTG at 25°C	78
5.7 SDS-PAGE and Western blot analysis of <i>MrIAG</i> in AG extract	79
5.8 Immunoreactivity of insulin-like hormone (<i>MrIAG</i>) in AG	80
5.9 <i>MrIAG</i> concentrations	81
5.10 ELISA standard curve	82
5.11 ELISA standard curve with R-square	83
5.12 The survival of PL1 during the period of the experiments	86

LIST OF FIGURES (cont.)

Figure	Page
5.13 An external morphology of PL prawns	87
5.14 RT-PCR showing the expression of <i>MrIAG</i> in PL prawns	88
5.15 <i>MrIAG</i> expressions in single prawn of each flipping day	89
5.16 The ventral aspect of prawns in PL1D1	90
5.17 Percents of male prawns in the PL1, PL2, PL3, crops	91
5.18 Micrographs of cryosections, H&E-stained paraffin sections, and illustrations of the three groups of seminiferous tubules (STs) in OC males	97
5.19 Separation and identification of phosphatidylcholines (PCs) by thin-layer chromatography (TLC)	98
5.20 MS analysis showing all spectra detected in the STs of OC	99
5.21 MS/MS analysis showing product ions from the precursor ions at m/z 780.5 and m/z 798.5	100
5.22 Micrograph from H&E-stained sections	101
5.23 IMS showing different intensities and distributions of PCs in each group	102
5.24 Ion images show different intensities and distributions of PCs in each seminiferous group	103
5.25 IMS showing the intensity and distribution of PCs in the STs of OC male	104
5.26 Gas Chromatography-mass spectrometry (GC-MS) analyses show the amounts of FAs per testicular weight, and the ratios between each FA per total FAs in the testes of the three developmental male morphotypes	107
5.26 Gas Chromatography-mass spectrometry (GC-MS) analyses show the amounts of FAs per testicular weight, and the ratios between each FA per total FAs in the testes of three group of STs	108

LIST OF ABBREVIATIONS

°C	Degree Celsius
g	Gram (unit of mass)
h	Hour
Kg	Kilogram
M	Molar
mg	Miligram
min	Minute
ml	Milliliter
mM	Millimolar
MW	Molecular weight
ng	Nanogram
pH	Power of Hydrogen ion
rpm	Round per minute
μg	Microgram
μl	Microliter