

REFERENCES

1. Luke, R.H. (2000). Antioxidant vitamin and phytochemical content of fresh and processed pepper fruit (*Capsicum annuum*). Handbook of Nutraceuticals and Functional Foods: CRC Press.
2. Sun, T., Xu, Z., Wu, C.T., Janes, M., Prinyawiwatkul, W., & No, H.K. (2007). Antioxidant activities of different colored sweet bell peppers (*Capsicum annuum* L.). Journal of Food Science. 72(2):S98-S102.
3. Park, J.H., Jeon, G.I., Kim, J.M., & Park, E. (2012). Antioxidant activity and antiproliferative action of methanol extracts of 4 different colored bell peppers (*Capsicum annuum* L.). Food Science and Biotechnology. 21(2):543-550.
4. Suganuma, H., Hirano, T., & Inakuma, T. (1999). Amelioratory effect of dietary ingestion with red bell pepper on learning impairment in senescence-accelerated mice (SAMP8). Journal of Nutritional Science and Vitaminology. 45(1):143-149.
5. Loizzo, M.R., Tundis, R., Menichini, F., & Statti, G.A. (2008) Influence of ripening stage on health benefits properties of *Capsicum annuum* var. *acuminatum* L.: *in vitro* studies. Journal of Medicinal Food. 11(1):184-189.
6. Menichini, F., Tundis, R., Bonesi, M., Loizzo, M.R., Conforti, F., Statti, G., *et al.* (2009). The influence of fruit ripening on the phytochemical content and biological activity of *Capsicum chinense* Jacq. cv Habanero. Food Chemistry. 114(2):553-560.
7. Orhan, I., Naz, Q., Kartal, M., Tosun, F., Sener, B., & Choudhary, M.I. (2007). *In vitro* anticholinesterase activity of various alkaloids. Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences. 62(9-10):684-688.
8. Katalinic, M., Rusak, G., Barovic, J.D., Sinko, G., Jelic, D., Antolovic, R., *et al.* (2010). Structural aspects of flavonoids as inhibitors of human

- butyrylcholinesterase. *European Journal of Medicinal Chemistry*. 45(1):186-192.
9. Shimmyo, Y., Kihara, T., Akaike, A., Niidome, T., & Sugimoto, H. (2008). Flavonols and flavones as BACE-1 inhibitors: structure-activity relationship in cell-free, cell-based and in silico studies reveal novel pharmacophore features. *Biochimica et Biophysica Acta*. 1780(5):819-825.
 10. Institute for Population and Social research Mahidol University. (2014) [updated 2014; cited 2015 Jan 30]. Population aging in Thailand, 2014 [Internet]. Available from: <http://www.ipsr.mahidol.ac.th/ipsr/Contents/Books/FullText/2014/2014-Population-Aging-Poster.pdf>.
 11. Office of the National Economic and Social Development Board. (2011) [updated 2011 Apr 11; cited 2014 Jan 26]. Life expectancy at birth 1965-2030 [Internet]. Available from: http://social.nesdb.go.th/SocialStat/StatReport_Final.aspx?reportid=87&template=1R2C&yeartype=M&subcatid=4.
 12. Brookmeyer, R., Johnson, E., Ziegler-Graham, K., & Arrighi, H.M. (2007). Forecasting the global burden of Alzheimer's disease. *Alzheimer's & Dementia*. 3(3):186-191.
 13. Pakaski, M., Hügyecz, M., Santha, P., Jancso, G., Bjelik, A., Domokos, A., *et al.* (2009). Capsaicin promotes the amyloidogenic route of brain amyloid precursor protein processing. *Neurochemistry International*. 54(7):426-430.
 14. Brookmeyer, R., Gray, S., & Kawas, C. (1998). Projections of Alzheimer's disease in the United States and the public health impact of delaying disease onset. *American Journal of Public Health*. 88(9):1337-1342.
 15. Carter, M.D., Simms, G.A., & Weaver, D.F. (2010). The development of new therapeutics for Alzheimer's disease. *Clinical Pharmacology & Therapeutics*. 88(4):475-486.
 16. Mitra, A., & Dey, B. (2013) [updated 2013 May 15; cited 2014 Jan 06]. Therapeutic interventions in Alzheimer disease [Internet]. Available from: <http://www.intechopen.com/books/neurodegenerative-diseases/therapeutic-interventions-in-alzheimer-disease>.

17. Choi, J.S., Islam, M.N., Ali, M.Y., Kim, Y.M., Park, H.J., Sohn, H.S., *et al.* (2014). The effects of C-glycosylation of luteolin on its antioxidant, anti-Alzheimer's disease, anti-diabetic, and anti-inflammatory activities. *Archives of Pharmacal Research*. 37(10):1354-1363.
18. Min, J.Y., & Min, K.B. (2014). Serum lycopene, lutein and zeaxanthin, and the risk of Alzheimer's disease mortality in older adults. *Dementia and Geriatric Cognitive Disorders*. 37(3-4):246-256.
19. Christen, Y. (2000). Oxidative stress and Alzheimer disease. *American Journal of Clinical Nutrition*. 71(2):621S-629S.
20. Pratico, D., & Delanty, N. (2000). Oxidative injury in diseases of the central nervous system: focus on Alzheimer's disease. *American Journal of Medicine*. 109(7):577-585.
21. Jung, H.A., Min, B.S., Yokozawa, T., Lee, J.H., Kim, Y.S., & Choi, J.S. (2009). Anti-Alzheimer and antioxidant activities of *Coptidis Rhizoma* alkaloids. *Biological & Pharmaceutical Bulletin*. 32(8):1433-1438.
22. Rao, A.A., Sridhar, G.R., & Das, U.N. (2007). Elevated butyrylcholinesterase and acetylcholinesterase may predict the development of type 2 diabetes mellitus and Alzheimer's disease. *Medical Hypotheses*. 69(6):1272-1276.
23. Anand, P., & Singh, B. (2013). Flavonoids as lead compounds modulating the enzyme targets in Alzheimer's disease. *Medicinal Chemistry Research*. 22(7):3061-3075.
24. Diamant, S., Podoly, E., Friedler, A., Ligumsky, H., Livnah, O., & Soreq, H. (2006). Butyrylcholinesterase attenuates amyloid fibril formation *in vitro*. *Proceedings of the National Academy of Sciences*. 103(23):8628-8633.
25. Huovila, A.P., Turner, A.J., Pelto-Huikko, M., Karkkainen, I., & Ortiz, R.M. (2005). Shedding light on ADAM metalloproteinases. *Trends in Biochemical Sciences*. 30(7):413-422.
26. Baptista, F.I., Henriques, A.G., Silva, A.M., Wiltfang, J., & da Cruz e Silva, O.A. (2014). Flavonoids as therapeutic compounds targeting key proteins involved in Alzheimer's disease. *ACS Chemical Neuroscience*. 5(2):83-92.
27. Nunan, J., & Small, D.H. (2000). Regulation of APP cleavage by alpha-, beta- and gamma-secretases. *FEBS Letters*. 483(1):6-10.

28. Nistor, A., Don, A., Parekh, M., Sarsoza, F., Goodus, A., Lopez, G.E., *et al.* (2007). Alpha- and beta-secretase activity as a function of age and beta-amyloid in Down syndrome and normal brain. *Neurobiology of Aging*. 28(10):1493-1506.
29. Francis, P.T., Palmer, A.M., Snape, M., & Wilcock, G.K. (1999). The cholinergic hypothesis of Alzheimer's disease: a review of progress. *Journal of Neurology, Neurosurgery & Psychiatry*. 66(2):137-147.
30. Schneider, L.S. (2013). Alzheimer disease pharmacologic treatment and treatment research. *Continuum (Minneapolis, Minn)*. 19(2):339-357.
31. Kannappan, R., Gupta, S.C., Kim, J.H., Reuter, S., & Aggarwal, B.B. (2011). Neuroprotection by spice-derived nutraceuticals: you are what you eat! *Molecular Neurobiology*. 44(2):142-159.
32. Rao, T.V.R., Gol, N.B., & Shah, K.K. (2011). Effect of postharvest treatments and storage temperatures on the quality and shelf life of sweet pepper (*Capsicum annuum* L.). *Scientia Horticulturae*. 132:18-26.
33. Nazzaro, F., Caliendo, G., Arnesi, G., Veronesi, A., Sarzi, P., & Fratianni, F. (2009). Comparative content of some bioactive compounds in two varieties of *Capsicum annuum* L. sweet pepper and evaluation of their antimicrobial and mutagenic activities. *Journal of Food Biochemistry*. 33(6):852-868.
34. Al Othman, Z.A., Ahmed, Y.B.H., Habila, M.A., & Ghafar, A.A. (2011). Determination of capsaicin and dihydrocapsaicin in *Capsicum* fruit samples using high performance liquid chromatography. *Molecules*. 16(10):8919-8929.
35. Vengaiah, P.C., & Pandey, J.P. (2007). Dehydration kinetics of sweet pepper (*Capsicum annuum* L.). *Journal of Food Engineering*. 81(2):282-286.
36. Hornero-Mendez, D., Gomez-Ladron De Guevara, R., & Minguez-Mosquera, M.I. (2000). Carotenoid biosynthesis changes in five red pepper (*Capsicum annuum* L.) cultivars during ripening. Cultivar selection for breeding. *Journal of Agricultural and Food Chemistry*. 48(9):3857-3864.
37. Blanco-Ríos, A.K., Medina-Juárez, L.A., González-Aguilar, G.A., & Gámez-Meza, N. (2013). Antioxidant activity of the phenolic and oily fractions of

- different sweet bell peppers. *Journal of Mexican Chemical Society*. 57(2):137-143.
38. Hallmann, E., & Rembialkowska, E. (2012). Characterisation of antioxidant compounds in sweet bell pepper (*Capsicum annuum* L.) under organic and conventional growing systems. *Journal of the Science of Food and Agriculture*. 92(12):2409-2415.
 39. Serrano, M., Zapata, P.J., Castillo, S., Guillen, F., Martinez-Romero, D., & Valero, D. (2010). Antioxidant and nutritive constituents during sweet pepper development and ripening are enhanced by nitrophenolate treatments. *Food Chemistry*. 118(3):497-503.
 40. Marin, A., Gil, M.I., Flores, P., Hellin, P., & Selma, M.V. (2008). Microbial quality and bioactive constituents of sweet peppers from sustainable production systems. *Journal of Agricultural and Food Chemistry*. 56(23):11334-11341.
 41. Matsufuji, H., Ishikawa, K., Nunomura, O., Chino, M., & Takeda, M. (2007). Anti-oxidant content of different coloured sweet peppers, white, green, yellow, orange and red (*Capsicum annuum* L.). *International Journal of Food Science and Technology*. 42(12):1482-1488.
 42. Marin, A., Ferreres, F., Tomas-Barberan, F.A., & Gil, M.I. (2004). Characterization and quantitation of antioxidant constituents of sweet pepper (*Capsicum annuum* L.). *Journal of Agricultural and Food Chemistry*. 52(12):3861-3869.
 43. Materska, M. (2014). Bioactive phenolics of fresh and freeze-dried sweet and semi-spicy pepper fruits (*Capsicum annuum* L.). *Journal of Functional Foods*. 7:269-277.
 44. De Martino, L., Mencherini, T., Mancini, E., Aquino, R.P., De Almeida, L.F., & De Feo, V. (2012). *In vitro* phytotoxicity and antioxidant activity of selected flavonoids. *International Journal of Molecular Sciences*. 13(5):5406-5419.
 45. Materska, M., & Perucka, I. (2005). Antioxidant activity of the main phenolic compounds isolated from hot pepper fruit (*Capsicum annuum* L.). *Journal of Agricultural and Food Chemistry*. 53(5):1750-1756.

46. Molnar, P., Kawase, M., Satoh, K., Sohara, Y., Tanaka, T., Tani, S., *et al.* (2005). Biological activity of carotenoids in red paprika, Valencia Orange and Golden delicious apple. *Phytotherapy Research*. 19(8):700-707.
47. Matsufuji, H., Nakamura, H., Chino, M., & Takeda, M. (1998). Antioxidant activity of capsanthin and the fatty acid esters in paprika (*Capsicum annuum*). *Journal of Agricultural and Food Chemistry*. 46(9):3468-3472.
48. Sz wajgier, D. (2014). Anticholinesterase activities of selected polyphenols-a short report. *Polish Journal of Food and Nutrition Sciences*. 64(1):59-64.
49. Xie, Y.X., Yang, W.J., Chen, X.Q., & Xiao, J.B. (2014). Inhibition of flavonoids on acetylcholine esterase: binding and structure-activity relationship. *Food & Function Journal*. 5(10):2582-2589.
50. Lasekan, O., & Azeez, S. (2014). Chemo-preventive activities of common vegetables' volatile organic compounds (VOCs). *Pharmaceutica Analytica Acta Journal*. 5:306.
51. Loizzo, M.R., Pugliese, A., Bonesi, M., De Luca, D., O'Brien, N., Menichini, F., *et al.* (2013). Influence of drying and cooking process on the phytochemical content, antioxidant and hypoglycaemic properties of two bell *Capsicum annum* L. cultivars. *Food and Chemical Toxicology*. 53(0):392-401.
52. Deepa, N., Kaur, C., George, B., Singh, B., & Kapoor, H.C. (2007). Antioxidant constituents in some sweet pepper (*Capsicum annum* L.) genotypes during maturity. *LWT-Food Science and Technology*. 40(1):121-129.
53. Mateos, R.M., Jimenez, A., Roman, P., Romojaro, F., Bacarizo, S., Leterrier, M., *et al.* (2013). Antioxidant systems from pepper (*Capsicum annum* L.): Involvement in the response to temperature changes in ripe fruits. *International Journal of Molecular Sciences*. 14(5):9556-9580.
54. Rice-Evans, C.A., Miller, N.J., & Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine*. 20(7):933-956.
55. Holiman, P.C.H., Hertog, M.G.L., & Katan, M.B. (1996). Analysis and health effects of flavonoids. *Food Chemistry*. 57(1):43-46.

56. Seddon, J.M., Ajani, U.A., Sperduto, R.D., Hiller, R., Blair, N., Burton, T.C., *et al.* (1994). Dietary carotenoids, vitamins A, C, and E, and advanced age-related macular degeneration. Eye disease case-control study group. *Journal of the American Medical Association*. 272(18):1413-1420.
57. Gomez-Garcia Mdel, R., & Ochoa-Alejo, N. (2013). Biochemistry and molecular biology of carotenoid biosynthesis in chili peppers (*Capsicum* spp.). *International Journal of Molecular Sciences*. 14(9):19025-19053.
58. Aizawa, K., & Inakuma, T. (2009). Dietary capsanthin, the main carotenoid in paprika (*Capsicum annuum*), alters plasma high-density lipoprotein-cholesterol levels and hepatic gene expression in rats. *The British journal of nutrition*. 102(12):1760-1766.
59. Johnson, E.J. (2002). The role of carotenoids in human health. *Nutrition in clinical care : an official publication of Tufts University*. 5(2):56-65.
60. Asnin, L., & Park, S.W. (2014). Isolation and analysis of bioactive compounds in *Capsicum* peppers. *Critical Reviews in Food Science and Nutrition*. 55(2):254-289.
61. Kamal-Eldin, A., & Appelqvist, L.A. (1996). The chemistry and antioxidant properties of tocopherols and tocotrienols. *Lipids*. 31(7):671-701.
62. Wahyuni, Y., Ballester, A.R., Sudarmonowati, E., Bino, R.J., & Bovy, A.G. (2013). Secondary metabolites of *Capsicum* species and their importance in the human diet. *Journal of Natural Products*. 76(4):783-793.
63. Osuna-García, J.A., Wall, M.M., & Waddell, C.A. (1998). Endogenous levels of tocopherols and ascorbic acid during fruit ripening of new mexican-type chile (*Capsicum annuum* L.) cultivars. *Journal of Agricultural and Food Chemistry*. 46(12):5093-5096.
64. Food and Drug Administration Thailand. (1998) [updated 1998; cited 2015 Jan 11]. Thai Recommended Daily Intakes - Thai RDI [Internet]. Available from: elib.fda.moph.go.th/library/fulltext1/word/12578/ประเทศไทย8-3.doc.
65. Govindarajan, V.S., & Sathyanarayana, M.N. (1991). *Capsicum*--production, technology, chemistry, and quality. Part V. Impact on physiology, pharmacology, nutrition, and metabolism; structure, pungency, pain, and

- desensitization sequences. *Critical Reviews in Food Science and Nutrition*. 29(6):435-474.
66. Dairam, A., Fogel, R., Daya, S., & Limson, J.L. (2008). Antioxidant and iron-binding properties of curcumin, capsaicin, and S-Allylcysteine reduce oxidative stress in rat brain homogenate. *Journal of Agricultural and Food Chemistry*. 56(9):3350-3356.
 67. Gnayfeed, M.H., Daood, H.G., Biacs, P.A., & Alcaraz, C.F. (2001). Content of bioactive compounds in pungent spice red pepper (paprika) as affected by ripening and genotype. *Journal of the Science of Food and Agriculture*. 81(15):1580-1585.
 68. Bae, H., Jayaprakasha, G.K., Jifon, J., & Patil, B.S. (2012). Variation of antioxidant activity and the levels of bioactive compounds in lipophilic and hydrophilic extracts from hot pepper (*Capsicum* spp.) cultivars. *Food Chemistry*. 134(4):1912-1918.
 69. Wu, X., Beecher, G.R., Holden, J.M., Haytowitz, D.B., Gebhardt, S.E., & Prior, R.L. (2004). Lipophilic and hydrophilic antioxidant capacities of common foods in the United States. *Journal of Agricultural and Food Chemistry*. 52(12):4026-4037.
 70. Choi, S.J., Lee, J.H., Heo, H.J., Cho, H.Y., Kim, H.K., Kim, C.J., *et al.* (2011). *Punica granatum* protects against oxidative stress in PC12 cells and oxidative stress-induced Alzheimer's symptoms in mice. *Journal of Medicinal Food*. 14(7-8):695-701.
 71. Shih, P.H., Chan, Y.C., Liao, J.W., Wang, M.F., & Yen, G.C. (2010). Antioxidant and cognitive promotion effects of anthocyanin-rich mulberry (*Morus atropurpurea* L.) on senescence-accelerated mice and prevention of Alzheimer's disease. *Journal of Nutritional Biochemistry*. 21(7):598-605.
 72. Girones-Vilaplana, A., Valentao, P., Andrade, P.B., Ferreres, F., Moreno, D.A., & Garcia-Viguera, C. (2012). Phytochemical profile of a blend of black chokeberry and lemon juice with cholinesterase inhibitory effect and antioxidant potential. *Food Chemistry*. 134(4):2090-2096.
 73. Dhingra, D., Parle, M., & Kulkarni, S.K. (2006). Comparative brain cholinesterase-inhibiting activity of *Glycyrrhiza glabra*, *Myristica*

- fragrans*, ascorbic acid, and metrifonate in mice. *Journal of Medicinal Food*. 9(2):281-283.
74. Murakami, K., Murata, N., Ozawa, Y., Kinoshita, N., Irie, K., Shirasawa, T., *et al.* (2011). Vitamin C restores behavioral deficits and amyloid- β oligomerization without affecting plaque formation in a mouse model of Alzheimer's disease. *Journal of Alzheimer's Disease*. 26(1):7-18.
75. Sawmiller, D., Li, S., Shahaduzzaman, M., Smith, A.J., Obregon, D., Giunta, B., *et al.* (2014). Luteolin reduces Alzheimer's disease pathologies induced by traumatic brain injury. *International Journal of Molecular Sciences*. 15(1):895-904.
76. Selvatici, R., Marani, L., Marino, S., & Siniscalchi, A. (2013). *In vitro* mitochondrial failure and oxidative stress mimic biochemical features of Alzheimer disease. *Neurochemistry International*. 63(2):112-120.
77. Williams, R.J., & Spencer, J.P.E. (2012). Flavonoids, cognition, and dementia: Actions, mechanisms, and potential therapeutic utility for Alzheimer disease. *Free Radical Biology and Medicine*. 52(1):35-45.
78. Judprasong, K., Charoenkiatkul, S., Thiyajai, P., & Sukprasansap, M. (2013). Nutrients and bioactive compounds of Thai indigenous fruits. *Food Chemistry*. 140(3):507-512.
79. Azar, P.A., Nekoei, M., Larijani, K., & Bahraminasab, S. (2010). Chemical composition of the essential oils of *Citrus sinensis* cv. *Valencia* and a quantitative structure-retention relationship study for the prediction of retention indices by multiple linear regression. *Journal of the Serbian Chemical Society*. 76 (12):1627–1637.
80. Ainsworth, E.A., & Gillespie, K.M. (2007). Estimation of total phenolic content and other oxidation substrates in plant tissues using Folin-Ciocalteu reagent. *Nature Protocols*. 2(4):875-877.
81. Fukumoto, L., & Mazza, G. (2000). Assessing antioxidant and prooxidant activities of phenolic compounds. *Journal of Agricultural and Food Chemistry*. 48(8):3597-3604.

82. Benzie, I.F., & Strain, J.J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of "antioxidant power": the FRAP assay. *Analytical Biochemistry*. 239(1):70-76.
83. Ou, B., Hampsch-Woodill, M., & Prior, R.L. (2001). Development and validation of an improved oxygen radical absorbance capacity assay using fluorescein as the fluorescent probe. *Journal of Agricultural and Food Chemistry*. 49(10):4619-4626.
84. Grimm, C.C., Champagne, E.T., & Oktsuba, K. (2002). Analysis of volatile compounds in the headspace of rice using SPME/GC/MS. In R. Marsili (Ed.), *Flavor, fragrance, and odor analysis* (pp. 229–248). New York: Marcel Dekker.
85. Estrada, B., Bernal, M.A., Diaz, J., Pomar, F., & Merino, F. (2000). Fruit development in *Capsicum annuum*: changes in capsaicin, lignin, free phenolics, and peroxidase patterns. *Journal of Agricultural and Food Chemistry*. 48(12):6234-9.
86. Mazida, M.M., Salleh, M.M., & Osman, H. (2005). Analysis of volatile aroma compounds of fresh chilli (*Capsicum annuum*) during stages of maturity using solid phase microextraction (SPME). *Journal of Food Composition and Analysis*. 18(5):427-437.
87. Bryant, R.J., & McClung, A.M. (2011). Volatile profiles of aromatic and non-aromatic rice cultivars using SPME/GC–MS. *Food Chemistry*. 124(2):501-513.
88. Srisajjalertwaja, S., Apichartsrangkoon, A., Chaikham P., Chakrabandhu Y., Pathomrungsyounggul P., Leksawasdi N., *et al.* (2012). Color, capsaicin and volatile components of baked Thai green chili (*Capsicum annuum* Linn. var. *Jak Ka Pat*). *Journal of Agricultural Science*. 4(12):75-84.
89. Eggink, P.M., Maliepaard, C., Tikunov, Y., Haanstra, J.P.W., Pohn-Flament, L.M.M., de Wit-Maljaars, S.C., *et al.* (2012). Prediction of sweet pepper (*Capsicum annuum*) flavor over different harvests. *Euphytica*. 187(1):117-131.

90. Buttery, R.G., Seifert, R.M., Guadagni, D.G., & Ling, L.C. (1969). Characterization of some volatile constituents of bell peppers. *Journal of Agricultural and Food Chemistry*. 17(6):1322-1327.
91. Rong, L., Ke, X., Yang, C.L., Xiong, Z.D., Zhi, M.L., & Wen, T.X. (2009). Changes in volatile compounds of a native Chinese chilli pepper (*Capsicum frutescens* var) during ripening. *International Journal of Food Science and Technology*. 44(12):2470-2475.
92. Eggink, P.M., Maliepaard, C., Tikunov, Y., Haanstra, J.P.W., Bovy, A.G., & Visser, R.G.F. (2012). A taste of sweet pepper: Volatile and non-volatile chemical composition of fresh sweet pepper (*Capsicum annuum*) in relation to sensory evaluation of taste. *Food Chemistry*. 132(1):301-310.
93. Bogusz, J.S., Tavares, A.M., Filho, J.T., Zini, C.A., & Godoy, H.T. (2012). Analysis of the volatile compounds of Brazilian chilli peppers (*Capsicum* spp.) at two stages of maturity by solid phase micro-extraction and gas chromatography-mass spectrometry. *Food Research International*. 48(1):98-107.
94. Foreror, M.D., Quijano, C.E., & Pino, J.A. (2009). Volatile compounds of chile pepper (*Capsicum annuum* L. var. *glabriusculum*) at two ripening stages. *Flavour and Fragrance Journal*. 24(1):25-30.
95. Tundis, R., Loizzo, M.R., Menichini, F., Bonesi, M., Conforti, F., De Luca, D., *et al.* (2012). Air-dried *Capsicum annuum* var. *acuminatum* medium and big: Determination of bioactive constituents, antioxidant activity and carbohydrate-hydrolyzing enzymes inhibition. *Food Research International*. 45(1):170-176.
96. Bae, H.J., Jayaprakasha, G.K., Crosby, K., Jifon, J.L., & Patil, B.S. (2012). Influence of extraction solvents on antioxidant activity and the content of bioactive compounds in non-pungent peppers. *Plant Foods for Human Nutrition* 67(2):120-128.
97. Yahia, E.M., Contreras-Padilla, M., & Gonzalez-Aguilar, G. (2001). Ascorbic acid content in relation to ascorbic acid oxidase activity and polyamine content in tomato and bell pepper fruits during development, maturation and senescence. *LWT - Food Science and Technology*. 34(7):452-457.

98. Şenol, F.S., Orhan, I., Celep, F., Kahraman, A., Doğan, M., Yilmaz, G., *et al.* (2010). Survey of 55 Turkish *Salvia* taxa for their acetylcholinesterase inhibitory and antioxidant activities. *Food Chemistry*. 120(1):34-43.
99. Hacibekiroglu, I., & Kolak, U. (2011). Antioxidant and anticholinesterase constituents from the petroleum ether and chloroform extracts of *Iris suaveolens*. *Phytotherapy Research* 25(4):522-529.
100. Fawole, O.A., Amoo, S.O., Ndhlala, A.R., Light, M.E., Finnie, J.F., & Van Staden, J. (2010). Anti-inflammatory, anticholinesterase, antioxidant and phytochemical properties of medicinal plants used for pain-related ailments in South Africa. *Journal of Ethnopharmacology*. 127(2):235-241.
101. Akbaraly, N.T., Faure, H., Gourlet, V., Favier, A., & Berr, C. (2007). Plasma carotenoid levels and cognitive performance in an elderly population: results of the EVA Study. *Journals of Gerontology Series A: Biological Sciences and Medical Sciences*. 62(3):308-316.
102. Szwajgier, D. (2013). Inhibition of cholinesterases by phenolic acids detected in beer: A dose-response model approach. 12(14):1675-1681.
103. Basiri, A., Murugaiyah, V., Osman, H., Kumar, R.S., Kia, Y., Hooda, A., *et al.* (2014). Cholinesterase inhibitory activity versus aromatic core multiplicity: A facile green synthesis and molecular docking study of novel piperidone embedded thiazolopyrimidines. *Bioorganic & Medicinal Chemistry*. 22(2):906-916.
104. Čolović, M.B., Krstić, D.Z., Lazarević-Pašti, T.D., Bondžić, A.M., & Vasić, V.M. (2013). Acetylcholinesterase Inhibitors: Pharmacology and Toxicology. *Current Neuropharmacology*. 11(3):315-335.
105. Jann, M.W. (2000). Rivastigmine, a new-generation cholinesterase inhibitor for the treatment of Alzheimer's disease. *Pharmacotherapy*. 20(1):1-12.
106. Delfino, R.T., Ribeiro, T.S., & Figueroa-Villar, J.D. (2009). Organophosphorus compounds as chemical warfare agents: a review. *Journal of the Brazilian Chemical Society*. 20(3):407-428.
107. Dhananjayan, K., Sumathy, A., & Palanisamy, S. (2013). Molecular docking studies and *in-vitro* acetylcholinesterase inhibition by terpenoids and flavonoids. *Asian Journal of Research in Chemistry*. 6(11):1011-1017.

108. Murata, K., Matsumura, S., Yoshioka, Y., Ueno, Y., & Matsuda, H. (2014). Screening of beta-secretase and acetylcholinesterase inhibitors from plant resources. *Journal of Natural Medicines*. 69(1):123-129.
109. Touloukhonova, L., Metzler, W.J., Witmer, M.R., Copeland, R.A., & Marcinkeviciene, J. (2003). Kinetic studies on beta-site amyloid precursor protein-cleaving enzyme (BACE). Confirmation of an iso mechanism. *The Journal of biological chemistry*. 278(7):4582-4589.
110. Shimizu, H., Tosaki, A., Kaneko, K., Hisano, T., Sakurai, T., & Nukina, N. (2008). Crystal structure of an active form of BACE1, an enzyme responsible for amyloid beta protein production. *Molecular and cellular biology*. 28(11):3663-3671.
111. Rasool, M., Malik, A., Qureshi, M.S., Manan, A., Pushparaj, P.N., Asif, M., *et al.* (2014). Recent updates in the treatment of neurodegenerative disorders using natural compounds. *Evidence-Based Complementary and Alternative Medicine*.
112. Ndhlala, A.R., Moyo, M., & Van Staden, J. (2010). Natural antioxidants: fascinating or mythical biomolecules? *Molecules*. 15(10):6905-6930.
113. Prior, R.L., Wu, X., & Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*. 53(10):4290-4302.
114. Prostack, L., Barnea, E., Yaish, P., & Zharhary, D. (2014) [cited 2014 Jan 26]. β -Secretase (BACE1) activity assay kit: A FRET based assay designed for BACE1 inhibitor screening [Internet]. Available from: <http://www.sigmaaldrich.com/life-science/cell-biology/learning-center/bace1-assay-kit.html>.