

REFERENCES

Abou-Zeid, A.A. and el-Gammal, A.A., 1971, "Influence of Carbon & Nitrogen Sources on the Production of Cinnamycin by *Streptomyces cinnamomeus*", **Indian Journal of Experimental Biology**, Vol. 9, No. 2, pp. 274-275.

Agrios, G.N., 1997, **Plant Pathology**, 4th ed., Academic Press, San Diego, USA.

Association of Official Analytical Chemists (AOAC), 2000, Official Method of Analysis of AOAC International, 17th ed., AOAC Press, Maryland, USA.

Asaka, O. and Shoda, M., 1996, "Biocontrol of *Rhizoctonia solani* Damping-Off of Tomato with *Bacillus subtilis* RB14", **Applied and Environmental Microbiology**, Vol. 62, No. 11, pp. 4081-4085.

Bae, H., Roberts, D.P., Lim, H.S., Strem, M.D., Park, S.C., Ryu, C.M., Melnick, R.L. and Bailey, B.A., 2011, "Endophytic *Trichoderma* Isolates from Tropical Environments Delay Disease Onset and Induce Resistance Against *Phytophthora capsici* in Hot Pepper Using Multiple Mechanisms", **Molecular Plant-Microbe Interactions**, Vol. 24, No. 3, pp. 336-351.

Barahona, E., Navazo, A., Martinez-Granero, F., Zea-Bonilla, T., Perez-Jimenez, R.M., Martin, M. and Rivilla, R., 2011, "*Pseudomonas fluorescens* F113 Mutant with Enhanced Competitive Colonization Ability and Improved Biocontrol Activity Against Fungal Root Pathogens", **Applied and Environmental Microbiology**, Vol. 77, No. 15, pp. 5412-5419.

Basak, K. and Majumdar, S.K., 1973, "Utilization of Carbon and Nitrogen Sources by *Streptomyces kanamyceticus* for Kanamycin Production", **Antimicrobial Agents and Chemotherapy**, Vol. 4, No. 1, pp. 6-10.

Beyer, M. and Diekmann, H., 1985, "The Chitinase System of *Streptomyces* sp. ATCC11238 and Its Significance for Fungal Cell Wall Degradation", **Applied Microbiology and Biotechnology**, Vol. 23, No. 2, pp. 140-146.

Brimner, T. and Boland, G., 2003, "A Review of the Non-Target Effects of Fungi Used to Biologically Control Plant Diseases", **Agriculture, Ecosystems and Environment**, Vol. 100, No. 1, pp. 3-16.

Bordoloi, G.N., Kumari, B., Guha, A., Thakur, D., Bordoloi, M., Roy, M.K. and Bora, T.C., 2002, "Potential of a Novel Antibiotic, 2-Methylheptyl Isonicotinate, as a Biocontrol Agent against Fusarial Wilt of Crucifers", **Pest Management Science**, Vol. 58, No. 3, pp. 297-302.

Brasier, C.M., Beales, P.A., Kirk, S.A., Denman, S. and Rose, J., 2005, "*Phytophthora kernoviae* sp. nov., an Invasive Pathogen Causing Bleeding Stem Lesions on Forest Trees and Foliar Necrosis of Ornamentals in the UK", **Mycological Research**, Vol. 109, No. 8, pp. 853-859.

Brosius, J., Palmer, M.L., Kennedy, J.P. and Noller, H.P., 1978, Complete Nucleotide Sequence of a 16S Ribosomal RNA Gene from *Escherichia coli*. **Proceedings of the National Academy of Sciences**, Vol. 75, No. 10, pp. 4801–4805.

Buchanan, R.E. and Gibbons, N.E., 1974, **Bergey's Manual of Determinative Bacteriology**, 8th ed., The Williams and Wilkins Company., Baltimore , Md., USA, pp. 1-1246.

Burges, H.D. and Jones, K.A., 1998, "Trends in Formulation of Microorganisms and Future Research Requirements", In **Formulation of Microbial Biopesticides**, Burges, H.D. (Ed.), Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 311-332.

Chang W.T., Chen Y.C. and Jao C.L., 2007, "Antifungal Activity and Enhancement of Plant Growth by *Bacillus cereus* Grown on Shellfish Chitin Wastes", **Bioresource Technology**, Vol. 98, No. 6, pp. 1224-1230.

Chater, K.F., Biro, S., Lee, K.J., Palmer, T. and Schrempf, H., 2010, "The Complex Extracellular Biology of *Streptomyces*", **FEMS Microbiology Reviews**, Vol. 34, No. 2, pp. 171-198.

Chen, J.P. and Chang, K.C., 1994, "Immobilization of Chitinase on a Reversibly Soluble-Insoluble Polymer for Chitin Hydrolysis", **Journal of Chemical Technology and Biotechnology**, Vol. 60, No. 2, pp. 133-140.

Chen, M.H. and Nelson, E.B., 2008, "Seed-Colonizing Microbes from Municipal Biosolids Compost Suppress *Pythium ultimum* Damping-Off on Different Plant Species", **Phytopathology**, Vol. 98, No. 9, pp. 1012-1018.

Claessen, D., de Jong, W., Dijkhuizen, L. and Wosten, H.A., 2006, "Regulation of *Streptomyces* Development: Reach for the Sky", **Trends in Microbiology**, Vol. 14, No. 7, pp. 313-319.

Clement, J.A., Magalon, H., Pelle, R., Marquer, B. and Andrivon, D., 2010, "Alteration of Pathogenicity-Linked Life-History Traits by Resistance of Its Host *Solanum tuberosum* Impacts Sexual Reproduction of the Plant Pathogenic Oomycete *Phytophthora infestans*", **Journal of Evolutionary Biology**, Vol. 23, No. 12, pp. 2668-2676.

Cohen, Y., Farkash, S., Baider, A. and Shaw, D.S., 2000, "Sprinkling Irrigation Enhances Production of Oospores of *Phytophthora infestans* in Field-Grown Crops of Potato", **Phytopathology**, Vol. 90, No. 10, pp. 1105-1111.

Cohen, Y., Farkash, S., Reshit, Z. and Baider, A., 1997, "Oospore Production of *Phytophthora infestans* in Potato and Tomato Leaves", **Phytopathology**, Vol. 87, No. 2, pp. 191-196.

Dahiya, N., Tewari, R., Tiwari, R.P. and Hoondal, G.S., 2005, "Chitinase Production in Solid-State Fermentation by *Enterobacter* sp. NRG4 using Statistical Experimental Design", **Current Microbiology**, Vol. 51, No. 4, pp. 222-228.

Dastager, S.G., Kim, C.J., Lee, J.C., Agasar, D., Park, D.J. and Li, W.J., 2008, "*Streptomyces deccanensis* sp. nov., an Alkaliphilic Species Isolated from Soil", **International Journal of Systematic and Evolutionary Microbiology**, Vol. 58, No. 5, pp. 1089-1093.

Davis, R.M., 1989, "Effectiveness of Fosetyl-A1 against *Phytophthora parasitica* on Tomato", **Plant Disease**, Vol. 73, pp. 215-217.

Dietz, A. and Mathews, J., 1969, "Scanning Electron Microscopy of Selected Members of the *Streptomyces hygroscopicus* Group", **Applied Microbiology**, Vol. 18, No. 4, pp. 694-696.

Durand, A., 2003, "Bioreactor Designs for Solid State Fermentation", **Biochemical Engineering Journal**, Vol. 13, No. 2-3, pp. 113-125.

Edington, L.V., Khew, K.L. and Barron, G.I., 1971, "Fungitoxic Spectrum of Benzimidazole Compounds", **Phytopathology**, Vol. 61, No. 1, pp. 42-44.

El-Gendy, M.M. and El-Bondkly, A.M., 2010, "Production and Genetic Improvement of a Novel Antimycotic Agent, Saadamycin, Against Dermatophytes and Other Clinical Fungi from Endophytic *Streptomyces* sp. HEDAYA48", **Journal of Industrial Microbiology and Biotechnology**, Vol. 37, No. 8, pp. 831-841.

El-Tarabily, K.A., Nassar, A.H., Hardy, G.E. and Sivasithamparam, K., 2009, "Plant Growth Promotion and Biological Control of *Pythium aphanidermatum*, a Pathogen of Cucumber, by Endophytic Actinomycetes", **Journal of Applied Microbiology**, Vol. 106, No. 1, pp. 13-26.

Errakhi, R., Lebrihi, A. and Barakate, M., 2009, "*in vitro* and *in vivo* Antagonism of Actinomycetes Isolated from Moroccan Rhizospheric Soils Against *Sclerotium rolfsii*: A Causal Agent of Root Rot on Sugar Beet (*Beta vulgaris* L.)", **Journal of Applied Microbiology**, Vol. 107, No. 2, pp. 672-681.

Ezaki, T., Hashimoto, Y., Takeuchi, N., Yamamoto, H., Liu, S.L., Miura, H., Matsui, K. and Yabuuchi, E., 1988, "Simple Genetic Method to Identify Viridans Group Streptococci by Colorimetric Dot Hybridization and Fluorometric Hybridization in Microdilution Wells", **Journal of Clinical Microbiology**, Vol. 26, No. 9, pp. 1708-1713.

Felsenstein, J., 1992, "Estimating Effective Population Size from Samples of Sequences: A Bootstrap Monte Carlo Integration Method", **Genetics Research**, Vol. 60, No. 3, pp. 209-220.

Fguira, L., Fotso, S., Ameer-Mehdi, R., Mellouli, L. and Laatsch, H., 2005, "Purification and Structure Elucidation of Antifungal and Antibacterial Activities of Newly Isolated *Streptomyces* sp. strain US80", **Research in Microbiology**, Vol. 156, No. 3, pp. 341-347.

Flardh, K., 2003a, "Essential Role of DivIVA in Polar Growth and Morphogenesis in *Streptomyces coelicolor* A3(2)", **Molecular Microbiology**, Vol. 49, No. 6, pp. 1523-1536.

Flardh, K., 2003b, "Growth Polarity and Cell Division in *Streptomyces*", **Current Opinion in Microbiology**, Vol. 6, No. 6, pp. 564-571.

Flett, S.P., Ashcroft, W.J., Jerie, P.H. and Taylor, P.A., 1991, "Control of Phytophthora Root Rot in Processing Tomatoes by Metalaxyl and Fosetyl-Al", **Australian Journal of Experimental Agriculture**, Vol. 31, No. 2, pp. 279-283.

Fujii, T. and Miyashita, K., 1993, "Multiple Domain Structure in a Chitinase Gene (Chic) of *Streptomyces lividans*", **Journal of General Microbiology**, Vol. 139, No. 4, pp. 677-686.

Fukamizo, T., 2000, "Chitinolytic Enzymes: Catalysis, Substrate Binding, and Their Application", **Current Protein and Peptide Science**, Vol. 1, No. 1, pp. 105-124.

Georgakopoulos, D.G., Fiddaman, P., Leifert, C., and Malathrakis, N.E., 2002, "Biological Control of Cucumber and Sugar Beet Damping-Off Caused by *Pythium ultimum* with Bacterial and Fungal Antagonists", **Journal of Applied Microbiology**, Vol. 92, No. 6, pp. 1078-1086.

Getha, K. and Vikineswary, S., 2002, "Antagonistic Effects of *Streptomyces violaceusniger* strain G10 on *Fusarium oxysporum* F.sp. Cubense Race 4: Indirect Evidence for the Role of Antibiosis in the Antagonistic Process", **Journal of Industrial Microbiology and Biotechnology**, Vol. 28, No. 6, pp. 303-310.

Gherbawy, Y., Elhariry, H., Altalhi, A., El-Deeb, B. and Khiralla, G., 2012, "Molecular Screening of *Streptomyces* Isolates for Antifungal Activity and Family 19 Chitinase Enzymes", **Journal of Microbiology**, Vol. 50, No. 3, pp. 459-68.

Gohel, V., Singh, A., Vimal, M., Ashwini, P. and Chhatpar, H.S., 2006, "Bioprospecting and Antifungal Potential of Chitinolytic Microorganisms.", **African Journal of Biotechnology**, Vol. 5, No. 2, pp. 54-72.

Gomes, F.M., Pereira, E.B. and de Castro, H.F., 2004, "Immobilization of Lipase on Chitin and Its Use in Nonconventional Biocatalysis", **Biomacromolecules**, Vol. 5, No. 1, pp. 17-23.

Goodfellow, M., Ferguson, E.V. and Sanglier, J.J., 1992, "Numerical Classification and Identification of *Streptomyces* Species-a Review", **Gene**, Vol. 115, No. 1-2, pp. 225-233.

Goris, J., Konstantinidis, K.T., Klappenbach, J.A., Coenye, T., Vandamme, P. and Tiedje, J.M., 2007, "DNA-DNA Hybridization Values and Their Relationship to Whole-Genome Sequence Similarities", **International Journal of Systematic and Evolutionary Microbiology**, Vol. 57, No. 1, pp. 81-91.

Gupta, R., Saxena, R.K., Chaturvedi, P. and Viridi, J.S., 1995, "Chitinase Production by *Streptomyces viridificans*: Its Potential in Fungal Cell Wall Lysis", **Journal of Applied Bacteriology**, Vol. 78, No. 4, pp. 378-383.

Hansen, V.M., Winding, A. and Madsen, A.M., 2010, "Exposure to Bioaerosols During the Growth Season of Tomatoes in an Organic Greenhouse Using Supresivit (*Trichoderma harzianum*) and Mycostop (*Streptomyces griseoviridis*)", **Applied and Environmental Microbiology**, Vol. 76, No. 17, pp. 5874-5881.

Holembiovska, S.L., Tymoshenko, S.H. and Matseliukh, B.P., 2010, "Influence of Carbon and Nitrogen Sources on Biosynthesis of Lycopene by *Streptomyces globisporus* 4lCP", **Mikrobiol Z**, Vol. 72, No. 6, pp. 46-51.

Hölker, U., Höfer, M. and Lenz, J., 2004., "Biotechnological Advantages of Laboratory-Scale Solid-State Fermentation with Fungi", **Applied Microbiology and Biotechnology**, Vol. 64, No. 2, pp. 175-186.

Ikegami, T., Okada, T., Hashimoto, M., Seino, S., Watanabe, T. and Shirakawa, M., 2000, "Solution Structure of the Chitin-Binding Domain of *Bacillus circulans* W1-12 Chitinase A1", **Journal of Biological Chemistry**, Vol. 275, No. 18, pp. 13654-13661.

Inglis, G.D. and Kawchuk, L.M., 2002, "Comparative Degradation of Oomycete, Ascomycete, and Basidiomycete Cell Walls by Mycoparasitic and Biocontrol Fungi", **Canadian Journal of Microbiology**, Vol. 48, No. 1, pp. 60-70.

Jakimowicz, D., 2007, "Chromosome Segregation and Cell Division During the Growth and Differentiation of *Streptomyces*", **Postepy Higieny i Medycyny Doswiadczalnej (Online)**, Vol. 61, pp. 565-57

Jonsson, U., 2006, "A Conceptual Model for the Development of Phytophthora Disease in *Quercus robur*", **New Phytologist**, Vol. 171, No. 1, pp. 55-67.

Joo, G., 2005, "Production of an Anti-Fungal Substance for Biological Control of *Phytophthora capsici* Causing Phytophthora Blight in Red-Peppers by *Streptomyces halstedii* ", **Biotechnology Letters**, Vol. 27, No. 3, pp. 201-205.

Jorgensen, J.H., Lee, J.C., Alexander, G.A. and Wolf, H.W., 1979, "Comparison of Limulus Assay, Standard Plate Count, and Total Coliform Count for Microbiological

Assessment of Renovated Wastewater", **Applied and Environmental Microbiology**, Vol. 37, No. 5, pp. 928-931.

Judelson, H.S., 2007, "Genomics of the Plant Pathogenic Oomycete *Phytophthora*: Insights into Biology and Evolution", **Advances in Genetics**, Vol. 57, pp. 97-141.

Kallio, P., 2008, **Type II Aromatic Polyketide Biosynthetic Tailoring Enzymes: Diversity and Adaptation in *Streptomyces* Secondary Metabolism**, University of Turku, Finland.

Kamala, T. and Indira, S., 2011, "Evaluation of Indigenous *Trichoderma* Isolates from Manipur as Biocontrol Agent Against *Pythium aphanidermatum* on Common Beans", **3 Biotech**, Vol. 1, No. 4, pp. 217-225.

Khanafari, A., Marandi, R. and Sanatei, S., 2008, "Recovery of Chitin and Chitosan from Shrimp Waste by Chemical and Microbial Methods", **Iranian Journal Environmental. Health Science Engineering**, Vol. 5, No. 1, pp. 19-24.

Kim, S.K. and Rajapakse, N., 2005, "Enzymatic Production and Biological Activities of Chitosan Oligosaccharides (Cos): A Review", **Carbohydrate Polymers**, Vol. 62, No. 4, pp. 357-368.

Kim, S.B., Seong, C.N., Jeon, S.J., Bae, K.S. and Goodfellow, M., 2004, "Taxonomic Study of Neutrotolerant Acidophilic Actinomycetes Isolated from Soil and Description of *Streptomyces yeochonensis* sp. nov", **International Journal of Systematic and Evolutionary Microbiology**, Vol. 54, No. 1, pp. 211-214.

Krajewska, B., 2004, "Application of Chitin- and Chitosan-Based Materials for Enzyme Immobilizations: A Review", **Enzyme and Microbial Technology**, Vol. 35, No. 2-3, pp. 126-139.

Kumar, S., Tamura, K., Jakobsen, I.B. and Nei, M., 2001, "Mega 2 : Molecular Evolutionary Genetics Analysis Software", **Bioinformatics**, Vol. 17, No. 12, pp. 1244-1245.

Kurita, K., 2006, "Chitin and Chitosan: Functional Biopolymers from Marine Crustaceans", **Marine Biotechnology**, Vol. 8, No. 3, pp. 203-226.

Kurylowicz, W., Paszkiewicz, A., Szulga, T., Woznicka, W. and Kurzatkowski, W., 1975, "Classification of Streptomycetes by Different Numerical Methods", **Postepy Higieny i Medycyny Doswiadczalnej (Online)**, Vol. 29, No. 3, pp. 281-355.

Lamour, K.H., Stam, R., Jupe, J. and Huitema, E., 2012, "The Oomycete Broad-Host-Range Pathogen *Phytophthora capsici*", **Molecular Plant Pathology**, Vol. 13, No. 4, pp. 329-337.

Lebreton, L., Lucas, J.M. and Andrivon, D., 1999, "Aggressiveness and Competitive Fitness of *Phytophthora infestans* Isolates Collected from Potato and Tomato in France", **Phytopathology**, Vol. 89, No. 8, pp. 679-686.

Lee, S.Y., Tindwa, H., Lee, Y.S., Naing, K.W., Hong, S.H., Nam, Y. and Kim, K.Y., 2012, "Biocontrol of Anthracnose in Pepper Using Chitinase, Beta-1,3 Glucanase, and 2-Furancarboxaldehyde Produced by *Streptomyces cavourensis* SY224", **Journal of Microbiology and Biotechnology**, Vol. 22, No. 10, pp. 1359-1366.

Levin, A., Baider, A., Rubin, E., Gisi, U. and Cohen, Y., 2001, "Oospore Formation by *Phytophthora infestans* in Potato Tubers", **Phytopathology**, Vol. 91, No. 6, pp. 579-585.

Li, W.J., Zhang, Y.G., Zhang, Y.Q., Tang, S.K., Xu, P., Xu, L.H. and Jiang, C.L., 2005, "*Streptomyces sodiiphilus* sp. nov., a Novel Alkaliphilic Actinomycete", **International Journal of Systematic and Evolutionary Microbiology**, Vol. 55, No. 3, pp. 1329-1333.

Limam, Z., Sadok, S. and Abed, A.E., 2008, "Enzymatic Hydrolysis of Shrimp Head Waste: Functional and Biochemical Properties", **Food Biotechnology**, Vol. 22, No. 4, pp. 352-362.

Little, E., Bork, P. and Doolittle, R.F., 1994, "Tracing the Spread of Fibronectin Type III Domains in Bacterial Glycohydrolases", **Journal of Molecular Evolution**, Vol. 39, No. 6, pp. 631-643.

Majumdar, M.K. and Majumdar, S.K., 1967, "Utilization of Carbon and Nitrogen-Containing Compounds for Neomycin Production by *Streptomyces fradiae*", **Applied Microbiology**, Vol. 15, No. 4, pp. 744-749.

Manocha, M.S. and Colvin, J.R., 1968, "Structure of the Cell Wall of *Pythium debaryanum*", **Journal of Bacteriology**, Vol. 95, No. 3, pp. 1140-1152.

Martinez, C., Levesque, C.A., Belanger, R.R. and Tweddell, R.J., 2005, "Evaluation of Fungicides for the Control of Carrot Cavity Spot", **Pest Management Science**, Vol. 61, No. 8, pp. 767-771.

Masih, E.I. and Paul, B., 2002, "Secretion of Beta-1,3-Glucanases by the Yeast *Pichia membranifaciens* and Its Possible Role in the Biocontrol of *Botrytis cinerea* Causing Grey Mold Disease of the Grapevine", **Current Microbiology**, Vol. 44, No. 6, pp. 391-395.

Matroodi, S., Motallebi, M., Zamani, M. and Moradyar, M., 2013, "Designing a New Chitinase with More Chitin Binding and Antifungal Activity", **World Journal of Microbiology and Biotechnology**, Vol. 29, No. 8, pp. 1517-1523.

Medeiros, A.B.P., Pandey, A., Freitas, R.J.S., Christen, P. and Soccol, C.R., 2000, "Optimization of the Production of Aroma Compounds by *Kluyveromyces marxianus* in Solid-State Fermentation Using Factorial Design and Response Surface Methodology", **Biochemical Engineering Journal**, Vol. 6, No. 1, pp. 33-39.

Mehling, A., Wehmeier, U.F. and Piepersberg, W., 1995, " Nucleotide Sequences of Streptomycete 16s Ribosomal DNA: Towards a Specific Identification System for Streptomyces Using PCR. ", **Microbiology**, Vol. 141, pp. 2139-2147.

Meinke, W.J. and Jones, L.A., 1971, "Lytic Enzyme from Lysates of *Streptomyces venezuelae* Infected with Actinophage MSP2", **Journal of Bacteriology**, Vol. 106, No. 2, pp. 386-393.

Melin, P., Schnurer, J. and Hakansson, S., 2011, "Formulation and Stabilisation of the Biocontrol Yeast *Pichia anomala*", **Antonie van Leeuwenhoek**, Vol. 99, No. 1, pp. 107-112.

Merzendorfer, H., 2006, "Insect Chitin Synthases: A Review", **Journal of Comparative Physiology, Biochemical, Systemic, and Environmental Physiology**, Vol. 176, No. 1, pp. 1-15.

Miller, G.L., 1959, "Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar", **Analytical Chemistry**, Vol. 31, No. 3, pp. 426-428.

Miyashita, K., Fujii, T. and Saito, A., 2000, "Induction and Repression of a *Streptomyces lividans* Chitinase Gene Promoter in Response to Various Carbon Sources", **Bioscience, Biotechnology and Biochemistry**, Vol. 64, No. 1, pp. 39-43.

Mizubuti, E.S., Aylor, D.E. and Fry, W.E., 2000, "Survival of *Phytophthora infestans* Sporangia Exposed to Solar Radiation", **Phytopathology**, Vol. 90, No. 1, pp. 78-84.

Mocioni, M., Titone, P., Garibaldi, A. and Gullino, M.L., 2003, "Efficacy of Different Fungicides against Rhizoctonia Brown Patch and Pythium Blight on Turfgrass in Italy", **Communications in Agricultural and Applied Biological Sciences**, Vol. 68, No. 4, pp. 511-517.

Moongngarm, A., Daomukda, N. and Khumpika, S., 2012, "Chemical Compositions, Phytochemicals, and Antioxidant Capacity of Rice Bran, Rice Bran Layer, and Rice Germ", **Asia-Pacific Chemical, Biological and Environmental Engineering Society**, Vol. 2, No. 2012, pp. 73-79.

Mordarska, H., 1977, "[Principles of Modern Classification of Actinomycetes. Ii. Chemotaxonomy]", **Postepy Higieny i Medycyny Doswiadczalnej (Online)**, Vol. 31, No. 3, pp. 357-392.

Mussatto, S.I., Aguilar, C.N., Rodrigues, L.R. and Teixeira, J.A., 2009, "Fructooligosaccharides and β -Fructofuranosidase Production by *Aspergillus japonicus* Immobilized on Lignocellulosic Materials", **Journal of Molecular Catalysis B: Enzymatic**, Vol. 59, No. 1-3, pp. 76-81.

Nigam, P.S., 2009, "Production of Bioactive Secondary Metabolites", In **Biotechnology for Agroindustrial Residues Utilization**, Nigam, P.S. and Pandey, A. (Eds.), Springer, The Netherlands, pp. 129-145.

Nikolov, S., Fabritius, H., Petrov, M., Friak, M., Lymperakis, L., Sachs, C., Raabe, D. and Neugebauer, J., 2011, "Robustness and Optimal Use of Design Principles of Arthropod Exoskeletons Studied by AB Initio-Based Multiscale Simulations", **Journal of the Mechanical Behavior of Biomedical Materials**, Vol. 4, No. 2, pp. 129-145.

Nishiya, T. and Chang, T.M., 1994, "Toxicity of Liposomes Containing Low Mol% of Dienoyl Phosphocholine to Blood: Use of Carboxymethyl Chitin to Reduce Toxicity", **Artificial Cells, Blood Substitutes, and Immobilization Biotechnology**, Vol. 22, No. 3, pp. 883-888.

Nonomura, H., 1974, "Key for Classification and Identification of 458 Species of the *Streptomyces* included in ISP", **Journal of Fermentation Technology**, Vol. 52, No. 2, pp. 78-92.

Olano, C., Lombo, F., Mendez, C. and Salas, J.A., 2008, "Improving Production of Bioactive Secondary Metabolites in Actinomycetes by Metabolic Engineering", **Metabolic Engineering**, Vol. 10, No. 5, pp. 281-292.

Padan, E., Zilberstein, D. and Schuldiner, S., 1981, "pH Homeostasis in Bacteria", **Biochimica et Biophysica Acta**, Vol. 650, No. 2-3, pp. 151-166.

Pandey, A., 2003, "Solid-State Fermentation", **Biochemical Engineering Journal**, Vol. 13, No. 2-3, pp. 81-84.

Paszkiewicz, A., 1972, "Application of Numerical Methods to the Taxonomy of the Genus *Streptomyces*", **Archivum Immunologiae et Therapiae Experimentalis**, Vol. 20, No. 3, pp. 307-332.

Paulitz, T.C. and Belanger, R.R., 2001, "Biological Control in Greenhouse Systems", **Annual Review of Phytopathology**, Vol. 39, pp. 103-133.

Percot, A., Viton, C. and Domard, A., 2003, "Optimization of Chitin Extraction from Shrimp Shells", **Biomacromolecules**, Vol. 4, No. 1, pp. 12-18.

Perez-Garcia, A., Romero, D. and de Vicente, A., 2011, "Plant Protection and Growth Stimulation by Microorganisms: Biotechnological Applications of Bacilli in Agriculture", **Current Opinion in Biotechnology**, Vol. 22, No. 2, pp. 187-193.

Picard, K., Tirilly, Y. and Benhamou, N., 2000, "Cytological Effects of Cellulases in the Parasitism of *Phytophthora parasitica* by *Pythium oligandrum*", **Applied and Environmental Microbiology**, Vol. 66, No. 10, pp. 4305-4314.

Porter, L.D. and Johnson, D.A., 2004, "Survival of *Phytophthora infestans* in Surface Water", **Phytopathology**, Vol. 94, No. 4, pp. 380-387.

Postma, J., Geraats, B.P., Pastoor, R. and van Elsas, J.D., 2005, "Characterization of the Microbial Community Involved in the Suppression of *Pythium aphanidermatum* in Cucumber Grown on Rockwool", **Phytopathology**, Vol. 95, No. 7, pp. 808-818.

Prapagdee, B., Kotchadat, K., Kumsopa, A. and Visarathanonth, N., 2007, "The Role of Chitosan in Protection of Soybean from Sudden Death Syndrome Caused by *Fusarium solani* f. sp. *Glycines*.", **Bioresource Technology**, Vol. 98, No. 7, pp. 1353-1358.

Pridham, T.G., Hesseltine, C.W. and Benedict, R.G., 1958, "A Guide for the Classification of Streptomyces According to Selected Groups; Placement of Strains in Morphological Sections", **Applied Microbiology**, Vol. 6, No. 1, pp. 52-79.

Raaijmakers, J.M. and Mazzola, M., 2012, "Diversity and Natural Functions of Antibiotics Produced by Beneficial and Plant Pathogenic Bacteria", **Annual Review of Phytopathology**, Vol. 50, pp. 403-424.

Rastogi, G. and Sani, R., 2011, "Molecular Techniques to Assess Microbial Community Structure, Function, and Dynamics in the Environment", In **Microbes and Microbial Technology**, Ahmad, I., Ahmad, F. and Pichtel, J. (Eds.), Springer New York, USA, pp 29-57.

Rizzo, D.M., Garbelotto, M. and Hansen, E.M., 2005, "*Phytophthora ramorum*: Integrative Research and Management of an Emerging Pathogen in California and Oregon Forests", **Annual Review of Phytopathology**, Vol. 43, pp. 309-335.

Robinson, T. and Nigam, P., 2003, "Bioreactor Design for Protein Enrichment of Agricultural Residues by Solid State Fermentation", **Biochemical Engineering Journal**, Vol. 13, No. 2-3, pp. 197-203.

Rodríguez, L.A., Toro, M.E., Vazquez, F., Correa-Daneri, M.L., Gouiric, S.C. and Vallejo, M.D., 2010, "Bioethanol Production from Grape and Sugar Beet Pomaces by Solid-State Fermentation", **International Journal of Hydrogen Energy**, Vol. 35, No. 11, pp. 5914-5917.

Rosa, J.C., Baptista Neto, A., Hokka, C.O. and Badino, A.C., 2005, "Influence of Dissolved Oxygen and Shear Conditions on Clavulanic Acid Production by *Streptomyces clavuligerus*", **Bioprocess and Biosystems Engineering**, Vol. 27, No. 2, pp. 99-104.

Rubin, E., Baider, A. and Cohen, Y., 2001, "*Phytophthora infestans* Produces Oospores in Fruits and Seeds of Tomato", **Phytopathology**, Vol. 91, No. 11, pp. 1074-1080.

Rødde, R.H., Einbu, A. and Vårum, K.M., 2008, "A Seasonal Study of the Chemical Composition and Chitin Quality of Shrimp Shells Obtained from Northern Shrimp (*Pandalus borealis*)", **Carbohydrate Polymers**, Vol. 71, No. 3, pp. 388-393.

Sachindra, N.M., 2003, **Studies on Some Crustaceans of Tropical Waters with Special Reference to Pigments**, University of Mysore, India.

Sachindra, N.M. and Mahendrakar, N.S., 2005, "Process Optimization for Extraction of Carotenoids from Shrimp Waste with Vegetable Oils", **Bioresource Technology**, Vol. 96, No. 10, pp. 1195-1200.

Saenz-de-Cabezón, F.J., Zalom, F.G. and Lopez-Olguin, J.F., 2010, "A Review of Recent Patents on Macroorganisms as Biological Control Agents", **Biotechnology**, Vol. 4, No. 1, pp. 48-64.

Saitou, N. and Nei, M., 1987, "The Neighbor-Joining Method : A New Method for Reconstructing Phylogenetic Trees", **Molecular Biology and Evolution**, Vol. 4, No. 4, pp. 406-425.

Sanchez, J. and Gallego, E., 2002, "Phytopathogenicity of *Pythium* spp. from the Irrigation Water of the Poniente Almeriense (South-Eastern Spain)", **Revista Iberoamericana de Micología**, Vol. 19, No. 3, pp. 177-180.

Santa, H.S.D., Santa, O.R.D., Brand, D., Vandenberghe, L.P.S. and Soccol, C.R., 2005, "Spore Production of *Beauveria bassiana* from Agroindustrial Residues", **Brazilian Archives of Biology and Technology**, Vol. 48, pp. 51-60.

Sasaki, T., Igarashi, Y., Ogawa, M., and Furumai, T., 2002, "Identification of 6-Prenylindole as an Antifungal Metabolite of *Streptomyces* sp. TP-A0595 and Synthesis and Bioactivity of 6-Substituted Indoles", **Journal of Antibiotics**, Vol. 55, No. 11, pp. 1009-1012.

Shirling, E.B. and Gottlieb, D., 1966, "Methods for Characterization of *Streptomyces* Species", **International Journal of Systematic Bacteriology**, Vol. 16, No. 3, pp. 313-340.

Singh, R., Chacharkar, M.P. and Mathur, A.K., 2008, "Chitin Membrane for Wound Dressing Application, Preparation, Characterisation and Toxicological Evaluation", **International Wound Journal**, Vol. 5, No. 5, pp. 665-673.

Singh, R. and Singh, D., **Chitin Membranes Containing Silver Nanoparticles for Wound Dressing Application** [Online], Available : <http://onlinelibrary.wiley.com/doi/10.1111/j.1742-481X.2012.01084.pdf> 2012, December 3].

Skidmore, A.M. and Dickinson, C.M., 1976, "Colony Interactions and Hyphal Interferences between *Septoria nodorum* and *Phylloplane* Fungi", **Transactions of the British Mycological Society**, Vol. 66, No.1, pp. 57-64.

Song, Y., Onishi, H. and Nagai, T., 1992, "Synthesis and Drug-Release Characteristics of the Conjugates of Mitomycin C with N-Succinyl-Chitosan and Carboxymethyl-Chitin", **Chemical and Pharmaceutical Bulletin**, Vol. 40, No. 10, pp. 2822-2825.

Sreenivasaprasad, S. and Manibhushanrao, K., 1990, "Antagonistic Potential of *Gliocladium virens* and *Trichoderma longibrachiatum* to Phytopathogenic Fungi", **Mycopathologia**, Vol. 109, No. 1, pp. 19-26.

Stackebrandt, E., Witt, D., Kemmerling, C., Kroppenstedt, R. and Liesack, W., 1991, "Designation of Streptomycete 16S and 23S rRNA-Based Target Regions for Oligonucleotide Probes", **Applied and Environmental Microbiology**, Vol. 57, No. 5, pp. 1468-1477.

Stoichev, M., Ognianov, I. and Dzhezheva, G., 1982, "Effect of Carbon and Nitrogen Sources on the Biosynthesis of the Enzyme Glucose Isomerase by *Streptomyces* sp.", **Acta Microbiologica Bulgarica**, Vol. 10, pp. 28-33.

Taechowisan, T., Lu, C., Shen, Y. and Lumyong, S., 2005, "Secondary Metabolites Activity", **Microbiology**, Vol. 151, No. 5, pp. 1691-1695.

Tharanathan, R.N. and Kittur, F.S., 2003, "Chitin-the Undisputed Biomolecule of Great Potential", **Critical Reviews in Food Science and Nutrition**, Vol. 43, No. 1, pp. 61-87.

Trejo-Estrada, S.R., Paszczynski, A. and Crawford, D.L., 1998, "Antibiotics and Enzymes Produced by the Biocontrol Agent *Streptomyces violaceusniger* YCED-9", **Journal of Industrial Microbiology and Biotechnology**, Vol. 21, No.1-2, pp. 81-90.

Tyler, B.M., 2002, "Molecular Basis of Recognition between *Phytophthora* Pathogens and Their Hosts", **Annual Review of Phytopathology**, Vol. 40, pp. 137-167.

Waksman, S. A., 1961, **The Actinomycetes: Classification, identification and descriptions of genera and species**, The Williams and Wilkins Company, Baltimore, pp. 61-292.

Waksman, S.A. and Henrici, A.T., 1943, "The Nomenclature and Classification of the Actinomycetes", **Journal of Bacteriology**, Vol. 46, No. 4, pp. 337-341.

Watanabe, T., Ito, Y., Yamada, T., Hashimoto, M., Sekine, S. and Tanaka, H., 1994, "The Roles of the C-Terminal Domain and Type III Domains of Chitinase A1 from *Bacillus circulans* W1-12 in Chitin Degradation", **Journal of Bacteriology**, Vol. 176, No. 15, pp. 4465-4472.

Whipps, J.M., 2001, "Microbial Interactions and Biocontrol in the Rhizosphere", **Journal of Experimental Botany**, Vol. 52, No. 1, pp. 487-511.

Williams, S.T., Goodfellow, M., Alderson, G., Wellington, E.M., Sneath, P.H. and Sackin, M.J., 1983, "Numerical Classification of *Streptomyces* and Related Genera", **Journal of General Microbiology**, Vol. 129, No. 6, pp. 1743-1813.

Woo, J.H., Kitamura, E., Myouga, H. and Kamei, Y., 2002, "An Antifungal Protein from the Marine Bacterium *Streptomyces* sp. Strain AP77 Is Specific for *Pythium*

porphyrae, a Causative Agent of Red Rot Disease in *Porphyra* spp.", **Applied and Environmental Microbiology**, Vol. 68, No. 6, pp. 2666-2675.

Xia, J.L., Xiong, J., Zhang, R.Y., Liu, K.K., Huang, B. and Nie, Z.Y., 2011, "Production of Chitinase and Its Optimization from a Novel Isolate *Serratia marcescens* XJ-01", **Indian Journal of Microbiology**, Vol. 51, No. 3, pp. 301-306.

Xiao, K., Kinkel, L. and Samac, D., 2002, "Biological Control of *Phytophthora* Root Rots on Alfalfa and Soybean with *Streptomyces*", **Biology Control**, Vol. 23, No. 3, pp. 285-295.

Xu, L.H., Tiang, Y.Q., Zhang, Y.F., Zhao, L.X. and Jiang, C.L., 1998, "*Streptomyces thermogriseus*, a New Species of the Genus *Streptomyces* from Soil, Lake and Hot-Spring", **International Journal of Systematic Bacteriology**, Vol. 48, No. 4, pp. 1089-1093.

Yan, L.L., Han, N.N., Zhang, Y.Q., Yu, L.Y., Chen, J., Wei, Y.Z., Li, Q.P., Tao, L., Zheng, G.H., Yang, S.E., Jiang, C.X., Zhang, X.D., Huang, Q., Habdin, X., Hu, Q.B., Li, Z., Liu, S.W., Zhang, Z.Z., He, Q.Y., Si, S.Y. and Sun, C.H., 2010, "Antimycin A18 Produced by an Endophytic *Streptomyces albidoflavus* Isolated from a Mangrove Plant", **Journal of Antibiotics**, Vol. 63, No. 5, pp. 259-261.

Young, M.E., Bell, R.L. and Carroad, P.A., 1985a, "Kinetics of Chitinase Production. I. Chitin Hydrolysis", **Biotechnology and Bioengineering**, Vol. 27, No. 6, pp. 769-775.

Young, M.E., Bell, R.L. and Carroad, P.A., 1985b, "Kinetics of Chitinase Production. II. Relationship between Bacterial Growth, Chitin Hydrolysis and Enzyme Synthesis", **Biotechnology and Bioengineering**, Vol. 27, No. 6, pp. 776-780.

Zhao, P.J., Wang, H.X., Li, G.H., Li, H.D., Liu, J. and Shen, Y.M., 2007, "Secondary Metabolites from Endophytic *Streptomyces* sp. LZ531", **Chemistry and Biodiversity**, Vol. 4, No. 5, pp. 899-904.

Zhou, D., Zhang, L., Zhou, J. and Guo, S., 2004, "Cellulose/Chitin Beads for Adsorption of Heavy Metals in Aqueous Solution", **Water Research**, Vol. 38, No. 11, pp. 2643-2650.