

Table 9 Antimicrobial activities of *A. racemosus* extracts by disk diffusion test

| Code ^a | Tak (AR1) | | | | | Kanchanaburi (AR2) | | | | | Rayong (AR3) | | | | | |
|----------------------|-----------|-----------------|-----------|-----------|-----------|--------------------|----------------|-----------|-----------|-----------|--------------|----------------|-----------|-----------|-----------|-----------------|
| | AR 1-H | AR 1-E | AR 1-A | AR 1-B | AR 1-S | AR 2-H | AR 2-E | AR 2-A | AR 2-B | AR 2-S | AR 3-H | AR 3-E | AR 3-A | AR 3-B | AR 3-S | AR 3-En |
| <i>E. coli</i> | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| <i>P. aeruginosa</i> | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| <i>S. aureus</i> | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| <i>C. albicans</i> | * | 9.25 ± 0.29 | * | * | * | * | 8.25 ± 0.35 | * | * | * | * | 7.25 ± 0.29 | * | * | * | 12.33 ± 0.29 |
| <i>M. furfur</i> | * | 9.25 ± 0.29 | * | * | * | * | 7.75 ± 0.35 | * | * | * | * | 6.75 ± 0.29 | * | * | * | 10.33 ± 0.58 |
| <i>M. globosa</i> | * | 10.33 ± 0.29 | * | * | * | * | 6.50 ± 0.50 | * | * | * | * | 6.75 ± 0.29 | * | * | * | 10 ± 1.00 |

Note: *No zone of inhibition, ^aThe extracts at concentration of 1 mg/disk

Values are mean ± SD (mm) from the experiments in triplicate. The diameter of the disk (6 mm) was included

