

LIST OF TABLES

Table	Page
1 Comparison of fungi and bacteria	14
2 Gradient elution of mobile phase of the LC-MS/MS analyses	24
3 MS condition (MRM) for the analyses of shatavarin IV.....	25
4 The % yield of <i>A. racemosus</i> roots extracts from each sources.....	32
5 Quantity of shatavarin IV in <i>A. racemosus</i> ethanolic extracts analyze by LC-MS/MS at 10.00 min.....	37
6 Quantity of saponin equivalent to shatavarin IV in AR-E obtained from different sources analyzed by LC-MS/MS at 8.32 min	38
7 The percentages of saponin equivalent to shatavarin IV of <i>A. racemosus</i> extracts of each sources.....	39
8 Antimicrobial activities of positive control by disk diffusion test.....	40
9 Antimicrobial activities of <i>A. racemosus</i> extracts by disk diffusion test.	41
10 MICs and MFCs against fungi of <i>A. racemosus</i> extracts and standard drugs.....	42
11 Fractional inhibiting concentrations (FICs) and FIC indices(FICI).....	43
12 The percent of saponin equivalent to shatavarin IV of <i>A. racemosus</i> extracts when kept at 50 °C 30 days compare with control (0 day).	45
13 The percentage remaning of saponin equivalent to shatavarin IV in <i>A. racemosus</i> extracts after 30 day storage at 50 °C	46
14 Comparison of inhibitory activities against <i>C. albicans</i> and <i>M. furfur</i> by disk diffusion test.....	46
15 MICs and MFCs against fungi	47