

## TABLE OF CONTENTS

	<b>Page</b>
<b>ACKNOWLEDGEMENTS</b>	<b>(3)</b>
<b>ABSTRACT</b>	<b>(4)</b>
<b>LIST OF TABLES</b>	<b>(9)</b>
<b>LIST OF FIGURES</b>	<b>(11)</b>
<b>CHAPTER</b>	
<b>1 INTRODUCTION</b>	<b>1</b>
1.1 Background of the Study	1
1.2 Objectives of the Study	3
1.3 Scopes of the Study	4
1.4 Outcomes of the Study	5
1.5 Timeline of Research	6
<b>2 LITERATURE REVIEW</b>	<b>8</b>
2.1 Betel Nut ( <i>Areca catechu</i> L.)	8
2.2 Biological Activities of <i>A. catechu</i> L.	17
2.3 Free Radicals	21
2.4 Antioxidants	24
2.5 Phenolic Compounds	26
2.6 Phenolic Antioxidants Determinations	27
2.7 Extraction Method	33
2.8 Cosmetic and Multifunctional Agent	35

## TABLE OF CONTENTS (continued)

	<b>Page</b>
<b>CHAPTER</b>	
<b>3 METHODOLOGY</b>	<b>38</b>
3.1 Sample Preparation	43
3.2 Extraction of Bioactive Compounds from <i>A. catechu</i> Linn.	44
3.3 The Solid-liquid Fractionation Extraction	44
3.4 Determination of Polyphenolics Compound Content	46
3.5 Determinations of Cosmetic Bioactivity	48
3.6 Characterization of Betel Nut Extracts	56
3.7 Cytotoxicity Test	57
3.8 Stability Test of the Extract	58
3.9 Development of Cream Containing Betel Nut Seed Extract	59
3.10 Data and Statistical Analysis	60
<b>4 RESULTS</b>	<b>61</b>
4.1 Effect of Shaking Speed on Bioactive Compound Extraction from Betel Nut Seed	62
4.2 Effect of Sample Part and Extraction Method on Bioactive Compound Extraction from Betel Nut	63
4.3 Comparison of Shaking and Microwave-Assisted Methods on Bioactive Compound Extraction from Betel Nut	79
4.4 Effect of Solvent on Bioactive Compound Extraction from Raw Betel Nut Seed	87

## TABLE OF CONTENTS (continued)

	<b>Page</b>
<b>CHAPTER</b>	
4.5 The Solid-Liquid Fractionation Extraction	100
4.6 Stability of Raw Betel Nut Seed Extract	108
4.7 Stability of Cream Containing Raw Betel Nut Seed Extract	125
4.8 Suggestion	135
<b>5 CONCLUSION</b>	<b>136</b>
<b>REFERENCES</b>	<b>138</b>
<b>APPENDICES</b>	<b>150</b>
APPENDIX A Spectrum of phenolic standards	151
APPENDIX B Spectrum of betel nut extracts from the different sample	152
APPENDIX C Spectrum of betel nut extracts from the different solvent	157
APPENDIX D Spectrum of betel nut extracts from the solid-liquid fractionated extraction	163
APPENDIX E Stability of the cosmetic formulation containing raw betel nut seed extract	170
<b>CURRICULUM VITAE</b>	<b>171</b>

## LIST OF TABLES

Table	Page
2.1 <i>A. catechu</i> L. Cultivation Areas in Thailand	15
2.2 Main Classes of Phenolic Compounds in Higher Plants	26
2.3 Some of the Solvent Polarity Index and Dielectric Constant	35
3.1 Chemicals	38
3.2 Instruments	42
3.3 The Cream Base Master Formula	59
4.1 Preliminary Test of the Shaking Speed for Using in Shaking Method	62
4.2 Extractable Phenolic (EPC) and Extractable Flavonoid (EFC) of Betel Nut Extracts Prepared by Shaking (ShE) and Microwave-Assisted (MAE) Extractions	65
4.3 Cosmetic Bioactivities in Term of IC <sub>50</sub> of Betel Nut Extracts Prepared by Shaking (ShE) and Microwave-Assisted (MAE) Extraction Methods	69
4.4 Cosmetic Bioactivities in Term of Standard Equivalent of Betel Nut Extracts Prepared by Shaking (ShE) and Microwave-Assisted (MAE) Extraction Methods	70
4.5 Anti-Bacterial Activity of Betel Nut Extracts	76
4.6 The % Survival of the Human Dermal Fibroblast Cell Line Cultured with Samples at Various Concentrations	77
4.7 The % Survival of the B16-F10 Melanoma Cell Line Cultured with Samples at Various Concentrations	78
4.8 Extractable Bioactive Compounds of Betel Nut Extracts and the Mean Differences between Shaking (ShE) and Microwave-Assisted (MAE) Extraction Methods	80

## LIST OF TABLES (continued)

<b>Table</b>	<b>Page</b>
4.9 Comparison of the Mean Differences on Cosmetic Bioactivities (IC <sub>50</sub> ) from Extraction between Shaking (ShE) and Microwave-Assisted (MAE) Methods	83
4.10 Comparison of Means Difference on Cosmetic Bioactivities (Standard Equivalent) from Extraction by Shaking (ShE) and Microwave-Assisted (MAE) Methods	84
4.11 Extractable Phenolic (EPC), Extractable Flavonoid (EFC) Contents of Betel Nut Extracts	89
4.12 Cosmetic Bioactivities in term of IC <sub>50</sub> Values of Betel Nut Seed Extracts	91
4.13 Cosmetic Bioactivities in term of Standard Equivalent of Betel Nut Seed Extracts	93
4.14 Anti-Bacterial Activity of Betel Nut Extracts	98
4.15 The % Survival of the Human Dermal Fibroblast Cell Line and B16-F10 Melanoma Cell Line Cultured with Samples at Various Concentrations	99
4.16 The Bioactive Compounds and Biological Activities of Betel Nut Seed Extracts	102
4.17 Stability of the Cosmetic Formulation Containing Raw Betel Nut Seed Extract	126

## LIST OF FIGURES

Figure	Page
2.1 Betel Palm Morphology	8
2.2 Betel Nut Palms Cultivated in South Asia	10
2.3 Cultivation of <i>Piper Betel</i> L. (Betel Pepper Leaf)	10
2.4 Sliced Betel Nut (Supari)	11
2.5 Betel Quid Composed of Calcium Hydroxide (Slaked Lime), Betel Pepper Leaf, Sliced Betel Seed, and Additional with Tobacco	12
2.6 Betel Quid Fulfill Indian Ceremony Atmosphere	12
2.7 Pathways Contributing to the Formation and Detoxification of Reactive Oxygen Species (ROS)	22
2.8 Melanin Synthetic Pathway and the Involvement of Melanogenic Enzymes	31
3.1 Appearance of the Betel Nut Samples Before Drying (A), After Drying (B), and After Milling (C)	43
3.2 Scheme of Solid-Liquid Fractionation Extractions	45
4.1 Appearance of Betel Nut Crude Extract Prepared by Shaking (A) and Microwave-Assisted Extraction Methods (B)	63
4.2 UV-Scanning of Betel Nut Extracts	73
4.3 HPLC Separations of Betel Nut Extracts Prepared by Shaking (A) and Microwave-Assisted Method (B) Compared with Standard Phenolic Substances	74
4.4 Appearance of Betel Nut Crude Extract (A) and Dried Crude Extract (B)	87
4.5 UV-Scanning of Betel Nut Extracts; 200-400 nm and 250-350 nm	95
4.6 HPLC Separations of Betel Nut Extracts Compared with Standard Phenolic Substances	97

## LIST OF FIGURES (continued)

Figure	Page
4.7 UV-Scanning of Betel Nut Seed Extracts and Phenolic Standards; 200-400 nm and 250-350 nm	104
4.8 HPLC Elution Profile and the Appearance of Betel Nut Seed Extracts and Phenolics Standards	106
4.9 Absorption Stability of Raw Betel Nut Seed Extract Solution	109
4.10 Absorption Stability of Raw Betel Nut Seed Extract	110
4.11 Residual of Extractable Phenolics Content of Raw Betel Nut Seed Extract	113
4.12 Percentage of Residual Extractable Phenolics Content of Raw Betel Seed Nut Extract Solutions	114
4.13 Residual Phenolic Content (EPC), Proanthocyanidins (EPAC), and ABTS Radical Scavenging Activity (ABTS) of the Betel Nut Seed Extract after Heating/Cooling Cycle	114
4.14 Residual of ABTS Radical Scavenging Capacity of Raw Betel Nut Seed Extract	116
4.15 Percentage of Residual ABTS Radical Scavenging Capacity of Raw Betel Seed Nut Extract Solutions after 84 Days Storage	117
4.16 Residual of Tyrosinase Inhibition Activity of Raw Betel Nut Seed Extract	118
4.17 Percentage of Residual Tyrosinase Inhibition Activity of Raw Betel Seed Nut Extract Solutions after 84 Days Storage	119
4.18 Stability of pH of Raw Betel Nut Seed Extract	121
4.19 pH Changes of Raw Betel Seed Nut Extract Solutions after 84 Days Storage	121
4.20 Stability of Color Changes ( $\Delta E^*$ ) of Raw Betel Nut Seed Extract	122

## LIST OF FIGURES (continued)

Figure	Page
4.21 Color Changes ( $\Delta E^*$ ) of Raw Betel Seed Nut Extract Solutions after 84 Days Storage	123
4.22 Percentage of Residual Phenolics Content of the Formula Containing 0.5% (w/w) Raw Betel Nut Seed Extract	125
4.23 Percentage of Residual Antioxidant Activity of the Formula Containing 0.5% (w/w) Raw Betel Nut Seed Extract	127
4.24 Changes of pH of the Base Formula and Formula Containing 0.5% (w/w) Raw Betel Nut Seed Extract	128
4.25 Changes of Color of the Base Formula and Formula Containing 0.5% (w/w) Raw Betel Nut Seed Extract	130
4.26 Appearance of the Base Formula (left) and the Formula Containing 0.5% (w/w) Raw Betel Nut Seed Extract (right)	131
4.27 Appearance of the Base Formula (left) and the Formula Containing 0.5% (w/w) Raw Betel Nut Seed Extract (right)	132
4.28 Changes of Viscosity of the Base Formula and Formula Containing 0.5% (w/w) Raw Betel Nut Seed Extract	133