

FREQUENCIES

VARIABLES=Q1.1 Q1.2.1 Q1.2.2 Q1.2.3 Q1.2.4 Q1.2.5 Q1.2.6 Q1.3.1 Q1.3.2
 Q1.3.3 Q1.3.4 Q1.3.5 Q1.3.6 Q1.3.7 Q1.3.8 Q1.3.9 Q1.4.1 Q1.4.2 Q1.4.3
 Q1.4.4 Q1.4.5 Q1.5.1 Q1.5.2 Q1.5.3 Q1.5.4 Q1.5.5 Q1.6 Q1.7 Q1.8 Q1.9 Q1.10
 Q1.11 Q1.12.1 Q1.12.2 Q1.12.3 Q1.12.4 Q1.12.5 Q1.12.6 Q1.13.1 Q1.13.2
 Q1.13.3 Q1.13.4 Q1.13.5 Q1.13.6 Q1.14.1 Q1.14.2 Q1.14.3 Q1.14.4 Q1.14.5
 Q1.14.6 Q1.15 Q1.16.1 Q1.16.2 Q1.16.3 Q1.16.4 Q1.16.5 Q1.16.6 Q1.17 Q2.1
 Q2.2 Q2.3 Q2.4 Q2.5 Q2.6 Q2.7 Q2.8 Q2.9 Q2.10 Q2.11 Q2.12 Q3.1 Q3.2 Q3.3
 Q3.4 Q3.5
 /ORDER= ANALYSIS .

Frequencies

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Statistics

		Q1.1	Q1.2.1	Q1.2.2	Q1.2.3	Q1.2.4	Q1.2.5	Q1.2.6
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q1.3.1	Q1.3.2	Q1.3.3	Q1.3.4	Q1.3.5	Q1.3.6	Q1.3.7
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q1.3.8	Q1.3.9	Q1.4.1	Q1.4.2	Q1.4.3	Q1.4.4	Q1.4.5
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q1.5.1	Q1.5.2	Q1.5.3	Q1.5.4	Q1.5.5	Q1.6	Q1.7
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q1.8	Q1.9	Q1.10	Q1.11	Q1.12.1	Q1.12.2	Q1.12.3
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q1.12.4	Q1.12.5	Q1.12.6	Q1.13.1	Q1.13.2	Q1.13.3	Q1.13.4
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q1.13.5	Q1.13.6	Q1.14.1	Q1.14.2	Q1.14.3	Q1.14.4	Q1.14.5
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q1.14.6	Q1.15	Q1.16.1	Q1.16.2	Q1.16.3	Q1.16.4	Q1.16.5
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q1.16.6	Q1.17	Q2.1	Q2.2	Q2.3	Q2.4	Q2.5
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q2.6	Q2.7	Q2.8	Q2.9	Q2.10	Q2.11	Q2.12
N	Valid	415	415	415	415	415	415	415
	Missing	0	0	0	0	0	0	0

Statistics

		Q3.1	Q3.2	Q3.3	Q3.4	Q3.5
N	Valid	415	415	415	415	415
	Missing	0	0	0	0	0

Frequency Table

Q1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	133	32.0	32.0	32.0
	No	282	68.0	68.0	100.0
	Total	415	100.0	100.0	

Q1.2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	374	90.1	90.1	90.1
	Yes	41	9.9	9.9	100.0
	Total	415	100.0	100.0	

Q1.2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	310	74.7	74.7	74.7
	Yes	105	25.3	25.3	100.0
	Total	415	100.0	100.0	

Q1.2.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	373	89.9	89.9	89.9
	Yes	42	10.1	10.1	100.0
	Total	415	100.0	100.0	

Q1.2.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	337	81.2	81.2	81.2
	Yes	78	18.8	18.8	100.0
	Total	415	100.0	100.0	

Q1.2.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	369	88.9	88.9	88.9
	Yes	46	11.1	11.1	100.0
	Total	415	100.0	100.0	

Q1.2.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	332	80.0	80.0	80.0
	Yes	83	20.0	20.0	100.0
	Total	415	100.0	100.0	

Q1.3.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	99	23.9	23.9	23.9
	Yes	316	76.1	76.1	100.0
	Total	415	100.0	100.0	

Q1.3.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	385	92.8	92.8	92.8
	Yes	30	7.2	7.2	100.0
	Total	415	100.0	100.0	

Q1.3.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	297	71.6	71.6	71.6
	Yes	118	28.4	28.4	100.0
	Total	415	100.0	100.0	

Q1.3.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	358	86.3	86.3	86.3
	Yes	57	13.7	13.7	100.0
	Total	415	100.0	100.0	

Q1.3.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	400	96.4	96.4	96.4
	Yes	15	3.6	3.6	100.0
	Total	415	100.0	100.0	

Q1.3.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	381	91.8	91.8	91.8
	Yes	34	8.2	8.2	100.0
	Total	415	100.0	100.0	

Q1.3.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	339	81.7	81.7	81.7
	Yes	76	18.3	18.3	100.0
	Total	415	100.0	100.0	

Q1.3.8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	382	92.0	92.0	92.0
	Yes	33	8.0	8.0	100.0
	Total	415	100.0	100.0	

Q1.3.9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	412	99.3	99.3	99.3
	Yes	3	.7	.7	100.0
	Total	415	100.0	100.0	

Q1.4.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	389	93.7	93.7	93.7
	Yes	26	6.3	6.3	100.0
	Total	415	100.0	100.0	

Q1.4.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	400	96.4	96.4	96.4
	Yes	15	3.6	3.6	100.0
	Total	415	100.0	100.0	

Q1.4.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	338	81.4	81.4	81.4
	Yes	77	18.6	18.6	100.0
	Total	415	100.0	100.0	

Q1.4.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	85	20.5	20.5	20.5
	Yes	330	79.5	79.5	100.0
	Total	415	100.0	100.0	

Q1.4.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	361	87.0	87.0	87.0
	Yes	54	13.0	13.0	100.0
	Total	415	100.0	100.0	

Q1.5.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	185	44.6	44.6	44.6
	Yes	230	55.4	55.4	100.0
	Total	415	100.0	100.0	

Q1.5.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	175	42.2	42.2	42.2
	Yes	240	57.8	57.8	100.0
	Total	415	100.0	100.0	

Q1.5.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	339	81.7	81.7	81.7
	Yes	76	18.3	18.3	100.0
	Total	415	100.0	100.0	

Q1.5.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	273	65.8	65.8	65.8
	Yes	142	34.2	34.2	100.0
	Total	415	100.0	100.0	

Q1.5.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	393	94.7	94.7	94.7
	Yes	22	5.3	5.3	100.0
	Total	415	100.0	100.0	

Q1.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Myself	62	14.9	14.9	14.9
	Everyone	311	74.9	74.9	89.9
	Old people	21	5.1	5.1	94.9
	Friends	7	1.7	1.7	96.6
	Other	14	3.4	3.4	100.0
	Total	415	100.0	100.0	

Q1.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Breakfast	38	9.2	9.2	9.2
	Lunch	19	4.6	4.6	13.7
	Dinner	118	28.4	28.4	42.2
	Unstable	240	57.8	57.8	100.0
	Total	415	100.0	100.0	

Q1.8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Everyday	98	23.6	23.6	23.6
	2-3 Days	61	14.7	14.7	38.3
	Once	117	28.2	28.2	66.5
	Less than 1 in week	139	33.5	33.5	100.0
	Total	415	100.0	100.0	

Q1.9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mom/Maid	158	38.1	38.1	38.1
	Husband	7	1.7	1.7	39.8
	Children	3	.7	.7	40.5
	Old People	62	14.9	14.9	55.4
	Myself	185	44.6	44.6	100.0
	Total	415	100.0	100.0	

Q1.10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	50-69	217	52.3	52.3	52.3
	70-89	124	29.9	29.9	82.2
	90-109	74	17.8	17.8	100.0
	Total	415	100.0	100.0	

Q1.11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	500 Grams	61	14.7	14.7	14.7
	1 Kilo	178	42.9	42.9	57.6
	2 Kilo	93	22.4	22.4	80.0
	Others	83	20.0	20.0	100.0
	Total	415	100.0	100.0	

Q1.12.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	243	58.6	58.6	58.6
	Yes	172	41.4	41.4	100.0
	Total	415	100.0	100.0	

Q1.12.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	244	58.8	58.8	58.8
	Yes	171	41.2	41.2	100.0
	Total	415	100.0	100.0	

Q1.12.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	348	83.9	83.9	83.9
	Yes	67	16.1	16.1	100.0
	Total	415	100.0	100.0	

Q1.12.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	407	98.1	98.1	98.1
	Yes	8	1.9	1.9	100.0
	Total	415	100.0	100.0	

Q1.12.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	380	91.6	91.6	91.6
	Yes	35	8.4	8.4	100.0
	Total	415	100.0	100.0	

Q1.12.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	362	87.2	87.2	87.2
	Yes	53	12.8	12.8	100.0
	Total	415	100.0	100.0	

Q1.13.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	360	86.7	86.7	86.7
	Yes	55	13.3	13.3	100.0
	Total	415	100.0	100.0	

Q1.13.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	159	38.3	38.3	38.3
	Yes	256	61.7	61.7	100.0
	Total	415	100.0	100.0	

Q1.13.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	268	64.6	64.6	64.6
	Yes	147	35.4	35.4	100.0
	Total	415	100.0	100.0	

Q1.13.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	290	69.9	69.9	69.9
	Yes	125	30.1	30.1	100.0
	Total	415	100.0	100.0	

Q1.13.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	404	97.3	97.3	97.3
	Yes	11	2.7	2.7	100.0
	Total	415	100.0	100.0	

Q1.13.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	400	96.4	96.4	96.4
	Yes	15	3.6	3.6	100.0
	Total	415	100.0	100.0	

Q1.14.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	196	47.2	47.2	47.2
	Yes	219	52.8	52.8	100.0
	Total	415	100.0	100.0	

Q1.14.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	149	35.9	35.9	35.9
	Yes	266	64.1	64.1	100.0
	Total	415	100.0	100.0	

Q1.14.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	324	78.1	78.1	78.1
	Yes	91	21.9	21.9	100.0
	Total	415	100.0	100.0	

Q1.14.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	371	89.4	89.4	89.4
	Yes	44	10.6	10.6	100.0
	Total	415	100.0	100.0	

Q1.14.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	409	98.6	98.6	98.6
	Yes	6	1.4	1.4	100.0
	Total	415	100.0	100.0	

Q1.14.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	396	95.4	95.4	95.4
	Yes	19	4.6	4.6	100.0
	Total	415	100.0	100.0	

Q1.15

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Everytime	25	6.0	6.0	6.0
	Almost	32	7.7	7.7	13.7
	Sometimes	222	53.5	53.5	67.2
	Never	136	32.8	32.8	100.0
	Total	415	100.0	100.0	

Q1.16.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	279	67.2	67.2	67.2
	Yes	136	32.8	32.8	100.0
	Total	415	100.0	100.0	

Q1.16.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	339	81.7	81.7	81.7
	Yes	76	18.3	18.3	100.0
	Total	415	100.0	100.0	

Q1.16.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	415	100.0	100.0	100.0

Q1.16.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	215	51.8	51.8	51.8
	Yes	200	48.2	48.2	100.0
	Total	415	100.0	100.0	

Q1.16.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	390	94.0	94.0	94.0
	Yes	25	6.0	6.0	100.0
	Total	415	100.0	100.0	

Q1.16.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	385	92.8	92.8	92.8
	Yes	30	7.2	7.2	100.0
	Total	415	100.0	100.0	

Q1.17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 100 Baht	47	11.3	11.3	11.3
	100 - 200 Baht	184	44.3	44.3	55.7
	201 - 300 Baht	93	22.4	22.4	78.1
	> 300 Baht	91	21.9	21.9	100.0
	Total	415	100.0	100.0	

Q2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Few	61	14.7	14.7	14.7
	Medium	148	35.7	35.7	50.4
	Almost	179	43.1	43.1	93.5
	Most	27	6.5	6.5	100.0
	Total	415	100.0	100.0	

Q2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fewest	16	3.9	3.9	3.9
	Few	71	17.1	17.1	21.0
	Medium	199	48.0	48.0	68.9
	Almost	118	28.4	28.4	97.3
	Most	11	2.7	2.7	100.0
	Total	415	100.0	100.0	

Q2.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Few	30	7.2	7.2	7.2
	Medium	202	48.7	48.7	55.9
	Almost	151	36.4	36.4	92.3
	Most	32	7.7	7.7	100.0
	Total	415	100.0	100.0	

Q2.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fewest	7	1.7	1.7	1.7
	Few	60	14.5	14.5	16.1
	Medium	227	54.7	54.7	70.8
	Almost	107	25.8	25.8	96.6
	Most	14	3.4	3.4	100.0
	Total	415	100.0	100.0	

Q2.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Few	29	7.0	7.0	7.0
	Medium	131	31.6	31.6	38.6
	Almost	185	44.6	44.6	83.1
	Most	70	16.9	16.9	100.0
	Total	415	100.0	100.0	

Q2.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fewest	10	2.4	2.4	2.4
	Few	30	7.2	7.2	9.6
	Medium	167	40.2	40.2	49.9
	Almost	164	39.5	39.5	89.4
	Most	44	10.6	10.6	100.0
	Total	415	100.0	100.0	

Q2.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Few	10	2.4	2.4	2.4
	Medium	130	31.3	31.3	33.7
	Almost	184	44.3	44.3	78.1
	Most	91	21.9	21.9	100.0
	Total	415	100.0	100.0	

Q2.8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fewest	10	2.4	2.4	2.4
	Few	44	10.6	10.6	13.0
	Medium	127	30.6	30.6	43.6
	Almost	164	39.5	39.5	83.1
	Most	70	16.9	16.9	100.0
	Total	415	100.0	100.0	

Q2.9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fewest	7	1.7	1.7	1.7
	Few	37	8.9	8.9	10.6
	Medium	220	53.0	53.0	63.6
	Almost	140	33.7	33.7	97.3
	Most	11	2.7	2.7	100.0
	Total	415	100.0	100.0	

Q2.10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fewest	10	2.4	2.4	2.4
	Few	62	14.9	14.9	17.3
	Medium	147	35.4	35.4	52.8
	Almost	159	38.3	38.3	91.1
	Most	37	8.9	8.9	100.0
	Total	415	100.0	100.0	

Q2.11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fewest	17	4.1	4.1	4.1
	Few	75	18.1	18.1	22.2
	Medium	154	37.1	37.1	59.3
	Almost	144	34.7	34.7	94.0
	Most	25	6.0	6.0	100.0
	Total	415	100.0	100.0	

Q2.12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Few	8	1.9	1.9	1.9
	Medium	244	58.8	58.8	60.7
	Almost	160	38.6	38.6	99.3
	Most	3	.7	.7	100.0
	Total	415	100.0	100.0	

Q3.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Male	175	42.2	42.2	42.2
Female	240	57.8	57.8	100.0
Total	415	100.0	100.0	

Q3.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 30 - 39 yrs	247	59.5	59.5	59.5
40 - 49 yrs	101	24.3	24.3	83.9
50 - 59 yrs	59	14.2	14.2	98.1
>60 yrs	8	1.9	1.9	100.0
Total	415	100.0	100.0	

Q3.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Under Degree	47	11.3	11.3	11.3
Degree	260	62.7	62.7	74.0
Master	100	24.1	24.1	98.1
Doctoral	8	1.9	1.9	100.0
Total	415	100.0	100.0	

Q3.4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Officer	275	66.3	66.3	66.3
Freelance	13	3.1	3.1	69.4
National Official	98	23.6	23.6	93.0
Owner	25	6.0	6.0	99.0
No work	4	1.0	1.0	100.0
Total	415	100.0	100.0	

Q3.5

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 20,000	1	.2	.2	.2
20,001-40,000	209	50.4	50.4	50.6
40,001-60,000	135	32.5	32.5	83.1
60,001-80,000	38	9.2	9.2	92.3
80,001-100,000	20	4.8	4.8	97.1
>100,000	12	2.9	2.9	100.0
Total	415	100.0	100.0	

MULT RESPONSE

GROUPS=\$NotEat (Q1.2.1 Q1.2.2 Q1.2.3 Q1.2.4 Q1.2.5 (2))
/VARIABLES=Q1.1(1 2)

```

/TABLES=Q1.1 BY $NotEat
/CELLS=ROW COLUMN TOTAL
/BASE=RESPONSES .

```

Multiple Response

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.1*\$NotEat	214	51.6%	201	48.4%	415	100.0%

Q1.1*\$NotEat Crosstabulation

			\$NotEat ^a					Total
			Q1.2.1	Q1.2.2	Q1.2.3	Q1.2.4	Q1.2.5	
Q1.1 No	Count		41	105	42	78	46	312
	% within Q1.1		13.1%	33.7%	13.5%	25.0%	14.7%	
	% within \$NotEat		100.0%	100.0%	100.0%	100.0%	100.0%	
	% of Total		13.1%	33.7%	13.5%	25.0%	14.7%	100.0%
Total	Count		41	105	42	78	46	312
	% of Total		13.1%	33.7%	13.5%	25.0%	14.7%	100.0%

Percentages and totals are based on responses.

a. Dichotomy group tabulated at value 2.

MULT RESPONSE

```

GROUPS=$Eat (Q1.3.1 Q1.3.2 Q1.3.3 Q1.3.4 Q1.3.5 Q1.3.6 Q1.3.7 Q1.3.8 (2))
/VARIABLES=Q1.1(1 2)
/TABLES=Q1.1 BY $Eat
/CELLS=ROW COLUMN TOTAL
/BASE=RESPONSES .

```

Multiple Response

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.1*\$Eat	412	99.3%	3	.7%	415	100.0%

Q1.1*\$Eat Crosstabulation

			\$Eat ^a					
			Q1.3.1	Q1.3.2	Q1.3.3	Q1.3.4	Q1.3.5	Q1.3.6
Q1.1	Yes	Count	111	16	40	4	12	15
		% within Q1.1	45.7%	6.6%	16.5%	1.6%	4.9%	6.2%
		% within \$Eat	35.1%	53.3%	33.9%	7.0%	80.0%	44.1%
		% of Total	16.3%	2.4%	5.9%	.6%	1.8%	2.2%
	No	Count	205	14	78	53	3	19
		% within Q1.1	47.0%	3.2%	17.9%	12.2%	.7%	4.4%
		% within \$Eat	64.9%	46.7%	66.1%	93.0%	20.0%	55.9%
		% of Total	30.2%	2.1%	11.5%	7.8%	.4%	2.8%
Total	Count		316	30	118	57	15	34
	% of Total		46.5%	4.4%	17.4%	8.4%	2.2%	5.0%

Percentages and totals are based on responses.

Q1.1*\$Eat Crosstabulation

			\$Eat ^a		Total
			Q1.3.7	Q1.3.8	
Q1.1	Yes	Count	37	8	243
		% within Q1.1	15.2%	3.3%	
		% within \$Eat	48.7%	24.2%	
		% of Total	5.4%	1.2%	35.8%
	No	Count	39	25	436
		% within Q1.1	8.9%	5.7%	
		% within \$Eat	51.3%	75.8%	
		% of Total	5.7%	3.7%	64.2%
Total		Count	76	33	679
		% of Total	11.2%	4.9%	100.0%

Percentages and totals are based on responses.

a. Dichotomy group tabulated at value 2.

CROSSTABS

```

/TABLES=Q1.1 BY Q3.2
/FORMAT= AVALUE TABLES
/CELLS= COUNT ROW COLUMN TOTAL
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.1 * Q3.2	415	100.0%	0	.0%	415	100.0%

Q1.1 * Q3.2 Crosstabulation

			Q3.2				Total
			30 - 39 yrs	40 - 49 yrs	50 - 59 yrs	>60 yrs	
Q1.1	Yes	Count	69	41	19	4	133
		% within Q1.1	51.9%	30.8%	14.3%	3.0%	100.0%
		% within Q3.2	27.9%	40.6%	32.2%	50.0%	32.0%
		% of Total	16.6%	9.9%	4.6%	1.0%	32.0%
	No	Count	178	60	40	4	282
		% within Q1.1	63.1%	21.3%	14.2%	1.4%	100.0%
		% within Q3.2	72.1%	59.4%	67.8%	50.0%	68.0%
		% of Total	42.9%	14.5%	9.6%	1.0%	68.0%
Total		Count	247	101	59	8	415
		% within Q1.1	59.5%	24.3%	14.2%	1.9%	100.0%
		% within Q3.2	100.0%	100.0%	100.0%	100.0%	100.0%
		% of Total	59.5%	24.3%	14.2%	1.9%	100.0%

MULT RESPONSE

```

GROUPS=$wherebuy (Q1.4.1 Q1.4.2 Q1.4.3 Q1.4.4 Q1.4.5 (2))
/VARIABLES=Q1.1(0 1)
/TABLES=Q1.1 BY $wherebuy

```

/CELLS=ROW COLUMN TOTAL
/BASE=RESPONSES .

Multiple Response

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.1*\$wherebuy	133	32.0%	282	68.0%	415	100.0%

Q1.1*\$wherebuy Crosstabulation

			\$wherebuy ^a					Total
			Q1.4.1	Q1.4.2	Q1.4.3	Q1.4.4	Q1.4.5	
Q1.1 Yes	Count		22	15	46	109	7	199
	% within Q1.1		11.1%	7.5%	23.1%	54.8%	3.5%	
	% within \$wherebuy		100.0%	100.0%	100.0%	100.0%	100.0%	
	% of Total		11.1%	7.5%	23.1%	54.8%	3.5%	100.0%
Total	Count		22	15	46	109	7	199
	% of Total		11.1%	7.5%	23.1%	54.8%	3.5%	100.0%

Percentages and totals are based on responses.

a. Dichotomy group tabulated at value 2.

CROSSTABS

/TABLES=Q1.1 BY Q1.10
/FORMAT= AVALUE TABLES
/CELLS= COUNT ROW COLUMN TOTAL
/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.1 * Q1.10	415	100.0%	0	.0%	415	100.0%

Q1.1 * Q1.10 Crosstabulation

			Q1.10			Total
			50-69	70-89	90-109	
Q1.1	Yes	Count	59	30	44	133
		% within Q1.1	44.4%	22.6%	33.1%	100.0%
		% within Q1.10	27.2%	24.2%	59.5%	32.0%
		% of Total	14.2%	7.2%	10.6%	32.0%
	No	Count	158	94	30	282
		% within Q1.1	56.0%	33.3%	10.6%	100.0%
		% within Q1.10	72.8%	75.8%	40.5%	68.0%
		% of Total	38.1%	22.7%	7.2%	68.0%
Total		Count	217	124	74	415
		% within Q1.1	52.3%	29.9%	17.8%	100.0%
		% within Q1.10	100.0%	100.0%	100.0%	100.0%
		% of Total	52.3%	29.9%	17.8%	100.0%

MULT RESPONSE

```

/VARIABLES=Q1.1(0 1) Q1.11(1 4)
/TABLES=Q1.1 BY Q1.11
/CELLS=ROW COLUMN TOTAL
/BASE=RESPONSES .

```

Multiple Response

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.1*Q1.11	133	32.0%	282	68.0%	415	100.0%

Q1.1*Q1.11 Crosstabulation

			Q1.11				Total
			500 Grams	1 Kilo	2 Kilo	Others	
Q1.1	Yes	Count	4	49	48	32	133
		% within Q1.1	3.0%	36.8%	36.1%	24.1%	
		% within Q1.11	100.0%	100.0%	100.0%	100.0%	
		% of Total	3.0%	36.8%	36.1%	24.1%	100.0%
Total		Count	4	49	48	32	133
		% of Total	3.0%	36.8%	36.1%	24.1%	100.0%

Percentages and totals are based on responses.

MULT RESPONSE

```

/VARIABLES=Q1.1(0 1) Q1.9(1 6)
/TABLES=Q1.1 BY Q1.9
/CELLS=ROW COLUMN TOTAL
/BASE=RESPONSES .

```

Multiple Response

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.1*Q1.9	133	32.0%	282	68.0%	415	100.0%

Q1.1*Q1.9 Crosstabulation

			Q1.9				Total
			Mom/Maid	Husband	Old People	Myself	
Q1.1 Yes	Count		34	4	19	76	133
	% within Q1.1		25.6%	3.0%	14.3%	57.1%	
	% within Q1.9		100.0%	100.0%	100.0%	100.0%	
	% of Total		25.6%	3.0%	14.3%	57.1%	100.0%
Total	Count		34	4	19	76	133
	% of Total		25.6%	3.0%	14.3%	57.1%	100.0%

Percentages and totals are based on responses.

MULT RESPONSE

```
GROUPS=$ChanceGift (Q1.13.1 Q1.13.2 Q1.13.3 Q1.13.4 Q1.13.5 (2))
/VARIABLES=Q1.12.3(1 2)
/TABLES=Q1.12.3 BY $ChanceGift
/CELLS=ROW COLUMN TOTAL
/BASE=RESPONSES .
```

Multiple Response

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.12.3*\$ChanceGift	403	97.1%	12	2.9%	415	100.0%

Q1.12.3*\$ChanceGift Crosstabulation

			\$ChanceGift ^a			
			Q1.13.1	Q1.13.2	Q1.13.3	Q1.13.4
Q1.12.3 No	Count		43	225	133	93
	% within Q1.12.3		8.6%	44.9%	26.5%	18.6%
	% within \$ChanceGift		78.2%	87.9%	90.5%	74.4%
	% of Total		7.2%	37.9%	22.4%	15.7%
	Count		12	31	14	32
	% within Q1.12.3		12.9%	33.3%	15.1%	34.4%
	% within \$ChanceGift		21.8%	12.1%	9.5%	25.6%
	% of Total		2.0%	5.2%	2.4%	5.4%
Total	Count		55	256	147	125
	% of Total		9.3%	43.1%	24.7%	21.0%

Percentages and totals are based on responses.

Q1.12.3*\$ChanceGift Crosstabulation

			\$Chance	Total
			Q1.13.5	
Q1.12.3	No	Count	7	501
		% within Q1.12.3	1.4%	
		% within \$ChanceGift	63.6%	
		% of Total	1.2%	84.3%
	Yes	Count	4	93
		% within Q1.12.3	4.3%	
		% within \$ChanceGift	36.4%	
		% of Total	.7%	15.7%
Total		Count	11	594
		% of Total	1.9%	100.0%

Percentages and totals are based on responses.

a. Dichotomy group tabulated at value 2.

CROSSTABS

```

/TABLES=Q1.12.3 BY Q1.15
/FORMAT= AVALUE TABLES
/CELLS= COUNT ROW COLUMN TOTAL
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.12.3 * Q1.15	415	100.0%	0	.0%	415	100.0%

Q1.12.3 * Q1.15 Crosstabulation

			Q1.15				Total
			Everytime	Almost	Sometimes	Never	
Q1.12.3	No	Count	22	32	170	124	348
		% within Q1.12.3	6.3%	9.2%	48.9%	35.6%	100.0%
		% within Q1.15	88.0%	100.0%	76.6%	91.2%	83.9%
		% of Total	5.3%	7.7%	41.0%	29.9%	83.9%
	Yes	Count	3	0	52	12	67
		% within Q1.12.3	4.5%	.0%	77.6%	17.9%	100.0%
		% within Q1.15	12.0%	.0%	23.4%	8.8%	16.1%
		% of Total	.7%	.0%	12.5%	2.9%	16.1%
Total		Count	25	32	222	136	415
		% within Q1.12.3	6.0%	7.7%	53.5%	32.8%	100.0%
		% within Q1.15	100.0%	100.0%	100.0%	100.0%	100.0%
		% of Total	6.0%	7.7%	53.5%	32.8%	100.0%

CROSSTABS

```

/TABLES=Q1.12.3 BY Q1.11
/FORMAT= AVALUE TABLES
/CELLS= COUNT ROW COLUMN TOTAL

```

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.12.3 * Q1.11	415	100.0%	0	.0%	415	100.0%

Q1.12.3 * Q1.11 Crosstabulation

			Q1.11				Total
			500 Grams	1 Kilo	2 Kilo	Others	
Q1.12.3	No	Count	50	149	81	68	348
		% within Q1.12.3	14.4%	42.8%	23.3%	19.5%	100.0%
		% within Q1.11	82.0%	83.7%	87.1%	81.9%	83.9%
		% of Total	12.0%	35.9%	19.5%	16.4%	83.9%
	Yes	Count	11	29	12	15	67
		% within Q1.12.3	16.4%	43.3%	17.9%	22.4%	100.0%
		% within Q1.11	18.0%	16.3%	12.9%	18.1%	16.1%
		% of Total	2.7%	7.0%	2.9%	3.6%	16.1%
Total	Count		61	178	93	83	415
	% within Q1.12.3		14.7%	42.9%	22.4%	20.0%	100.0%
	% within Q1.11		100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total		14.7%	42.9%	22.4%	20.0%	100.0%

CROSSTABS

/TABLES=Q1.12.3 BY Q1.17
 /FORMAT= AVALUE TABLES
 /CELLS= COUNT ROW COLUMN TOTAL
 /COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.12.3 * Q1.17	415	100.0%	0	.0%	415	100.0%

Q1.12.3 * Q1.17 Crosstabulation

			Q1.17				Total
			< 100 Baht	100 - 200 Baht	201 - 300 Baht	> 300 Baht	
Q1.12.3	No	Count	47	152	73	76	348
		% within Q1.12.3	13.5%	43.7%	21.0%	21.8%	100.0%
		% within Q1.17	100.0%	82.6%	78.5%	83.5%	83.9%
		% of Total	11.3%	36.6%	17.6%	18.3%	83.9%
	Yes	Count	0	32	20	15	67
		% within Q1.12.3	.0%	47.8%	29.9%	22.4%	100.0%
		% within Q1.17	.0%	17.4%	21.5%	16.5%	16.1%
		% of Total	.0%	7.7%	4.8%	3.6%	16.1%
Total	Count		47	184	93	91	415
	% within Q1.12.3		11.3%	44.3%	22.4%	21.9%	100.0%
	% within Q1.17		100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total		11.3%	44.3%	22.4%	21.9%	100.0%

REGRESSION

```

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Q2.12
/METHOD=STEPWISE Q2.1 Q2.2 Q2.3 Q2.4 Q2.5 Q2.6 Q2.7 Q2.8 Q2.9 Q2.10 Q2.11 .

```

Correlations

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Correlations

		Q2.10	Q2.11	Q2.12
Q2.10	Pearson Correlation	1	.777**	.522**
	Sig. (2-tailed)		.000	.000
	N	415	415	415
Q2.11	Pearson Correlation	.777**	1	.492**
	Sig. (2-tailed)	.000		.000
	N	415	415	415
Q2.12	Pearson Correlation	.522**	.492**	1
	Sig. (2-tailed)	.000	.000	
	N	415	415	415

**. Correlation is significant at the 0.01 level (2-tailed).

CROSSTABS

```

/TABLES=Q1.1 BY Q2.1
/FORMAT= AVALUE TABLES
/CELLS= COUNT ROW COLUMN TOTAL
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.1 * Q2.1	415	100.0%	0	.0%	415	100.0%

Q1.1 * Q2.1 Crosstabulation

			Q2.1				Total
			Few	Medium	Almost	Most	
Q1.1	Yes	Count	8	45	66	14	133
		% within Q1.1	6.0%	33.8%	49.6%	10.5%	100.0%
		% within Q2.1	13.1%	30.4%	36.9%	51.9%	32.0%
		% of Total	1.9%	10.8%	15.9%	3.4%	32.0%
	No	Count	53	103	113	13	282
		% within Q1.1	18.8%	36.5%	40.1%	4.6%	100.0%
		% within Q2.1	86.9%	69.6%	63.1%	48.1%	68.0%
		% of Total	12.8%	24.8%	27.2%	3.1%	68.0%
Total	Count	61	148	179	27	415	
	% within Q1.1	14.7%	35.7%	43.1%	6.5%	100.0%	
	% within Q2.1	100.0%	100.0%	100.0%	100.0%	100.0%	
	% of Total	14.7%	35.7%	43.1%	6.5%	100.0%	

MULT RESPONSE

```

GROUPS=$imc (Q1.5.1 Q1.5.2 Q1.5.3 Q1.5.4 (2))
/VARIABLES=Q2.12(1 5)
/TABLES=Q2.12 BY $imc
/CELLS=ROW COLUMN TOTAL
/BASE=RESPONSES .

```

Multiple Response

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q2.12*\$imc	403	97.1%	12	2.9%	415	100.0%

Q2.12*\$imc Crosstabulation

			\$imc ^a				Total
			Q1.5.1	Q1.5.2	Q1.5.3	Q1.5.4	
Q2.12	Few	Count	8	0	0	0	8
		% within Q2.12	100.0%	.0%	.0%	.0%	
		% within \$imc	3.5%	.0%	.0%	.0%	
		% of Total	1.2%	.0%	.0%	.0%	1.2%
	Medium	Count	125	140	39	99	403
		% within Q2.12	31.0%	34.7%	9.7%	24.6%	
		% within \$imc	54.3%	58.3%	51.3%	69.7%	
		% of Total	18.2%	20.3%	5.7%	14.4%	58.6%
	Almost	Count	97	100	37	40	274
		% within Q2.12	35.4%	36.5%	13.5%	14.6%	
		% within \$imc	42.2%	41.7%	48.7%	28.2%	
		% of Total	14.1%	14.5%	5.4%	5.8%	39.8%
	Most	Count	0	0	0	3	3
		% within Q2.12	.0%	.0%	.0%	100.0%	
		% within \$imc	.0%	.0%	.0%	2.1%	
		% of Total	.0%	.0%	.0%	.4%	.4%
	Total	Count	230	240	76	142	688
		% of Total	33.4%	34.9%	11.0%	20.6%	100.0%

Percentages and totals are based on responses.

a. Dichotomy group tabulated at value 2.

GET

FILE='C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav'.

DATASET NAME DataSet1 WINDOW=FRONT.

CROSSTABS

/TABLES=Q1.1 BY Q2.12

/FORMAT= AVALUE TABLES

/CELLS= COUNT ROW COLUMN TOTAL

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Q1.1 * Q2.12	415	100.0%	0	.0%	415	100.0%

Q1.1 * Q2.12 Crosstabulation

			Q2.12				Total
			Few	Medium	Almost	Most	
Q1.1	Yes	Count	0	66	64	3	133
		% within Q1.1	.0%	49.6%	48.1%	2.3%	100.0%
		% within Q2.12	.0%	27.0%	40.0%	100.0%	32.0%
		% of Total	.0%	15.9%	15.4%	.7%	32.0%
	No	Count	8	178	96	0	282
		% within Q1.1	2.8%	63.1%	34.0%	.0%	100.0%
		% within Q2.12	100.0%	73.0%	60.0%	.0%	68.0%
		% of Total	1.9%	42.9%	23.1%	.0%	68.0%
Total	Count		8	244	160	3	415
	% within Q1.1		1.9%	58.8%	38.6%	.7%	100.0%
	% within Q2.12		100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total		1.9%	58.8%	38.6%	.7%	100.0%

REGRESSION

```

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Q2.12
/METHOD=STEPWISE Q2.1 Q2.2 Q2.3 Q2.4 Q2.5 Q2.6 Q2.7 Q2.8 Q2.9 Q2.10 Q2.11
/SCATTERPLOT=(Q2.12 , *ZRESID )
/RESIDUALS HIST(ZRESID) NORM(ZRESID) .

```

Regression

[DataSet1] C:\Documents and Settings\Pornpimon\Desktop\IS NEW\stat2.sav

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1			Stepwise (Criteria: Probability -of- F-to-enter <= .050, Probability -of- F-to-remove >= .100).
2	Q2.4	.	Stepwise (Criteria: Probability -of- F-to-enter <= .050, Probability -of- F-to-remove >= .100).
	Q2.8	.	Stepwise (Criteria: Probability -of- F-to-enter <= .050, Probability -of- F-to-remove >= .100).

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
3			Stepwise (Criteria: Probability -of- F-to-enter <= .050, Probability -of- F-to-remo ve >= . 100).
4	Q2.10	.	Stepwise (Criteria: Probability -of- F-to-enter <= .050, Probability -of- F-to-remo ve >= . 100).
5	Q2.7	.	Stepwise (Criteria: Probability -of- F-to-enter <= .050, Probability -of- F-to-remo ve >= . 100).
6	Q2.1	.	Stepwise (Criteria: Probability -of- F-to-enter <= .050, Probability -of- F-to-remo ve >= . 100).
7	Q2.2	.	Stepwise (Criteria: Probability -of- F-to-enter <= .050, Probability -of- F-to-remo ve >= . 100).
	Q2.5	.	Stepwise (Criteria: Probability -of- F-to-enter <= .050, Probability -of- F-to-remo ve >= . 100).

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
8	Q2.3	.	Stepwise (Criteria: Probability -of- F-to-enter ≤ .050, Probability -of- F-to-remo ve ≥ . 100).
9	Q2.6	.	Stepwise (Criteria: Probability -of- F-to-enter ≤ .050, Probability -of- F-to-remo ve ≥ . 100).

a. Dependent Variable: Q2.12

Model Summary^j

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.592 ^a	.350	.349	.43426
2	.693 ^b	.480	.477	.38907
3	.759 ^c	.575	.572	.35187
4	.803 ^d	.645	.642	.32211
5	.834 ^e	.695	.691	.29901
6	.852 ^f	.725	.721	.28399
7	.857 ^g	.735	.730	.27955
8	.859 ^h	.738	.733	.27805
9	.863 ⁱ	.745	.740	.27450

a. Predictors: (Constant), Q2.4

b. Predictors: (Constant), Q2.4, Q2.8

c. Predictors: (Constant), Q2.4, Q2.8, Q2.10

d. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7

e. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1

f. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2

g. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2, Q2.5

h. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2, Q2.5, Q2.3

i. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2, Q2.5, Q2.3, Q2.6

j. Dependent Variable: Q2.12

ANOVA^j

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	41.960	1	41.960	222.500	.000 ^a
	Residual	77.886	413	.189		
	Total	119.846	414			
2	Regression	57.478	2	28.739	189.847	.000 ^b
	Residual	62.368	412	.151		
	Total	119.846	414			
3	Regression	68.960	3	22.987	185.659	.000 ^c
	Residual	50.886	411	.124		
	Total	119.846	414			
4	Regression	77.307	4	19.327	186.276	.000 ^d
	Residual	42.539	410	.104		
	Total	119.846	414			
5	Regression	83.279	5	16.656	186.294	.000 ^e
	Residual	36.567	409	.089		
	Total	119.846	414			
6	Regression	86.940	6	14.490	179.663	.000 ^f
	Residual	32.906	408	.081		
	Total	119.846	414			
7	Regression	88.040	7	12.577	160.939	.000 ^g
	Residual	31.806	407	.078		
	Total	119.846	414			
8	Regression	88.456	8	11.057	143.015	.000 ^h
	Residual	31.389	406	.077		
	Total	119.846	414			
9	Regression	89.329	9	9.925	131.724	.000 ⁱ
	Residual	30.517	405	.075		
	Total	119.846	414			

a. Predictors: (Constant), Q2.4

b. Predictors: (Constant), Q2.4, Q2.8

c. Predictors: (Constant), Q2.4, Q2.8, Q2.10

d. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7

e. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1

f. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2

g. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2, Q2.5

h. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2, Q2.5, Q2.3

i. Predictors: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2, Q2.5, Q2.3, Q2.6

j. Dependent Variable: Q2.12

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	2.070	.090		22.904	.000
	Q2.4	.416	.028	.592	14.916	.000
2	(Constant)	1.554	.096		16.230	.000
	Q2.4	.345	.026	.490	13.256	.000
	Q2.8	.208	.020	.374	10.125	.000

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
3	(Constant)	1.196	.094		12.702	.000
	Q2.4	.271	.025	.385	10.954	.000
	Q2.8	.191	.019	.345	10.285	.000
	Q2.10	.192	.020	.331	9.630	.000
4	(Constant)	.671	.104		6.436	.000
	Q2.4	.212	.024	.301	8.972	.000
	Q2.8	.144	.018	.260	8.075	.000
	Q2.10	.223	.019	.383	11.972	.000
	Q2.7	.202	.023	.293	8.970	.000
5	(Constant)	.266	.109		2.447	.015
	Q2.4	.227	.022	.322	10.327	.000
	Q2.8	.127	.017	.228	7.590	.000
	Q2.10	.222	.017	.381	12.836	.000
	Q2.7	.178	.021	.259	8.441	.000
	Q2.1	.151	.018	.229	8.173	.000
6	(Constant)	.136	.105		1.295	.196
	Q2.4	.217	.021	.308	10.360	.000
	Q2.8	.104	.016	.188	6.452	.000
	Q2.10	.207	.017	.355	12.494	.000
	Q2.7	.180	.020	.261	8.958	.000
	Q2.1	.125	.018	.190	6.975	.000
	Q2.2	.121	.018	.189	6.738	.000
7	(Constant)	.094	.104		.899	.369
	Q2.4	.200	.021	.284	9.498	.000
	Q2.8	.091	.016	.165	5.595	.000
	Q2.10	.197	.016	.339	11.950	.000
	Q2.7	.158	.021	.229	7.649	.000
	Q2.1	.120	.018	.183	6.802	.000
	Q2.2	.119	.018	.186	6.737	.000
	Q2.5	.076	.020	.116	3.751	.000
8	(Constant)	.075	.104		.718	.473
	Q2.4	.184	.022	.261	8.330	.000
	Q2.8	.092	.016	.165	5.647	.000
	Q2.10	.199	.016	.342	12.117	.000
	Q2.7	.148	.021	.215	7.092	.000
	Q2.1	.111	.018	.168	6.142	.000
	Q2.2	.107	.018	.167	5.832	.000
	Q2.5	.070	.020	.108	3.470	.001
	Q2.3	.055	.024	.075	2.322	.021
9	(Constant)	.006	.104		.055	.956
	Q2.4	.157	.023	.223	6.743	.000
	Q2.8	.080	.016	.144	4.868	.000
	Q2.10	.202	.016	.347	12.435	.000
	Q2.7	.106	.024	.154	4.398	.000
	Q2.1	.106	.018	.160	5.908	.000
	Q2.2	.109	.018	.170	6.000	.000
	Q2.5	.072	.020	.110	3.577	.000
	Q2.3	.086	.025	.118	3.427	.001
	Q2.6	.072	.021	.116	3.403	.001

a. Dependent Variable: Q2.12

Excluded Variables^j

Model		Beta In	t	Sig.	Partial Correlation	Collinearity Statistics
						Tolerance
1	Q2.1	.310 ^a	8.458	.000	.385	1.000
	Q2.2	.349 ^a	9.573	.000	.427	.970
	Q2.3	.317 ^a	7.714	.000	.355	.815
	Q2.5	.355 ^a	8.991	.000	.405	.844
	Q2.6	.201 ^a	4.848	.000	.232	.869
	Q2.7	.310 ^a	7.998	.000	.367	.906
	Q2.8	.374 ^a	10.125	.000	.446	.926
	Q2.9	.124 ^a	2.992	.003	.146	.898
	Q2.10	.362 ^a	9.461	.000	.422	.884
	Q2.11	.341 ^a	8.898	.000	.402	.902
2	Q2.1	.256 ^b	7.556	.000	.349	.970
	Q2.2	.275 ^b	7.898	.000	.363	.908
	Q2.3	.253 ^b	6.635	.000	.311	.787
	Q2.5	.255 ^b	6.553	.000	.308	.755
	Q2.6	.104 ^b	2.637	.009	.129	.805
	Q2.7	.222 ^b	5.958	.000	.282	.836
	Q2.9	.026 ^b	.658	.511	.032	.835
	Q2.10	.331 ^b	9.630	.000	.429	.877
	Q2.11	.284 ^b	8.037	.000	.369	.876
3	Q2.1	.261 ^c	8.712	.000	.395	.970
	Q2.2	.236 ^c	7.387	.000	.343	.893
	Q2.3	.266 ^c	7.874	.000	.362	.786
	Q2.5	.221 ^c	6.202	.000	.293	.747
	Q2.6	.153 ^c	4.319	.000	.209	.791
	Q2.7	.293 ^c	8.970	.000	.405	.809
	Q2.9	.054 ^c	1.529	.127	.075	.829
	Q2.11	.083 ^c	1.595	.112	.079	.384
4	Q2.1	.229 ^d	8.173	.000	.375	.952
	Q2.2	.231 ^d	7.963	.000	.366	.892
	Q2.3	.204 ^d	6.230	.000	.294	.737
	Q2.5	.143 ^d	4.081	.000	.198	.681
	Q2.6	.025 ^d	.685	.494	.034	.633
	Q2.9	.025 ^d	.778	.437	.038	.821
	Q2.11	.145 ^d	3.054	.002	.149	.376
5	Q2.2	.189 ^e	6.738	.000	.316	.852
	Q2.3	.142 ^e	4.374	.000	.212	.677
	Q2.5	.122 ^e	3.743	.000	.182	.677
	Q2.6	.035 ^e	1.028	.304	.051	.632
	Q2.9	.057 ^e	1.883	.060	.093	.808
	Q2.11	.097 ^e	2.159	.031	.106	.369
6	Q2.3	.089 ^f	2.715	.007	.133	.622
	Q2.5	.116 ^f	3.751	.000	.183	.676
	Q2.6	.066 ^f	2.019	.044	.100	.620
	Q2.9	.034 ^f	1.187	.236	.059	.797
	Q2.11	.058 ^f	1.355	.176	.067	.362
7	Q2.3	.075 ^g	2.322	.021	.114	.613
	Q2.6	.074 ^g	2.287	.023	.113	.618
	Q2.9	.032 ^g	1.126	.261	.056	.797
	Q2.11	.073 ^g	1.712	.088	.085	.359

Excluded Variables^j

Model	Beta In	t	Sig.	Partial Correlation	Collinearity Statistics
					Tolerance
8	Q2.6	.116 ^h	3.403	.001	.167
	Q2.9	.039 ^h	1.367	.172	.068
	Q2.11	.057 ^h	1.337	.182	.066
9	Q2.9	.032 ⁱ	1.142	.254	.057
	Q2.11	.069 ⁱ	1.622	.106	.080

- a. Predictors in the Model: (Constant), Q2.4
- b. Predictors in the Model: (Constant), Q2.4, Q2.8
- c. Predictors in the Model: (Constant), Q2.4, Q2.8, Q2.10
- d. Predictors in the Model: (Constant), Q2.4, Q2.8, Q2.10, Q2.7
- e. Predictors in the Model: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1
- f. Predictors in the Model: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2
- g. Predictors in the Model: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2, Q2.5
- h. Predictors in the Model: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2, Q2.5, Q2.3
- i. Predictors in the Model: (Constant), Q2.4, Q2.8, Q2.10, Q2.7, Q2.1, Q2.2, Q2.5, Q2.3, Q2.6
- j. Dependent Variable: Q2.12

Residuals Statistics^a


	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	2.3605	4.9452	3.3807	.46451	415
Residual	-.56297	.51379	.00000	.27150	415
Std. Predicted Value	-2.196	3.368	.000	1.000	415
Std. Residual	-2.051	1.872	.000	.989	415

- a. Dependent Variable: Q2.12

Charts


Histogram

Dependent Variable: Q2.12



Mean = -2.68E-15
Std. Dev. = 0.989
N = 415

Normal P-P Plot of Regression Standardized Residual



Scatterplot

Dependent Variable: Q2.12

