

## REFERENCES

1. Fang, L., Bi, G. and Kot, A.C., 2000, "New Method of Performance Analysis for Diversity Reception with Correlated Rayleigh Fading Signals", **IEEE Transactions on Vehicular Technology**, Vol. 49, No. 5, pp. 1807-1812
2. Annavajjala, R. and Milstein, L.B., 2005, "Performance Analysis of Linear Diversity Combining Schemes on Rayleigh Fading Channels With Binary Signaling and Gaussian Weighting Errors", **IEEE Transactions on Wireless Communications**, Vol. 4, No. 5, pp. 2267-2278.
3. Annamalai, A., Tellambula, C. and Bhargava, V.K., 2000, "Equal Gain Diversity Receiver Performance in Wireless Channels", **IEEE Transactions on Communications**, Vol. 48, No.105, pp. 1732- 1745.
4. Sagias, N.C., 2007, "Closed Form Analysis of Equal Gain Diversity Reception in Wireless Radio Network", **IEEE Transactions on Vehicular Technology**, Vol. 56, No. 1, pp. 173-182.
5. Shah, A., and Haimovich, A.M., 2000, "Performance Analysis of Maximal Ratio Combining and Comparison with Optimum Combining for Mobile Radio Communications with Co-channel Interference", **IEEE Transactions on Vehicular Technology**, Vol. 56, No. 1, pp. 1454-1463.
6. Aalo, V.A. and Zhang, J., 2001, "Performance Analysis of Maximal Ratio Combining in Presence of Multiple Equal Power Co-channel Interference", **IEEE Transactions on Vehicular Technology** Vol. 50, No. 2, pp. 497-503.
7. Roy, S. and Fortier, P., 2004, "Maximal Ratio Combining Architectures and Performance With Channel Estimation Based on a Training Sequence", **IEEE Transactions on Wireless Communications**, Vol. 3, No. 4, pp. 1154-1164.
8. Gao, H., Smith, P.J. and Clark, M.V., 1998, "Theoretical Reliability of MMSE Linear Diversity Combining in Rayleigh Fading Additive Interference Channels", **IEEE Transactions on Communications**, Vol. 46, No.5, pp. 666-672.
9. Villier, E., 1999, "Performance Analysis of Optimum Combining with Multiple Interferers in Flat Rayleigh Fading", **IEEE Transactions on Communications**, Vol. 47, No.10, pp. 1503-1510.
10. Chiani, M., 2003, "Error Probability for Optimum Combining of M-ary PSK Signals in the Presence of Interference and Noise with Multiple Interferers", **IEEE Transactions on Communications**, Vol. 51, No.11, pp. 1949-1957.
11. Louie, R.H., 2009, "New Performance Results for Multiuser Optimum Combining in the Presence of Rician Fading", **IEEE Transactions on Communications**, Vol. 57, No.8, pp. 2348-2358.
12. Haykin, S., 2005, "Cognitive Radio: Brain-Empowered Wireless Communications", **IEEE Journal on Selected Areas in Communications**, Vol. 23, No. 2, pp. 201-220.

13. Shin, H. and Lee, J. H., 2003 “Capacity of Multiple Antenna Fading Channels: Spatial Fading Correlation, Double Scattering and Keyhole”, **IEEE Transactions on Information Theory**, Vol. 49, No.10, pp. 2636-2647.
14. Jin, S., Xiqi, G. and Xiaohu, Y., 2007 “On the Ergodic Capacity of Rank-1 Rician Fading MIMO Channels”, **IEEE Transactions on Information Theory**, Vol. 53, No.2, pp. 502-517.
15. Foschini, G., and Gans, M., 1998 “On Limits of Wireless Communications in a Fading Environment when Using Multiple Antennas”, **Wireless Personal Communications**, Vol. 6, no. 3, pp. 311-335.
16. Tarokh, V., Naguib, A. Seshadri, N. and Calderbank, A.R., 1999 “Space Time Codes for High Data Rate Wireless Communication: Performance Criteria in the Presence of Channel Estimation Errors, Mobility and Multiple Paths”, **IEEE Transactions on Information Theory**, Vol. 47, No.2, pp. 199-207.
17. Kang, M. and Alouini, M.S., 2003, “Largest Eigenvalue of Complex Wishart Matrices and Performance Analysis of MIMO MRC Systems”, **IEEE Transactions on Selected Area in Communications**, Vol. 21, No.3, pp. 418-426.
18. Kang, M. and Alouini, M.S., 2004, “Quadratic Forms in Complex Gaussian Matrices and Performance Analysis of MIMO Systems with Co-channel Interference”, **IEEE Transactions on Wireless Communications**, Vol. 3, No. 2, pp. 418-431.
19. Wallace, J.W. and Jensen, M.A., 2002, “Modeling the Indoor MIMO Wireless Channel”, **IEEE Transactions on Antennas and Propagation**, Vol. 50, No.5, pp. 591-599.
20. Gesbert, D., Bolcskei, H., Gore D.A. and Paulraj, A.J., 2002, “Outdoor MIMO Wireless Channels: Models and Performance Prediction”, **IEEE Transactions on Communications**, Vol. 50, No.12, pp. 1926-1934.
21. Tao, M., 2009, “Effects of Non-Identical Rayleigh Fading on Differential Unitary Space Time Modulation”, **IEEE Transactions on Communications**, Vol. 57, No. 5, pp. 1359-1369.
22. Ramezani, M., Hajiaghayi, M., Tellambura, C. and Ardakani, M., 2010, “Receive Antenna Selection for Unitary Space Time Modulation over Semi-Correlated Rician Channels”, **IEEE Transactions on Wireless Communications**, Vol. 58, No. 2, pp. 521-530.
23. Kang, M. and Alouini, M.S., 2006, “Outage Probability of MIMO Optimum Combining in Presence of Unbalanced Co-channel Interferers and Noise”, **IEEE Transactions on Wireless Communications**, Vol. 5, No. 7, pp. 1661-1668.
24. Kwak, J.S., Kang, H. and Li, Y., 2007, “Effects of Spatial Correlation on MIMO Adaptive Antenna System with Optimum Combining”, **IEEE Transactions on Wireless Communications**, Vol. 6, No. 5, pp. 1722-1731.

25. Mekloi, N. and Jirasereeamornkul, K., 2013, "New Insight to Diversity Receivers in Presence of Non-Gaussian Fading Channels", **ASP Journal of Advanced Science Letters**, Vol. 19, No. 5, pp. 1435–1437.
26. Godara, L.C., 1997. "Application of Antenna Arrays to Mobile Communications, part II: Beamforming and Direction-of-Arrival Considerations", **Proceedings of IEEE**, pp. 1195–1245.
27. Liberti, J.C. and Rappaport, T. S., 1999. **Smart Antennas for Wireless Communications: IS-95 and Third Generation CDMA Applications**. Prentice-Hall.
28. Naguib, A.F., Paulraj, A. and Kailath, T., 1994 "Capacity Improvement with Base-station Antenna Arrays in Cellular CDMA", **IEEE Transaction Vehicular Technology**, pp. 691–698.
29. Winters, J. H., 1998, "Smart Antennas for Wireless Systems", **IEEE Personal Communication**, pp. 23-27.
30. Monzingo, R.A. and Miller, T.W., 1980, **Introduction to Adaptive Arrays**, John Wiley & Sons, Inc., New York.
31. Shah, A. and Haimovich, A.M., 2000, "Performance Analysis of Maximal Ratio Combining and Comparison with Optimum Combining for Mobile Radio Communications with Cochannel Interference", **IEEE Transactions on Vehicular Technology**, Vol. 49, pp. 1454-1463.
32. Winters, J.H., 1984, "Optimum Combining in Digital Mobile Radio with Cochannel Interference", **IEEE Journal on Selective Areas in Communications**, Vol. SAC-2, No.4, pp.528-539.
33. Proakis, J.G., 1989, **Digital Communications**, 2<sup>nd</sup> ed., McGraw-Hill, New York.
34. Winters, J.H., Salz, J. and Gitlin, R.D., 1994, "The Impact of Antenna Diversity on the Capacity of Wireless Communication Systems", **IEEE Transactions on Communications**, Vol. 42, pp. 1740-1751.
35. Jake, W.C., 1970, "New Techniques for Mobile Radio", **Bell Laboratory Rec.**, pp. 326-330.
36. Cox, D.C., 1983, "Antenna Diversity Performance in Mitigating the Effects of Portable Radiotelephone Orientation and Multipath Propagation", **IEEE Transactions on Communications**, Vol. COM-31, No. 5, pp. 620-628.
37. Jake, W.C., 1971, "A Comparison of Specific Space Diversity Techniques for Reduction of Fast Fading in UHF Mobile Radio Systems", **IEEE Transactions on Vehicular Technology**, Vol. VT-20, No. 4, pp. 81-93.
38. Rappaport, T.S., 1996, **Wireless Communications: Principles & Practice**, Prentice Hall, New Jersey.

39. Winters, J.H. and Salz, J., 1998, "Upper Bounds on the Bit-Error Rate of Optimum Combining in Wireless Systems", **IEEE Transactions on Communications**, Vol. 46, pp. 1619-1624.
40. Anna, M.D. and Aghvami, A.H., 1999, "Performance of Optimum and Suboptimum Combining at the Antenna Array of a W-CDMA System", **IEEE Journal on Selected Areas in Communications**, Vol. 17, pp. 2123-2137.
41. Beckmann, P., 1967, **Probability in Communication Engineering**, Brace & World INC., Harcourt.
42. Fante, R.L., 2000, "Central Limit Theorem: Use with Caution", **IEEE Transactions on Aerospace Electronics Systems**, Vol. 37, pp. 739-740.
43. Abdi, A., Barger, H.A. and Kaveh, M., 2000, "Signal Modeling in Wireless Fading Channels Using Spherically Invariant Process", **IEEE International Conference on Acoustics, Speech and Signal Processing**, Vol. 5, pp. 2297-3000.
44. Conte, E. and Longo, M., 1987, "Characterization of Radar Clutter as a Spherically Invariant Random Process", **IEE Proceedings on Pt. F.**, Vol. 134, pp. 191-197.
45. Izzo, L. and Tanda, M., 1998, "Diversity Reception of Fading Signals in Spherically Invariant Noise", **IEE Proceedings on Communications**, Vol. 145, pp. 272-276.
46. Biyari, K.H. and Lindsey, W.C., 1994, "Binary Communications through Noisy, Non-Gaussian Channels", **IEEE Transactions on Information Theory**, Vol. 40, pp. 350-362.
47. Biyari, K.H. and Lindsey, W.C., 1995, "Error Performance of DPSK Mobile Communication Systems over Non-Rayleigh Fading Channels", **IEEE Transactions on Vehicular Technology**, Vol. 44, pp. 211-219.
48. Jakeman, E., 1980, "On the Statistics of K-Distributed Noise", **J. Phys. A., Math. Gen.**, Vol. 13, pp. 31-48.
49. Jao, J.K., 1984, "Amplitude Distribution of Composite Terrain Radar Clutter and the K-Distribution", **IEEE Transactions Antennas Propagation**, Vol. 32, pp. 1049-1062.
50. Mardia, K.V. and Jupp, P.E., 2000, **Directional Statistics**, John Wiley & Sons, Ltd., New York.
51. Gao, H., Smith, P.J. and Clark, M.V., 1998, "Theoretical Reliability of MMSE Linear Diversity Combining in Rayleigh-Fading Additive Interference Channels", **IEEE Transactions on Communications**, Vol. 46, pp. 666-672.
52. Gao, H. and Smith, P.J., 1999, "Exact SINR Calculations for Optimum Linear Combining in Wireless Systems", **Probability Engineering Information Sciences**.

53. Gao, H., 1996, **The Design and Analysis of some Computationally Intensive Communication Systems**, Ph.D. Dissertation, Inst. Statistics and Operations Res., Victoria University of Wellington.
54. Yao, K., 1973, "A Representation Theorem and Its Applications to Spherically-Invariant Random Processes", **IEEE Transactions on Information Theory**, Vol. IT-19, No. 5, pp. 600-608.
55. Nakagami, M., 1960, "The  $m$ -distribution – A General Formula of Intensity Distribution of Rapid Fading," **Statistical Methods in Radio Wave Propagation**, W.G. Hoffmann, Ed. Oxford: U.K., Pergamon, pp. 3-36.
56. Andrews, L.C., 1985, **Special Functions for Engineers and Applied Mathematicians**. New York: Macmillan.
57. Gradshteyn, I. and Ryzhik, I., 1994, **Tables of Integrals Series and Products**, 5<sup>th</sup> ed., San Diego, CA: Academic.
58. Papoulis, A., 2002, **Probability, Random, Variables and Stochastic Processes**, 3rd ed., New York, McGraw-Hill.
59. Soithong, T. and Chayawan, C., 2008, "Exact analysis of optimum combining with interference and noise in non-gaussian fading channels," **ICACT**, pp. 442-446.
60. Datla, D., Rajbanshi, R., Wyglinski, A.M. and Minden, G.J., 2007, "Parametric Adaptive Spectrum Sensing Framework for Dynamic Spectrum Access Networks," **Proceedings of IEEE International Symposium on New Frontiers in Dynamic Spectrum Access Networks**, Dublin, Ireland, April, pp. 482–485.
61. Yuan, Y., 2007, "KNOWS: Cognitive Radio Networks over White Spaces", **Proceedings of IEEE International Symposium on New Frontiers in Dynamic Spectrum Access Networks**, April, Dublin, Ireland, pp. 416-427.
62. Cabric, D., Tkachenko, A. and Brodersen, R., 2006, "Spectrum Sensing Measurements of Pilot, Energy, and Collaborative Detection", **Proceedings of IEEE Military Communications Conference**, Washington, D.C., USA, October, pp. 1–7.
63. Qihang, P., Kun, Z., Jun, W. and Shaoqian, L., 2006, "A Distributed Spectrum Sensing Scheme Based on Credibility and Evidence Theory in Cognitive Radio Context," **Proceedings of IEEE International Symposium on Personal, Indoor and Mobile Radio Communication.**, Helsinki, Finland, September, pp. 1–5.
64. Pawelczak, P., Janssen, G. J. and Prasad, R. V., 2006, "Performance Measures of Dynamic Spectrum Access Networks", **Proceedings of IEEE Global Telecommunication Conference**, San Francisco, California, USA, November-December.
65. Ghasemi, A. and Sousa, E. S., 2005, "Collaborative Spectrum Sensing for Opportunistic Access in Fading Environments", **Proceedings of First IEEE**

**International Symposium on New Frontiers in Dynamic Spectrum Access Networks (DySPAN 05)**, Baltimore, November.

66. Mishra S.M., Mahadevappa, R. and Brodersen, R.W., 2007, "Cognitive Technology for Ultra-wideband/WiMax Coexistence", **Proceedings of IEEE International Symposium on New Frontiers in Dynamic Spectrum Access Networks**, Dublin, Ireland, pp. 179–186.
67. Sahai, A., Tandra, R., Mishra, S.M. and Hoven, N., 2006, "Fundamental Design tradeoffs in Cognitive Radio Systems", **Proceedings of International Workshop on Technology and Policy for Accessing Spectrum**, Boston, Massachusetts, August, Vol. 22, pp. 1-9.
68. Sadler, B.M., Geirhofer, S. and Tong, L., 2006, "A Measurement Based Model for Dynamic Spectrum Access in WLAN Channels", **Proceedings of IEEE on Military Communications**, November, pp. 144–150.
69. Sadler, B.M., Geirhofer, S. and Tong, L., 2006, "Dynamic Spectrum Access in WLAN Channels; Empirical Model and its Stochastic Analytic", in **Proceedings IEEE on Military Communications**, August.
70. Han, N., Shon, S. H., Chung, J. H. and Kim, J. M., 2006, "Spectral Correlation Based Signal Detection Method for Spectrum Sensing in IEEE 802.22 WRAN Systems," **Proceedings of IEEE International Conference on Advanced Communication Technology**, Vol. 3, February.
71. Urkowitz, H., 1967, "Energy Detection of Unknown Deterministic Signals", **Proceedings of IEEE**, pp. 523-531.
72. Federal Communications Commission, 2002, "**Report of the Spectrum Efficiency Working Group**", November, pp. 1-37.