

# CONTENTS

	PAGE
ENGLISH ABSTRACT	ii
THAI ABSTRACT	iv
ACKNOWLEDGEMENTS	vi
CONTENTS	vii
LIST OF TABLES	viii
LIST OF FIGURES	x
 <b>CHAPTER</b>	
<b>1. INTRODUCTION</b>	<b>1</b>
1.1 Introduction	1
1.2 Objectives	1
1.3 Scopes of Work	2
1.4 Expected Results	2
 <b>2. THEORIES AND LITERATURE REVIEW</b>	<b>3</b>
2.1 Catalyst Preparation	3
2.2 Stabilization of Colloidal Metal Particles in Liquids	4
2.3 Catalyst Characterization	6
2.4 Electrooxidation of Catalyst in Alcohol	7
2.5 Literature Review	9
 <b>3. METHODOLOGY</b>	<b>15</b>
3.1 Catalyst Preparation	15
3.2 Catalyst Characterization	16
3.3 Electrooxidation of Catalyst in Alcohol	17
 <b>4. RESULTS AND DISCUSSIONS</b>	<b>19</b>
4.1 Au Deposition	19
4.2 Particle Size and Size Distribution from TEM image	20
4.3 Cyclic Voltammetry (CV)	31
4.4 Chronoamperometry (CA)	45
 <b>5. CONCLUSIONS AND RECOMMENDATIONS</b>	<b>57</b>
5.1 Conclusions	57
5.2 Recommendations	57
 <b>REFERENCE</b>	<b>58</b>
 <b>APPENDIX A Experimental Data</b>	<b>60</b>
 <b>CURRICULUM VITAE</b>	<b>103</b>

## LIST OF TABLES

TABLE	PAGE
4.1 Results of AAs and the percentage of Au deposition on carbon	19
4.2 Summary of average particle size and size distribution of each catalyst	30
4.3 ESA and average ESA of Au/C catalysts prepared from both the PVA and citrate protection methods	37
4.4 The peak current densities of the positive sweep oxidation in 0.1M KOH with 0.1M glycerol for all prepared catalysts	40
4.5 The peak current densities of the positive sweep oxidation in 0.1M KOH with 0.1M ethylene glycol for all prepared catalysts	44
4.6 Average current density and final stable current density from CA of Au/C catalysts in glycerol with alkaline solution by holding the potential constant at 0.2 V and 0.4 V	50
4.7 Decaying rate of Au/C catalysts in glycerol with alkaline solution by holding the potential constant at 0.2 V and 0.4 V	50
4.8 Average current density and final stable current density from CA of Au/C catalysts in glycerol with alkaline solution by holding the potential constant at 0.2 V and 0.4 V	56
4.9 Decaying rate of Au/C catalyst in ethylene glycol with alkaline solution by holding the potential constant at 0.2 V and 0.4 V	56
A.1 The amount of substances used in preparing 20 wt% Au/C catalyst by PVA method	61
A.2 The amount of substances used in preparing 30 wt% Au/C catalyst by PVA method	61
A.3 The amount of substances used in preparing 40 wt% Au/C catalyst by PVA method	62
A.4 The amount of substances used in preparing 20 wt% Au/C catalyst by citrate method	62
A.5 The amount of substances used in preparing 30 wt% Au/C catalyst by citrate method	62
A.6 The amount of substances used in preparing 40 wt% Au/C catalyst by citrate method	63

A.7 Results of AAS and calculation of Au deposition on carbon support	63
A.8 Reduction peak area used to determine the ESA	102

## LIST OF FIGURES

FIGURE	PAGE
1.1 Schematic diagram of a simple fuel cell	1
2.1 Electrostatic stabilization of metal colloid particles	5
2.2 (a) Possible polymer stabilizer; colloid with individual polymer chains	6
2.2 (b) Possible polymer stabilizer; multiple colloids with single polymer chain	6
2.3 A typical CV of platinum electrode in alkaline solution	7
2.4 (a) Model I: model of thin and thick Au oxide films formation in acid solution	12
2.4 (b) Model II: model of thin and thick Au oxide film formation in base solution	12
2.5 Typical CV for a polycrystalline gold disc electrode in acid solution	13
2.6 Place-exchange reaction involved in a monolayer oxide formation, unshaded circle defined as the metal atoms and shaded circles defined as adsorbed oxygen species	13
2.7 Schematic of reaction of gold electrode	14
4.1 (a) TEM image at magnification of 40,000 of 20% Au prepared by PVA protection method on untreated carbon	21
4.1 (b) Histogram of size distribution of 20% Au prepared by PVA protection method on untreated carbon	21
4.2 (a) TEM image at magnification of 40,000 of 20% Au prepared by PVA protection method on treated carbon	22
4.2 (b) Histogram of size distribution of 20% Au prepared by PVA protection method on treated carbon	22
4.3 (a) TEM image at magnification of 40,000 of 30% Au prepared by PVA protection method on treated carbon	23
4.3 (b) Histogram of size distribution of 30% Au prepared by PVA protection method on treated carbon	23
4.4 (a) TEM image at magnification of 40,000 of 40% Au prepared by PVA protection method on treated carbon	24
4.4 (b) Histogram of size distribution of 40% Au prepared by PVA protection method on treated carbon	24
4.5 (a) TEM image at magnification of 40,000 of 20% Au prepared by the citrate protection method on untreated carbon	26
4.5 (b) Histogram of size distribution of 20% Au prepared by the citrate protection method on untreated carbon	26
4.6 (a) TEM image at magnification of 40,000 of 20% Au prepared by citrate protection method on treated carbon	27

4.6	(b) Histogram of size distribution of 20% Au prepared by citrate protection method on treated carbon	27
4.7	(a) TEM image at magnification of 40,000 of 30% Au prepared by citrate protection method on treated carbon	28
4.7	(b) Histogram of size distribution of 30% Au prepared by citrate protection method on treated carbon	28
4.8	(a) TEM image at magnification of 40,000 of 40% Au prepared by citrate protection method on treated carbon	29
4.8	(b) Histogram of size distribution of 40% Au prepared by citrate protection method on treated carbon	29
4.9	Cyclic Voltammograms of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with scan rate 20 mVs <sup>-1</sup>	32
4.10	Cyclic Voltammograms of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with scan rate 20 mVs <sup>-1</sup>	32
4.11	Cyclic Voltammograms of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with scan rate 20 mVs <sup>-1</sup>	33
4.12	Cyclic Voltammograms of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with scan rate 20 mVs <sup>-1</sup>	33
4.13	Cyclic Voltammograms of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with scan rate 20 mVs <sup>-1</sup>	34
4.14	Cyclic Voltammograms of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with scan rate 20 mVs <sup>-1</sup>	35
4.15	Cyclic Voltammograms of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with scan rate 20 mVs <sup>-1</sup>	35
4.16	Cyclic Voltammograms of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with scan rate 20 mVs <sup>-1</sup>	36
4.17	Cyclic Voltammograms of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M glycerol, scan rate 20 mVs <sup>-1</sup>	38
4.18	Cyclic Voltammograms of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M glycerol, scan rate 20 mVs <sup>-1</sup>	39
4.19	Cyclic Voltammograms of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M glycerol, scan rate 20 mVs <sup>-1</sup>	39

4.20	Cyclic Voltammograms of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M glycerol, scan rate 20 mVs <sup>-1</sup>	40
4.21	Cyclic Voltammograms of 20 wt% Au with treated and untreated carbon of Au/C catalyst by PVA protection method in 0.1M KOH with 0.1M ethylene glycol, scan rate 20 mVs <sup>-1</sup>	42
4.22	Cyclic Voltammograms of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M ethylene glycol, scan rate 20 mVs <sup>-1</sup>	42
4.23	Cyclic Voltammograms of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M ethylene glycol, scan rate 20 mVs <sup>-1</sup>	43
4.24	Cyclic Voltammograms of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M ethylene glycol, scan rate 20 mVs <sup>-1</sup> at 25 °C	43
4.25 (a)	Chronoamperometric curves of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M glycerol at 0.2 V for 45 min	46
4.25 (b)	Chronoamperometric curves of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M glycerol at 0.4 V for 45 min	46
4.26 (a)	Chronoamperometric curves of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M glycerol at 0.2 V for 45 min	47
4.26 (b)	Chronoamperometric curves of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M glycerol at 0.4 V for 45 min	47
4.27 (a)	Chronoamperometric curves of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M glycerol at 0.2 V for 45 min	48
4.27 (b)	Chronoamperometric curves of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M glycerol at 0.4 V for 45 min	48

4.28 (a) Chronoamperometric curves of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M glycerol at 0.2 V for 45 min	49
4.28 (b) Chronoamperometric curves of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M glycerol at 0.4 V for 45 min	49
4.29 (a) Chronoamperometric curves of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M ethylene glycol at 0.2 V for 45 min	52
4.29 (b) Chronoamperometric curves of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M ethylene glycol at 0.4 V for 45 min	52
4.30 (a) Chronoamperometric curves of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M ethylene glycol at 0.2 V for 45 min	53
4.30 (b) Chronoamperometric curves of 20 wt% Au on treated and untreated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M ethylene glycol at 0.4 V for 45 min	53
4.31 (a) Chronoamperometric curves of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M ethylene glycol at 0.2 V for 45 min	54
4.31 (b) Chronoamperometric curves of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the PVA protection method in 0.1M KOH with 0.1M ethylene glycol at 0.4 V for 45 min	54
4.32 (a) Chronoamperometric curves of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M ethylene glycol at 0.2 V for 45 min	55
4.32 (b) Chronoamperometric curves of 20 wt%, 30 wt% and 40 wt% Au on treated carbon of Au/C catalyst prepared by the citrate protection method in 0.1M KOH with 0.1M ethylene glycol at 0.4 V for 45 min	55
A.1 TEM image at magnification of 40,000x. of 20 wt% Au on untreated carbon by PVA method	64
A.2 TEM image at magnification of 100,000x. of 20 wt% Au on untreated carbon by PVA method	65

A.3	TEM image at magnification of 200,000x. of 20 wt% Au on untreated carbon by PVA method	67
A.4	TEM image at magnification of 40,000x. of 20 wt% Au on treated carbon by PVA method	68
A.5	TEM image at magnification of 100,000x. of 20 wt% Au on treated carbon by PVA method	69
A.6	TEM image at magnification of 200,000x. of 20 wt% Au on treated carbon by PVA method	72
A.7	TEM image at magnification of 40,000x. of 30 %wt Au on treated carbon by PVA method	73
A.8	TEM image at magnification of 100,000x. of 30 wt% Au on treated carbon by PVA method	74
A.9	TEM image at magnification of 200,000x. of 30 wt% Au on treated carbon by PVA method	76
A.10	TEM image at magnification of 40,000x. of 40 %wt Au on treated carbon by PVA method	77
A.11	TEM image at magnification of 100,000x. of 40 wt% Au on treated carbon by PVA method	78
A.12	TEM image at magnification of 200,000x. of 40 wt% Au on treated carbon by PVA method	81
A.13	TEM image at magnification of 40,000x. of 20 wt% Au on untreated carbon by citrate method	82
A.14	TEM image at magnification of 100,000x. of 20 wt% Au on untreated carbon by citrate method	83
A.15	TEM image at magnification of 200,000x. of 20 wt% Au on untreated carbon by citrate method	86
A.16	TEM image at magnification of 40,000x. of 20 wt% Au on treated carbon by citrate method	87
A.17	TEM image at magnification of 100,000x. of 20 wt% Au on treated carbon by citrate method	88
A.18	TEM image at magnification of 200,000x. of 20 wt% Au on treated carbon by citrate method	91
A.19	TEM image at magnification of 40,000x. of 30 %wt Au on treated carbon by citrate method	92
A.20	TEM image at magnification of 100,000x. of 30 wt% Au on treated carbon by citrate method	93
A.21	TEM image at magnification of 200,000x. of 30 wt% Au on treated carbon by citrate method	96
A.22	TEM image at magnification of 40,000x. of 40 %wt Au on treated carbon by citrate method	97
A.23	TEM image at magnification of 100,000x. of 40 wt% Au on treated carbon by citrate method	98
A.24	TEM image at magnification of 200,000x. of 40 wt% Au on treated carbon by citrate method	101