

REFERENCES

Abdel-Aal, H.K., Zohdy, K.M. and Kareem, M.A., 2010, "Hydrogen production using sea water electrolysis", **The Open Fuel Cells Journal**, Vol. 3, pp. 1-7.

AccessScience, 2013, **Decomposition Potential** [online], Available: <http://www.accessscience.com/search.aspx?rootID=792016> [16 August 2013].

Aldas, K. and Mat, MD., 2005, "Application of a two-phase flow model for natural convection in an electrochemical cell", **International Journal of Hydrogen Energy**, Vol. 30, pp. 411-420.

Aldas, K., 2004, "Application of a two-phase flow model for hydrogen evolution in an electrochemical cell", **Applied Mathematics and Computation**, Vol. 154, pp. 507-519.

Aldas, K., Pehlivanoglu, N. and Mat, MD., 2008, "Numerical and experimental investigation of two-phase flow in an electrochemical cell", **International Journal of Hydrogen Energy**, Vol. 33, pp. 3668-3675.

Aleinov, I. and Schmidt, G.A., 2006, "Water isotopes in the GISS ModelE land surface scheme", **Global and Planetary Change**, Vol. 51, pp. 108-120.

Bagotsky, V.S., 2006, **Fundamentals of Electrochemistry**, 2nd ed., John Wiley & Sons Inc, New Jersey, pp. 5 and 15-18.

Bard, A.J. and Faulkner, L.R., 2001, **Electrochemical Methods Fundamentals and Applications**, 2nd ed., John Wiley & Sons Inc, New York, pp. 9-39 and 137-140.

Benemann, J.R., 1997, "Feasibility analysis of photobiological hydrogen production", **International Journal of Hydrogen Energy**, Vol. 22, No.10/11, pp. 979-987.

Biaku, C.Y., Dale, N.V., Mann, M.D., Salehfar, H., Peters, A.J. and Han, T., 2008, "A semiempirical study of the temperature dependence of the anode charge transfer

coefficient of a 6 kW PEM electrolyzer", **International Journal of Hydrogen Energy**, Vol. 33, pp. 4247-4254.

Boll, H., Franck, E.U. and Weingartner, H., 2003, "Electrolysis of supercritical aqueous solutions at temperatures up to 800 K and pressures up to 400 MPa", **The Journal of Chemical Thermodynamics**, Vol. 35, pp. 625-637.

Britz, D., 2005, **Digital Simulation in Electrochemistry**, Springer, New York, pp. 5-10 and 33-37.

Casper, M.S. (Ed.), 1978, **Hydrogen Manufacture by Electrolysis, Thermal Decomposition and Unusual Techniques**, Noyes, New Jersey, pp. 70-220.

Caspersen, M. and Kirkegaard, J.B., 2012, "Modelling electrolyte conductivity in a water electrolyzer cell", **International Journal of Hydrogen Energy**, Vol. 37, pp. 7436-7441.

College of the Desert, **Hydrogen Properties**, Course Manual on Hydrogen Fuel Cell Engines and Related Technologies Module 1, Palm Desert, CA, USA, 2001.

Conibeer, G.J. and Richards, B.S., 2007, "A comparison of PV/Electrolyser and photoelectrolytic technologies for use in solar to hydrogen energy storage systems", **International Journal of Hydrogen Energy**, Vol. 32, pp. 2703-2711.

Crank, J., 1975, **The Mathematics of Diffusion**, Claredon Press, Bristol, pp. 1-27 and 44-130.

Das, L.M., Gulati, Rohit and Gupta, P.K., 2000, "A comparative evaluation of the performance characteristics of a spark ignition engine using hydrogen and compressed natural gas as alternative fuels", **International Journal of Hydrogen Energy**, Vol. 25, pp. 783-793.

Davies, C.W., 1959, **Principles of electrolysis**, Royal Institute of Chemistry, London, pp. 1-30.

de Jonge, R.M., Barendrecht, E., Janssen, L.J.J. and van Stralen, S.J.D., 1982, "Gas bubble behavior and electrolyte resistance during water electrolysis", **International Journal of Hydrogen Energy**, Vol. 7, pp. 883–894.

Denaro, A.R., 1971, **Elementary electrochemistry**, Butterworth & Co, London, pp. 1-2.

Department of Alternative Energy Development and Efficiency Ministry of Energy, **Hydrogen properties** [online], Available :

http://www.dede.go.th/dede/index.php?option=com_content&view=article&id=123%3A2010-05-07-06-59-23&catid=57%3A2010-04-06-09-13-01&Itemid=120&lang=th [12 August 2013].

Dieguez, P.M., Ursua, A., Sanchis, P., Sopena, C., Guelbenzu, E. and Gandia, L.M., 2008, "Thermal performance of a commercial alkaline water electrolyzer: Experimental study and mathematical modeling", **International Journal of Hydrogen Energy**, Vol. 33, pp. 7338-7354.

Divisek, J. and Wendt, H. (Eds), 1990, **Water electrolysis in a low and medium temperature regime. In: Electrochemical hydrogen technologies - Electrochemical production and combustion of hydrogen**, Elsevier, New York, pp. 64-190.

Funk, J.E., 2001, "Thermochemical hydrogen production: past and present", **International Journal of Hydrogen Energy**, Vol. 26, pp. 185-190.

Gilliam, R.J., Graydon, J.W., Kirk, D.W. and Thorpe, S.T., 2007, "A review of specific conductivities of potassium hydroxide solutions for various concentrations and temperatures", **International Journal of Hydrogen Energy**, Vol. 32, pp. 359-364.

Golnabi, H., Matloob, M.R., Bahar, M. and Sharifian, M., 2009, "Investigation of electrical conductivity of different water liquids and electrolyte solutions", **Iranian Physical Journal**, Vol. 3-2, pp. 24-28.

Grigoriev, S.A., Millet, P., Korobtsev, S.V., Porembskiy, V.I., Pepic, M., Etievant, C., Puyenchet, C. and Fateev, V.N., 2009, "Hydrogen safety aspects related to high-

pressure polymer electrolyte membrane water electrolysis", **International Journal of Hydrogen Energy**, Vol. 34, pp. 5986-5991.

Grimes, C.A., Varghese, O.K. and Ranjan, S., 2008, **Light, Water, Hydrogen The Solar Generation of Hydrogen by Water Photoelectrolysis**, Springer, New York, pp. 1-29 and 35-92.

Gupta, R.B. (Ed), 2009, **Hydrogen fuel : production, transport and storage**, CRC Press, London, pp. 3-100.

Hair, J.F., Black, W.C., Babin, B.J., Anderson, R.E. and Tatham, R.L., 2006, **Multivariate Data Analysis**, 6th ed., Pearson Education, New Jersey, pp. 101-162.

Hulteberg, P.C. and Karlsson, H.T., 2009, "A study of combined biomass gasification and electrolysis for hydrogen production", **International Journal of Hydrogen Energy**, Vol. 34, pp. 772-782.

JANAF, 1971, **Thermochemical tables QD511.D614**.

Jensen, J.O., Bandur, V., Bjerrum, N.J., Jensen, S.H., Ebbesen, S., Mogensen, M., Tophøj, N. and Yde, L., 2008, **Pre-investigation of Electrolysis**, Danish Public Service Obligation (DPSO) Energinet.Dk, Fredericia, pp. 3-12 and 25-60.

Kelly, N.A., Gibson, T.L. and Ouwerkerk, D.B., 2008, "A solar-powered, high-efficiency hydrogen fueling system using high-pressure electrolysis of water: Design and initial results", **International Journal of Hydrogen Energy**, Vol. 33, pp. 2747-2764.

Kilic, E.O., Koparal, A.S. and Ogutveren, U.B., 2008, "Hydrogen production by electrochemical decomposition of formic acid via solid polymer electrolyte", **Fuel Processing Technology**, Vol. 90, pp. 158-163.

Koryta, J., Dvorak, J. and Kavan, L., 1993, **Principle of Electrochemistry**, 2nd ed., John Wiley & Sons Inc, Singapore, pp. 1-26, 79-97, 101-121, 157-177 and 198-214

Kreuter, W. and Hofmann, H., 1998, "Electrolysis: the important energy transformer in a world of sustainable energy", **International Journal of Hydrogen Energy**, Vol. 23, pp. 661–666.

Kruger, Paul, 2000, "Electric power requirement in the United States for-scale production of hydrogen fuel", **International Journal of Hydrogen Energy**, Vol. 25, pp. 1023-1033.

Kruger, Paul, 2001, "Electric power requirement for large-scale production of hydrogen fuel for the world vehicle fleet", **International Journal of Hydrogen Energy**, Vol. 26, pp. 1137-1147.

Marangio, F., Santarelli, M. and Cali, M., 2009, "Theoretical model and experimental analysis of high pressure PEM water electrolyser for hydrogen production", **International Journal of Hydrogen Energy**, Vol. 34, pp. 1143-1158.

Marcelo, D. and Dell'Era, A., 2008, "Economical electrolyser solution", **International Journal of Hydrogen Energy**, Vol. 33, pp. 3041-3044.

Matsushima, H., Fukunaka, Y. and Kuribayashi, K., 2006, "Water electrolysis under microgravity. Part II. Description of gas bubble evolution phenomena", **Electrochimica Acta**, Vol. 51, pp. 4190-4198.

Miri, R. and Mraoui, S., 2007, "Electrolyte process of hydrogen production by solar energy", **Desalination**, Vol. 206, pp. 69-77.

Montgomery, D.C., 2001, **Design and Analysis of Experiments**, 5th ed., John Wiley & Sons, Singapore, pp. 2-17 and 392-499.

Nagai, N.m Takeuchi, M., Kimura, T. and Oka, T., 2003, "Existence of optimum space between electrodes on hydrogen production by water electrolysis", **International Journal of Hydrogen Energy**, Vol. 28, pp. 35-41.

Ni, M., Leung, M.K.H. and Leung, D.Y.C., 2006, "A modeling study on concentration overpotentials of a reversible solid oxide fuel cell", **Journal of Power Sources**, Vol. 163, pp. 460-466.

O'Hayre, R., 2009, **Fundamentals Fuel Cells**, 2nd ed., John Wiley & Sons, New Jersey, pp. 3-180.

Oldham, K.B. and Myland, J.C., 1994, **Fundamentals of Electrochemical Science**, Academic Press, New York, pp. 1-62.

Perron, A.L., Kiss, L.I. and Poncsák, S., 2007, "Mathematical model to evaluate the ohmic resistance caused by the presence of a large number of bubbles in Hall-Héroult cells", **Journal of Applied Electrochemistry**, Vol. 37, pp. 303-310.

Ramasamy, K. K. and T-Raissi, A., 2007, "Hydrogen production from used lubricating oils", **Catalysis Today**, Vol. 129, pp. 365-371.

Rieger, P.H., 1994, **Electrochemistry**, 2nd ed, Chapman & Hall, New York, pp. 120-168 and 210-308.

Roy, A., Watson, S. and Infield, D., 2006, "Comparison of electrical energy efficiency of atmospheric and high-pressure electrolyzers", **International Journal of Hydrogen Energy**, Vol. 31, pp. 1964-1979.

Rzayeva, M.P., Salamov, O.M. and Kerimov, M.K., 2001, "Modeling to get hydrogen and oxygen by solar water electrolysis", **International Journal of Hydrogen Energy**, Vol. 26, pp. 195-201.

Santarelli, M., Medina, P. and Cali, M., 2009, "Fitting regression model and experimental validation for a high-pressure PEM electrolyzer", **International Journal of Hydrogen Energy**, Vol. 34, pp. 2519-2530.

Sarkar, Md.S.K.A., Evans, G.M. and Donne, S.W. , 2010, "Bubble size measurement in electroflotation", **Minerals Engineering**, Vol. 23, pp. 1058-1065.

Saur, G., 2008, **Wind-To-Hydrogen Project: Electrolyzer Capital Cost Study**, National Technical Information Service U.S. Department of Commerce.

Schmidt, G., 2005, **Isotopically Speaking: Tracing the Water Cycle** [Online], Available : http://www.giss.nasa.gov/research/briefs/schmidt_03/ [12 August 2013].

Schmidt, G.A., Hoffmann, G., Shindell, D.T. and Hu, Y., 2005, "Modeling atmospheric stable water isotopes and the potential for constraining cloud processes and stratosphere-troposphere water exchange", **Journal of Geophysical Research Atmospheres** [Electronic], Vol. 110, D21314, doi:10.1029/2005JD005790, Available: American Geophysical Union [14 August 2013].

Schug, C.A., 1998, "Operational characteristics of high-pressure, high-efficiency water-hydrogen-electrolysis", **International Journal of Hydrogen Energy**, Vol. 23, No.12, pp. 1113-1120.

Sillen C.W.M.P., Barendrecht, E., Janssen, L.J.J. and van Stralen, S.J.D., 1982, "Gas bubble behavior during electrolysis", **International Journal of Hydrogen Energy**, Vol. 7, pp. 577–587.

Soltermann, O.E. and Da Silva, E.P., 1998, "Comparative study between the hysolar project and a hypothetical international project in Brazil for hydrogen production and exportation (BHP) from photovoltaic energy and secondary hydroelectricity combined supply", **International Journal of Hydrogen Energy**, Vol. 23, No.9, pp. 735-739.

SØrensen, B., 2004, **Hydrogen and Fuel Cells: Emerging technologies and applications**, 3rded, Elsevier Academic Press, Singapore, pp. 5-68.

Tani, T., Sekiguchi, N., Sakai, M. and Ohta. D., 2000, "Optimization of solar hydrogen systems based on hrdrogen production cost", **Solar energy**, Vol. 68, No.2, pp. 143-149.

Thome, J.R., 2010, **Engineering Data Book III**, Wolverine Tube Inc, Lausanne, pp. 40-90.

U.S. Department of Energy, 2001, **Hydrogen and Fuel Cells** [Online], Available : http://www1.eere.energy.gov/hydrogenandfuelcells/tech_validation/pdfs/fcm01r0.pdf [12 August 2013].

Ulleberg, Ø., 2003, "Modeling of advanced alkaline electrolyzers: a system simulation approach", **International Journal of Hydrogen Energy**, Vol. 28, pp. 21-33.

Ursua, A., Marroyo, L., Gubia, E., Gandia, L.M., Dieguez, P.M. and Sanchi, P., 2009, "Influence of the power supply on the energy efficiency of an alkaline water electrolyser", **International Journal of Hydrogen Energy**, Vol. 34, pp. 3221-3233.

Van Damme, S., Maciel, P., Van Parys, H., Deconinck, J., Hubin, A. and Deconinck, H., 2010, "Bubble nucleation algorithm for the simulation of gas evolving electrodes", **Electrochemistry Communications**, Vol. 12, pp. 664-667.

Weber, K. and Stahl, W., 2002, "Improvement of filtration kinetics by pressure electrofiltration", **Separation and purification technology**, Vol. 26, pp. 69-80.

Weijts, M.P.M.G., Janssen, L.J.J. and Visser, G.J., 1997, "Ohmic resistance of solution in a vertical gas-evolving cell", **Journal of Applied Electrochemistry**, Vol. 27, pp. 371-378.

Zeng, K. and Zhang, D., 2010, "Recent progress in alkaline water electrolysis for hydrogen production and applications", **Progress in energy and combustion science**, Vol. 3 , pp. 307-326.

Zhigang, S, Baolian, Y. and Ming, H., 1999, "Bifunctional electrodes with a thin catalyst layer for 'unitized' proton exchange membrane regenerative fuel cell", **Journal of Power Sources**, Vol. 79, pp. 82-85.

Zoski, C.G. (Ed), 2007, **Handbook of Electrochemistry**, Elsevier, Singapore, pp. 3-24.

Zuttel, A., 2003, "Materials for hydrogen storage", **Materials Today**, September, pp. 24-33.