

บรรณานุกรม

- กัลยาณี เต็งพงศธร. 2553. การประยุกต์ใช้โปรแกรมเสริม FactoMineR ของโปรแกรม R เพื่อวิเคราะห์องค์ประกอบหลักของข้อมูลการประเมินคุณภาพทางประสาทสัมผัสอาหาร. วารสารอุตสาหกรรมเกษตรพระจอมเกล้า 2 (2): 31-41.
- กล้าณรงค์ ศรีรอด และเกื้อกูล ปิยะจอมขวัญ. 2546. เทคโนโลยีของแป้ง. พิมพ์ครั้งที่ 3. กรุงเทพฯ: มหาวิทยาลัยเกษตรศาสตร์.
- กรมการข้าว. 2556. พันธุ์ข้าว. [ออนไลน์] เข้าถึงได้จาก <http://www.brrd.in.th> (วันที่สืบค้น 26 กุมภาพันธ์ 2557)
- กรมวิชาการเกษตร. 2548. ถั่วเขียว. [ออนไลน์] เข้าถึงได้จาก <http://www.doa.go.th> (วันที่สืบค้น 26 กุมภาพันธ์ 2557)
- กรมวิชาการเกษตร. 2548. พันธุ์พืชไร่. กรุงเทพฯ: ชุมชนสหกรณ์การเกษตรแห่งประเทศไทย จำกัด.
- กรมส่งเสริมการเกษตร. 2551. พันธุ์ข้าว. [ออนไลน์] เข้าถึงได้จาก <http://www.doae.go.th> (วันที่สืบค้น 26 กุมภาพันธ์ 2557)
- เกื้อกูล ปิยะจอมขวัญ และกล้าณรงค์ ศรีรอด. 2544. มารู้จักแป้งสุขภาพ (Resistance Starch) กันเถอะ. ข่าวสารวิชาการในวงการแป้ง 1: 4-5.
- สมชาย ประภาวัต, อนุกุล พลศิริ และอุดม กาญจนปกรณ์ชัย. 2522. การใช้ประโยชน์ของถั่วมะแฮะในการทำคุกกี้. อาหาร 11: 136-144.
- ศูนย์นวัตกรรมเทคโนโลยีหลังการเก็บเกี่ยว. ม.ป.ป. พืชตระกูลถั่ว. [ออนไลน์] เข้าถึงได้จาก <http://www.phtnet.org> (วันที่สืบค้น 26 กุมภาพันธ์ 2557)
- ศูนย์วิทยบริการเพื่อส่งเสริมการเกษตร กรมส่งเสริมการเกษตร. ม.ป.ป. ถั่วแดงหลวง. [ออนไลน์] เข้าถึงได้จาก <http://esc.agritech.doae.go.th> (วันที่สืบค้น 26 กุมภาพันธ์ 2557)
- AACC. (2000). Approved Methods of the AACC, 10th ed. The Association, St. Paul, MN.
- AACC. (2000). Bread firmness by universal testing machine. In *Approved methods of the AACC (74-09)*. St. Paul, MN, USA: American Association of Cereals Chemists.
- American Association of Cereal Chemists (AACC). 2000. Approved Methods. The Association, St. Paul, Minnesota.
- Association of Official Analytical Chemists (AOAC). 2000. Official Method of Analysis. 15th ed. The Association of Official Agricultural Chemists, Virginia.
- Aparicio-Saguilán, A. Flores-Huicochea, E., Tovar, J., Garcia-Suárez, F., Gutiérrez-Meraza, F. and Bello-Pérez, L.A. 2005. Resistant starch-rich powders prepared by autoclaving of native and lintnerized banana starch: partial characterization. *Starch/ Stärke*. 57:405-412.

- Aparicio-Saguilán, A., Sáyago-Ayerdi, S.G., Vargas-Torres, A., Tovar, J., Ascencio-Otero, and Bello-Pérez, L.A. 2007. Slowly digestible cookies prepared from resistant starch-rich lintnerized banana starch. *Journal of Food Composition and Analysis*. 57: 405-412.
- Agustiniano-Osornio, J.C., González-Soto, R.A., Flores-Huicochea, E., Solorza-Feria, J., Manrique-Quevedo, N., Sánchez-Hernández, L. and Bello-Pérez, L.A. 2005. Resistant starch production from mango starch using a single-screw extruder. *Journal of the Science of Food and Agriculture*. 85:2105-2110.
- Baixauli, R., Sanz, T., Salvador, A. and Fiszman, S.M. 2008. Muffins with resistant starch : Baking performance in relation to the rheological properties of the batter. *Journal of Cereal Science*. 47: 502-509.
- Bello-Pérez, L.A., González-Soto, R.A., Sánchez-Rivero, M.M., Gutiérrez-Meraza, F. and Vargas-Torres, A. 2006. Extrusion of starches from non-conventional sources for resistant starch production. *Agrociencia*, 40: 441–448.
- Buleon, A., Colonna, P., Planchot, V., and Ball, S. (1998). Starch granules : structure and biosynthesis. *International Journal of Biological Macromolecules*, 23, 85-112.
- Champ, M., A.M. Langkilde, and F. Brouns. 2003. Advances in dietary fibre characterisation. 1. Definition of dietary fibre, physiological relevance, health benefits and analytical benefits. *Nutrition Research Reviews*, 16, 71–82.
- Chung, H.J., Liu, Q. and Hoover, R. 2009. Impact of annealing and heat-moisture treatment on rapidly digestible, slowly digestible and resistant starch levels in native and gelatinized corn, pea and lentil starches. *Carbohydrate Polymers*. 75: 436-447.
- El-Sayed, M.A. and Rabalski, I. 2008. Effect of baking on nutritional properties of starch in organic spelt whole grain. *Food Chemistry*. 111: 150-156.
- Eyaru, R., Shrestha, A.K. and Arcot, J. 2009. Effect of various processing technique on digestibility of starch in Red kidney bean (*Phaseolus vulgaris*) and two varieties of peas (*Pisum sativum*). *Food Research International*. 42 956-962.
- Englyst, H.N., and Hudson, G.J. (1992). The classification and measurement of dietary carbohydrates. *Food Chemistry*, 57, 15-21
- Englyst, K.N., Kingman, S.M. and Cummings, J.H. 1992. Classification and measurement of nutritionally important starch fractions. *European Journal of Clinical Nutrition*. 46: 533—550.
- Fuentes-Zaragoza, E., Riquelme-Navarrete, M.J., Sánchez-Zapata, E and Pérez-Álvarez, J.A. 2010.

- Resistant starch as functional ingredient: A review. *Food Research International*. 43: 931-942.
- Gallagher, E., Gormley, T. R., & Arendt, E. K. (2004). Recent advances in the formulation of gluten-free cereal-based products. *Trends in Food science & Technology*, 15, 143-152.
- González-Soto, R.A., Agama-Acevedo, E., Solorza-Feria, J. Rendón-Villalobos, R. and Bello-Pérez, L.A. 2004.
- Jenkins et al. (2002). Glycemic index: overview of implications in health and disease. *American Journal of Clinical*. Resistant starch made from banana starch by autoclaving and debranching. *Starch/ Stärke*. 56:495-499.
- Juliano, B.O. (1971). A simplified assay for milled rice amylose. *Cereal Science Today*, 16,334-338.
- Hughes, T., Hoover, R., Liu, Q., Donner, E., Chibbar, R. and Jaiswal, S. 2009. Composition, morphology, molecular structure, and physicochemical properties of starches from newly released chickpea (*Cicer arietinum* L.) cultivars grown in Canada. *Food Research International*. 42: 627-635.
- Katyal, D., Ghugre, P.S. and Udipi, S.A. 2005. Resistant starch in selected raw and processed legumes. *Journal of Food Science and Technology*, 42: 506–510.
- Korus, J., Witcsak, M., Ziobro, R and Juszczak, L. 2009. The impact of resistant starch on characteristics of gluten-free dough and bread. *Food Hydrocolloids*. 23: 988-995.
- Leach, H.W., L.D. McCowen, and T.J. Schoch. 1959. Structure of the starch granule I. Swelling and solubility patterns of various starches. *Cereal Chemistry* 36: 534-544
- Lei, F., Ji-Chun, T., Cai-ling, S. and Chun, L. 2008. RVA and Farinograph properties study on blends of resistant starch and wheat flour. *Agricultural Sciences in China*. 7: 812-822.
- Li, S., Ward, R. and Gao, Q. 2011. Effect of heat-moisture treatment on the formation and physicochemical properties of resistant starch from mung bean (*Phaseolus radiatus*) starch. *Food Hydrocolloids*. 25: 1702-1709.
- Lunn, J. and Buttriss, J.L. 2007. Carbohydrates and dietary fibre. *Nutrition Bulletin*. 32: 21-64.
- Mariotti, M., Pagani, M.A. and Lucisano, M. 2013. The role of buckwheat and HPMC on the breadmaking properties of some commercial gluten-free bread mixtures. *Food Hydrocolloids*, 30: 393-400.
- Martin, C., and Smith, A. M. (1995). Starch biosynthesis. *Plant Cell*, 7, 971-985.
- Minarro, B., Albanell, E., Aguilar, N., Guamin, B., Capellas, M. (2012). Effect of legume flours on baking characteristics of gluten-free bread. *Journal of Cereal Science*, 56, 476-481.

- Nimsung, P., M. Thongngam, and O. Naivikul. 2007. Compositions, Morphological and Thermal Properties of Green Banana Flour and Starch. *Kasetsart Journal International Science*, 41, 324-330
- Phimolsiripol, Y., Mukprasirt, A., Schoenlechner, R. (2012). Quality improvement of rice-base gluten-free bread using different dietary fiber fraction of rice bran. *Journal of Cereal Science*, 56, 389-395.
- Rosin, P.M., Lajolo, F.M. and Menezes, E.W. 2002. Measurement and characterization of dietary starches. *Journal of Food Composition and Analysis*. 15: 367-377.
- Pongjaruvat, W., Methacanon, P., Seetapan, N., Fuongfuchat, A. (2014). Influence of pregelatinised tapioca starch and transglutaminase on dough rheology and quality of gluten-free jamine rice breads. *Food Hydrocolloids*, 36, 143-150.
- Sabanis, D., Lebesi, D. and Tzia, C. 2009. Effect of dietary fibre enrichment on selected properties of gluten-free bread. *LWT-Food Science and Technology*, 42: 1380-1389.
- Sanders, J.P.M. 1996. Starch manufacturing in the world. Advanced Post Academic Course on Tapioca Starch Technology. January 22-26 and February: 19-23.
- Sajilata, M.G., Singhal, R.S. and Kulkarni, P.R. 2006. Resistant starch: a review. *Comprehensive Reviews in Food Science and Food Safety*. 5:1-17.
- Shi, M.M. and Gao, Q-U. 2011. Physicochemical properties, structure and in Vitro digestion of resistant starch from waxy rich starch. *Carbohydrate Polymers*, 11: 1151-1157.
- Silva, L.H., Paucar-Menacho, L.M., Vieente, C.A., Salles, A.S. & Steel, C.J. (2009) Desenvolvimento de pão de forma com a adição de farinha de "okara". *Brazilian Journal of Food Technology*, 12. 315-322.
- Singh, N., Sandhu, K.S. and Kaur, M. 2004. Characterization of starches separated from Indian chickpea (*Cicer arietinum* L.) cultivars. *Journal of Food Engineering*. 63: 441-449.
- Singh, J. Dartois, A. and Kaur, L. 2010. Starch digestibility in food matrix: a review. *Trends in Food Sciences & Technology*. 21: 168-180.
- Suksawat, C. and Luangsakul, N. 2012. Resistant starch content and physicochemical properties of legume flour. (in submission).
- Tas, A.A. and El, S.N. 2000. Determination of nutritionally important starch fractions of some Turkish breads. *Food Chemistry*. 70: 493-497.
- Tester, R.F., Karkalas, J., and Qi, X. (2004). Starch structure and digestibility enzyme substrate relationship. *World's Poultry Science Journal*, 60, 185-195.
- Whister, R.L., and Deniel, J.R. (1984). Molecular structure of starch. In R.L. Whistler, J. N. BeMiller,

- and E. F. Paschall (Eds.). Starch : chemistry and technology, 2, 153-178.
- Yadav, R.B., Sharma, A. and Yadav, R.B. 2010. Effect of storage on resistant starch content and in vitro starch digestibility of some pressure-cooked cereals and legumes commonly used in India. International Journal of Food Science & Technology. 45: 2449-2455.
- Vargas-Torres, A. Osorio-Diaz, P., Islas-Hernández, J.J., Tovar, J., Paredes-Lopez, O. and Bello-Pérez, L.A. 2004. Starch digestibility of five cooked black bean (*Phaseolus vulgaris* L.) varieties. Journal of Food Composition and Analysis. 17: 605-612.
- Yousif, A., Nhepera, D. and Johnson, S. 2012. Influence of sorghum flour addition on flat bread in vitro starch digestibility, antioxidant capacity and consumer acceptability. Food Chemistry. 134: 880-887.
- Zobel, H.F. (1988). Molecules to granules: A comprehensive starch review. Starch/Stärke, 40(2), 44-50.